

Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR DECEMBER 2021

9:00 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task	Cross Street	
21-001566	12/8/2021 12:30 PM	12/8/2021 1:00 PM	Public Works	Pot Hole Patching	15802 DENHAM RD
Complete			/ Fill Potholes		
Req Comment:	POTHOLE AT THE ABOVE LISTED ADDRESS				
Area is marked in white paint. Saw cut and make repair.					
21-001567	12/3/2021 9:00 AM	12/3/2021 10:00 AM	Public Works	Traffic Sign Maintenance	12203 AMBER LAKES DR
Complete			/ Repair Sign Post		
Req Comment:	Description: The Amber Lakes/River Birch road sign is down on the south east corner. It looks like someone hit it with their car. CitySourced Id: 2385665				
21-001568	12/3/2021 9:30 AM	12/3/2021 10:30 AM	Public Works	Backfill/Dressup	6407 DONNYBROOK AVE
Complete			/ Resurface		
Req Comment:	BACKFILL FOR DRIVEWAY				
21-001569	12/2/2021 9:00 AM	12/2/2021 10:00 AM	Public Works	Miscellaneous	0 MAGNOLIA BRIDGE RD
Complete			/ Resurface		
Req Comment:	PUT UP CHRISTMAS BANNERS (4) AT THE INTERSECTION OF GREENWELL SPRINGS AND MGANOLIA BRIDGE RD				
21-001570	12/3/2021 11:00 AM	12/3/2021 12:00 PM	Public Works	Miscellaneous	0 GREENWELL SPRINGS RD
Complete			/ Resurface		
Req Comment:	PUT UP CHRISTMAS BANNERS (8) AT THE INTERSECTION OF GREENWELL SPRINGS AND CENTRAL THRUWAY				
21-001571	12/2/2021 10:15 AM	12/2/2021 10:30 AM	Public Works	Miscellaneous	0 SULLIVAN RD
Complete			/ Resurface		
Req Comment:	PUT UP CHRISTMAS BANNERS (8) AT THE INTERSECTION OF HOOPER RD AND SULLIVAN RD				
21-001572	12/2/2021 11:00 AM	12/2/2021 12:00 PM	Public Works	Miscellaneous	0 JOOR RD
Complete			/ Resurface		
Req Comment:	PUT UP CHRISTMAS BANNERS (8) AT THE INTERSECTION OF JOOR AND HOOPER RD				
21-001573	12/2/2021 1:00 PM	12/3/2021 10:00 AM	Public Works	Miscellaneous	0 LOVETT RD
Complete			/ Resurface		
Req Comment:	PUT UP CHRISTMAS BANNERS (8) AT THE INTERSECTION OF JOOR AND LOVETT RD				
21-001576	12/6/2021 8:30 AM	12/6/2021 9:30 AM	Public Works	Roadside Weed-eating	12057 SOLITUDE LN
Complete			/ ROADSIDE WEEDEAT		
Req Comment:	FRONT AND REAR DITCH NEEDS DIGGING				
REAR DITCH WILL BE ON OFF ROAD DRAINAGE PROJECT					
Weedeat the roadside ditch at 12111 solitude as low as possible					
21-001580	1/6/2022 7:00 AM	1/6/2022 10:30 AM	Public Works	Storm Drain Repair	5315 ELKHORN DR
Complete			/ Repair or Replace Pipe		
Req Comment:	CAVE-IN IN FRONT YARD				
CB is damaged and will need some work done. May need to be re-built.					
21-001581	12/7/2021 10:30 AM	12/7/2021 11:30 AM	Public Works	Culvert Clean Out	5315 ELKHORN DR
Complete			/ Clean Culvert		

Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR DECEMBER 2021

9:00 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task	Cross Street	
Req Comment:	TORPEDO CULVERT UNDER DRIVEWAY AND CHEK THE NEIGHBORS RS DITCH FOR DIGGING				
	Down stream ditch does not need to be dug. Clean out culvert under drive at address listed				
21-001583	12/7/2021 9:00 AM	12/7/2021 10:30 AM	Public Works	Culvert Clean Out	14021 WINTERSET DR
Complete			/ Clean Pipe		
Req Comment:	DRIVEWAY CULVERT IS STOPPED UP				
	CALL H.O. BEFORE INSPECTION				
	The address listed has enclosed culverts. There looks to be something in the middle of the culverts restricting flow				
21-001584	12/7/2021 11:30 AM	12/7/2021 12:00 PM	Public Works	Culvert Clean Out	6607 NARCISSUS DR
Complete			/ Investigate		
Req Comment:	CHECK ROADSIDE DRAINAGE				
	CALL H.O. BEFORE INSPECTION.				
	The address listed has enclosed culverts. The middle section of the culverts appears to have dirt restricting flow. Clean out with wash trailer				
21-001585	12/10/2021 9:30 AM	12/10/2021 10:30 AM	Public Works	Roadside Weed-eating	11048 GLENN WATTS RD
Complete			/ ROADSIDE WEEDEAT		
Req Comment:	H.O. WANTS ROADSIDE DITCH DUG				
	WEEDEAT ROADSIDE DITCH				
21-001586	1/13/2022 7:00 AM	1/13/2022 12:00 PM	Public Works	Storm Drain Repair	11646 D'EVERAUX AVE
Complete			/ Repair or Replace Pipe		
Req Comment:	CALL BEFORE INSPECTION.				
	DRIVEWAY IS COLLAPSING				
	Dye tested all voids at driveway and it showed the dye running down the side of pipe.				
21-001587	12/7/2021 7:31 AM	12/7/2021 7:45 AM	Public Works	Roadside Weed-eating	0 GREENWELL SPRINGS RD 0 MAGNOLIA BRIDGE RD
Complete			ROADSIDE WEEDEAT / Investigate		
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE EMPTY CORNERS OF GREENWELL SPRINGS ROAD AND MAGNOLIA BRIDGE RD				
21-001588	12/7/2021 7:16 AM	12/7/2021 7:30 AM	Public Works	Roadside Weed-eating	
Complete			ROADSIDE WEEDEAT / Investigate		
Req Comment:	WEEDEAT BOTH SIDES OF THE ROAD IN THE BROWN RD SEMI CIRCLE NEAR 15528 BROWN RD				
Crew Comment:	WEEDEAT BOTH SIDES OF THE ROAD IN THE BROWN RD SEMI CIRCLE NEAR 15528 BROWN RD				
21-001589	12/6/2021 7:00 AM	12/6/2021 12:00 PM	Public Works	Litter Control	CITY WIDE SNIPE
Complete			Pick Up Trash / Pick Up Trash		
Req Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD				
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD				
21-001590	12/6/2021 10:31 AM	12/6/2021 11:30 AM	Public Works	Traffic Sign Maintenance	13005 VIRGIL JACKSON AVE
Complete			/ Repair Sign		

Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR DECEMBER 2021

9:00 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
Req Comment:	STREET SIGN DOWN			
	Sign and post are there they need to be re-installed			
21-001591	12/6/2021 9:31 AM	12/6/2021 10:30 AM	Public Works Traffic Sign Maintenance	0 HUBBS RD
Complete	/ Replace Sign			
Req Comment:	YEILD SIGN IS DOWN AT THE INTERSECTION OF HUBBS RD AND DENHAM RD.			
	Need new post and yield sign.			
21-001592	12/6/2021 7:00 AM	12/6/2021 8:30 AM	Public Works Off Road Drainage	14944 E BEAVER DR
Complete	/ OFF ROAD WEEDEAT			
Req Comment:	SIDE DITCH			
	Side ditch needs some spot weedeating and some debris removed from ditch			
21-001593	12/6/2021 7:00 AM	12/6/2021 9:30 AM	Public Works Traffic Sign Maintenance	0 GREYSTONE DR
Complete	/ Repair Sign			
Req Comment:	STRAIGHTEN ALL SIGNS IN PICTURES ATTACHED.			
21-001594	12/10/2021 9:31 AM	12/10/2021 1:30 PM	Public Works Draining Maintenance	6375 MORGAN RD
Complete	/ Roads Side Ditch Digging			
Req Comment:	EXCAVATE THE REST OF THE ROADSIDE DITCH			
21-001595	12/13/2021 7:00 AM	12/22/2021 3:30 PM	Public Works COC ROADSIDE DRAINAGE PROJECT	9178 HOOPER RD
Complete	/ Roads Side Ditch Digging			
Req Comment:	CORNER LOT AT THE INTERSECTION OF HOOPER AND S BLACKWATER. H.O. WOULD LIKE THE ROADSIDE DITCHES DUG ON THE S BLACKWATER RD.			
21-001598	12/8/2021 1:46 PM	12/8/2021 2:15 PM	Public Works Pot Hole Patching	14903 WILMINGTON DR
Complete	/ Fill Potholes			
Req Comment:	Description: Piece of roadway missing in this area. Please fix asap. CitySourced Id: 2386589			
	One pothole on Wilmington dr			
21-001599	12/7/2021 10:00 AM	12/7/2021 11:00 AM	Public Works Tree Removal	12829 SULLIVAN RD
Complete	/ High Tree Limb Removal			
Req Comment:	Description: Hi. Not sure if this is the right place to send this message, but here goes. ... I'm noticing a lot of people speeding through the school zone on Sullivan Rd (in front of the CIS/CMS school). I'm not sure if they just don't care (most likely the case in this city) or if they aren't noticing the school zone signs. So this morning I noticed that the sign is hard to see until you are right up on it when you are coming from Joor Rd. There are trees that need to be trimmed back next to a house that is right before the flashing lights. Maybe once they are trimmed, people will see the lights and slow down. (Fingers crossed!!) CitySourced Id: 2386678			
	Trim back the limbs at address listed to make school flashing zone more visible			
21-001600	12/8/2021 1:01 PM	12/8/2021 1:45 PM	Public Works Pot Hole Patching	0 GREYSTONE DR
Complete	/ Fill Potholes			
Req Comment:	POTHOLES ON GREYSTONE BY THE ENTRANCE AND NEAR THE FIRST TURN			
	6 potholes on Greystone from the intersection of Greystone at denham to the first curve on Greystone			

Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR DECEMBER 2021

9:00 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task		Cross Street
21-001601	12/8/2021 2:16 PM	12/8/2021 3:30 PM	Public Works	Pot Hole Patching	13934 OAKBERRY AVE
Complete			/ Fill Potholes		
Req Comment:	Description: Pothole on Oakberry, East end at stop sign. CitySourced Id: 2403652				
2 potholes on oak berry					
21-001603	12/10/2021 11:00 AM	12/10/2021 11:30 AM	Public Works	Roadside Weed-eating	13536 DEVALL RD
Complete			/ ROADSIDE WEEDEAT		
Req Comment:	Description: Ditch from Devall RD. to first house on right side of Wood Creek Dr needs weeds cut . It is a vacant lot that no one maintains. Thanks CitySourced Id: 2406950				
Weedeat the roadside ditch on the right side of wood creek drive to the first house					
21-001604	12/28/2021 7:00 AM	12/28/2021 8:30 AM	Public Works	Erosion Control	6925 GREENMEADOW DR
Complete			/ Resurface		
Req Comment:	ROADSIDE DITCH IS WIDENING OUT, CULVERTS ARE WASHING AWAY				
Spoke with HO and explained the reason his ditch is washing away is because of the weed killer being sprayed. I told him we will add rip rap around culvert to help stabilize it					
21-001605	12/30/2021 7:00 AM	1/4/2022 3:30 PM	Public Works	Storm Drain Repair	13777 TRIPLE B RD
Complete			/ Repair or Replace Pipe		
Req Comment:	CAVE IN IN THE FRONT YARD				
4 sinkholes in front yard over pipe. They are marked with white paint					
21-001606	12/9/2021 11:00 AM	12/9/2021 11:30 AM	Public Works	Pot Hole Patching	12815 GURNEY RD
Complete			/ Fill Potholes		
Req Comment:	POT HOLE IN FRONT OF ADDRESS LISTED.				
There is no pothole at the location listed by the complained. The area where there was a pothole before was patched but has settled some so there is a slight dip.					
21-001607	12/10/2021 11:40 AM	12/10/2021 12:00 PM	Public Works	Roadside Weed-eating	10943 N OLD SETTLEMENT RD
Complete			ROADSIDE WEEDEAT / ROADSIDE WEEDEAT		
Crew Comment:	WEEDEAT FRONT DITCH				
21-001612	12/9/2021 8:00 AM	12/9/2021 8:04 AM	Public Works	Off-Road Weedeating/Cleanup	
Complete			OFF ROAD WEEDEAT /		
Req Comment:	COMPLETED ON WORK ORDER 21-001322				
Crew Comment:	WEEDEAT OVERGROWN AREA OF VILLAGE LAKES				
21-001613	12/10/2021 7:00 AM	12/10/2021 9:15 AM	Public Works	Roadside Weed-eating	0 JOOR RD
Complete			ROADSIDE WEEDEAT / ROADSIDE WEEDEAT		
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE WELCOME TO THE CITY OF CENTRAL SIGN ON JOOR RD				
21-001614	1/11/2022 2:00 PM	1/11/2022 3:30 PM	Public Works	Draining Maintenance	5757 THIBODEAUX RD
Complete			/ Roads Side Ditch Digging		

Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR DECEMBER 2021

9:00 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem	Cross Street
			Main Task/Task	
Req Comment:	DRAINAGE HAS CHANGED IN THE LAST 5-6 MONTHS WATER IS NOT DRAINING OFF. CALL HO BEFORE INSPECTING			
	Dig rd side ditch from 5909 back to outflow of 5757 driveway culvert! CHECK DRIVEWAY CULVERTS FOR BLOCKAGES.			
21-001615			Public Works	0 TRIPLE B RD
12/10/2021 7:00 AM	12/10/2021	10:00 AM	Off Road Drainage	
Complete			/ Remove Debris	
Req Comment:	THE FIRST DIP IN THE ROAD ON TRIPLE B, HE WANTS US TO CHECK THE CANAL FOR BLOCKAGES			
	Met HO where the canal goes under triple b (13777 TRIPLE B). At the mouth of the culverts we have some blockages. Also the ditch has silted in shutting off the water from getting to one culvert and hitting the other at an angle. (Aaron can explain better in person) we need to excavate this area to improve the water flow			
21-001616			Public Works	0 FRENCHTOWN RD
12/9/2021 2:15 PM	12/9/2021	3:30 PM	Pot Hole Patching	
Complete			/ Fill Potholes	
Req Comment:	POTHOLE ON FRENCHTOWN RD FROM CENTRAL THRUWAY TO THE TRAIN TRUSSELS.			
	Patch all potholes on frenchtown from country road to frenchtown acres			
21-001617			Public Works	15545 S POST OAK CT
12/9/2021 1:00 PM	12/9/2021	1:15 PM	Pot Hole Patching	
Complete			/ Fill Potholes	
Req Comment:	Description: Asphalt by driveway apron broke off. Would like repaired. CitySourced Id: 2389754			
21-001618			Public Works	10772 GLENN WATTS RD
12/15/2021 1:30 PM	12/15/2021	2:00 PM	Roadside Weed-eating	
Complete			/ ROADSIDE WEEDEAT	
Req Comment:	CALL H.O. BEFORE INSPECTION TO LOCATE HER PROBLEM.			
	DITCH IN HER AREA NEEDS TO BE WEEDEATED AND/OR DUG OUT TO HELP WATER FLOW.			
	Weedeat and REMOVE all debris from roadside ditches on either sides of the driveways			
21-001619			Public Works	CITY WIDE SNIPE
12/13/2021 7:00 AM	12/13/2021	12:00 PM	Litter Control	
Complete			Pick Up Trash / Pick Up Trash	
Req Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
21-001620			Public Works	0 ARLEEN AVE
12/15/2021 7:00 AM	12/15/2021	8:00 AM	Miscellaneous	
Complete			/ Remove Debris	
Req Comment:	REMOVE THE FREEZER THAT WAS DUMPED AT THE END OF ARLEEN IN THE ROAUND A BOUT. SENT BY CODE			
21-001622			Public Works	0 HUBBS RD
12/23/2021 7:00 AM	12/29/2021	1:30 PM	COC ROADSIDE DRAINAGE PROJECT	
Complete			/ Roads Side Ditch Digging	
Req Comment:	ROADSIDE DIGGING PROJECT.			
	EXCAVATE ROADSIDE DRAINAGE.			
21-001623			Public Works	9581 RUSTLING OAKS DR
1/5/2022 7:00 AM	1/5/2022	3:30 PM	Storm Drain Repair	
Complete			/ Repair or Replace Pipe	

Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR DECEMBER 2021

9:00 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
<p>Req Comment: THERE IS A SINKHOLE TOWARDS THE REAR OF THE PROPERTY ON THE SIDE SERVITUDE.</p> <p>DRIVEWAY IS COLLAPSING ON THE RIGHT SIDE FROM THE PREVIOUS REPAIR. H.O. STATES THERE IS STILL A VOID UNDER THE DRIVEWAY THAT WAS NEVER FILLED IN FROM THE INITIAL REPAIR.</p> <p>CALL H.O. BEFORE INSPECTION.</p> <p>There is a sink hole at the rear of property on top of culvert.</p>				
21-001625	12/20/2021 11:00 AM	12/20/2021 11:30 AM	Public Works Off-Road Weedeating/Cleanup	0 REED AVE
Complete	OFF ROAD WEEDEAT / OFF ROAD WEEDEAT			0 REED AVE
<p>Req Comment: LITTER CONTROL, WEEDEAT AND REMOVE DEBRIS FROM REAR DITCH ON REED AVE FROM SULLIVAN RD TO THE CONCRETE CANAL NEXT TO BREC PARK.</p> <p>Crew Comment: LITTER CONTROL, WEEDEAT AND REMOVE DEBRIS FROM REAR DITCH ON REED AVE FROM SULLIVAN RD TO THE CONCRETE CANAL NEXT TO BREC PARK.</p>				
21-001626	12/16/2021 10:00 AM	12/16/2021 1:00 PM	Public Works Roadside Weed-eating	8420 S BLACKWATER RD
Complete	/ ROADSIDE WEEDEAT			
<p>Req Comment: CHECK THE DRAINAGE WHERE THE PAVED ROAD ENDS</p>				
21-001628	12/15/2021 12:30 PM	12/15/2021 1:14 PM	Public Works Pot Hole Patching	7147 LANDMOR DR
Complete	/ Fill Potholes			
<p>Req Comment: POTHOLE NEAR THE ADDRESS ABOVE</p>				
21-001629	12/16/2021 2:30 PM	12/16/2021 3:30 PM	Public Works Backfill/Dressup	15461 RED MAPLE PL
Complete	/ Resurface			
<p>Req Comment: ADD MORE BACK FILL TO DRIVE WAY</p>				
21-001630	12/17/2021 1:30 PM	12/17/2021 2:15 PM	Public Works Roadside Weed-eating	10622 NORWAY PINE DR
Complete	/ ROADSIDE WEEDEAT			
<p>Req Comment: ROADSIDE DITCH NEEDS WEEDEATING AND POSSIBLY DUG</p> <p>Ditch has heavy vegetation in it. Weedeat ditch and remove heavy vegetation</p>				
21-001631	12/20/2021 7:00 AM	12/20/2021 9:30 AM	Public Works Off-Road Weedeating/Cleanup	0 BANWAY DR
Complete	/ OFF ROAD WEEDEAT			
<p>Req Comment: ADDRESS ALL CONCRETE LINED OFF ROAD DITCHES IN BILTMORE SUBDIVISION</p>				
21-001632	12/20/2021 10:00 AM	12/20/2021 11:00 AM	Public Works Roadside Weed-eating	0 WAX RD
Complete	ROADSIDE WEEDEAT / ROADSIDE WEEDEAT			0 WAX RD
<p>Req Comment: WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD</p> <p>Crew Comment: WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD</p>				
21-001633	12/20/2021 9:30 AM	12/20/2021 10:00 AM	Public Works Roadside Weed-eating	0 DURMAST DR
Complete	ROADSIDE WEEDEAT / ROADSIDE WEEDEAT			0 DURMAST DR
<p>Req Comment: LITTER CONTROL, WEEDEAT AND ROADSIDE MOWING</p> <p>Crew Comment: LITTER CONTROL, WEEDEAT AND ROADSIDE MOWING</p>				
21-001634	12/20/2021 11:30 AM	12/20/2021 12:00 PM	Public Works Roadside Weed-eating	13721 HOOPER RD
Complete	ROADSIDE WEEDEAT / ROADSIDE WEEDEAT			
<p>Req Comment: WEED EAT IN FRONT OF CITY HALL</p> <p>Crew Comment: WEED EAT IN FRONT OF CITY HALL</p>				
21-001635	12/20/2021 8:00 AM	12/20/2021	Public Works Litter Control	CITY WIDE SNIPE
Complete	Pick Up Trash / Pick Up Trash			

Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR DECEMBER 2021

9:00 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
Req Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
21-001636			Public Works	10029 MOSS LEA DR
12/20/2021 10:00 AM	12/20/2021 11:00 AM	Off Road Drainage		
Complete	/ Repair or Regrade Ditch			
Req Comment:	CLEAR OUT REAR DRAINAGE CANAL.			
	PER HOMEOWNER "Drainage ditch on servitude-a tree fell causing a holes in it, now it needs to be cleaned out (leaves, weeds etc) and filled in with dirt/silt to smooth it out."			
	CALL H.O. BEFORE INSPECTION.			
	Ho is requesting the ditch along the tangle wood side of ditch be re graded. A tree fell on it and rutted it up. We can just knuckle down the rutted areas to the next outfall pipe			
21-001639			Public Works	10163 LOVETT RD
12/22/2021 7:00 AM	12/22/2021 10:00 AM	Pot Hole Patching		
Complete	/ Fill Potholes			
Req Comment:	SEVERAL POTHOLES ON LOVETT RD BETWEEN ADDRESS LISTED AND HOOPER RD.			
21-001640			Public Works	12814 PECOS AVE
12/22/2021 11:00 AM	12/22/2021 3:00 PM	Pot Hole Patching		
Complete	/ Fill Potholes			
Req Comment:	POTHOLE AT THE ADDRESS LISTED			
21-001641			Public Works	0 HOOPER RD
1/10/2022 8:00 AM	1/10/2022	Roadside Weed-eating		
Complete	ROADSIDE WEEDEAT / Investigate			
Crew Comment:	WEEDEAT MEDIAN ON HOOPER RD FROM COMITE RIVER TO 9783 HOOPER RD.			
	BE SURE TO BLOW THE GRASS OFF THE ROAD.			
21-001642			Public Works	0 CIMMARON DR
12/28/2021 10:00 AM	12/28/2021 10:30 AM	Tree Removal		
Complete	/ Remove Debris			
Req Comment:	BIG LIMB FELL IN THE DITCH AND WILL BLOCK FLOW IF WE HAVE A BIG RAIN.			
21-001643			Public Works	0 THIBODEAUX RD
12/28/2021 11:00 AM	12/28/2021 3:00 PM	Miscellaneous		
Complete	/ Remove Debris			
Req Comment:	CLEAR DEBRIS FROM ROADSIDE DITCHES ON THIBODEAUX RD			
21-001644			Public Works	17238 CHICKASAW AVE
1/12/2022 8:15 AM	1/12/2022 9:00 AM	Roadside Weed-eating		
Complete	/ ROADSIDE WEEDEAT			
Req Comment:	ROADSIDE DITCHES ARE HOLDING WATER AT THE FIRST 4 HOUSES ON CHICKASAW.			
	Weedeat the ditch at dollar general to help with flow			
21-001645			Public Works	0 DEVALL RD
12/30/2021 7:00 AM	12/30/2021 10:30 AM	Storm Or Hurricane Related Issues		
Complete	/ Clean Culvert			
Req Comment:	REMOVE THE BLOCKAGE AT THE BOX CULVERTS ON DEVALL			
21-001646			Public Works	0 OAKBERRY AVE
1/13/2022 1:30 AM	1/13/2022 2:00 AM	Traffic Sign Maintenance		
Complete	/ Install Sign			
Req Comment:	Speed Limit 25 on Oakberry Ave as you enter subdivision off of Hubbs Rd. Pole is there, sign is missing.			

Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR DECEMBER 2021

9:00 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
21-001647	1/12/2022 1:20 PM	1/12/2022 2:00 PM	Public Works Traffic Sign Maintenance / Install Sign	0 HUBBS ACRES AVE
Complete	Req Comment: Speed Limit 25 new installation on Hubbs Acres Ave on the first telephone pole on the right eastbound past the first driveway.			
21-001648	12/30/2021 11:30 AM	12/30/2021 12:00 PM	Public Works Traffic Sign Maintenance / Repair Sign	0 DEVALD RD
Complete	Req Comment: STOP AHEAD sign needs to be aligned on Devall Rd northbound just before Denham Rd.			
21-001649	1/12/2022 10:15 AM	1/12/2022 12:00 PM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	11961 COUNTRY ESTATE AVE
Complete	Req Comment: TAIL LINE IS NOT DRAINING AT THE ROADSIDE DITCH			