

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task		Cross Street
17-001330			Public Works		11421 BROWNING RD
3/11/2019	7:00 AM	3/13/2019	4:00 PM	Draining Maintenance	11421 BROWNING RD
Complete			/ Roads Side Ditch Digging		
Req Comment:	WATER HAS NO WHERE TO GO; "END OF THE LINE"				
17-001650			Public Works		16925 FIR AVE
3/7/2019	1:00 PM	3/8/2019	11:00 AM	Draining Maintenance	16925 FIR AVE
Complete			/ Roads Side Ditch Digging		
Req Comment:	NO DITCH OUT FRONT-LOOKS LIKE RECENTLY INSTALLED CULVERT-HOLDING WATER				
	Dig front ditch from 16925 to outfall at canal 17027 served 200 of . Pull culverts at 17017 only Priority3				
17-002063			Public Works		14525 BROWN RD
3/15/2019	7:00 AM	3/15/2019	4:00 PM	Draining Maintenance	14525 BROWN RD
Complete			/ Roads Side Ditch Digging		
Req Comment:	DIG FRONT DITCH				
	Dig ditch from 14525 to down stream cross over pipe to 14419 down stream cross over pipe. Pull 3 driveways . Driveway at 14419 restricted with trash and leaves needs cleaning. Restricting flow. Could be 2 work orders one for trash and leaves priority the other priority3 .				
17-002268			Public Works		12939 BIG OAK AVE
3/11/2019	8:30 AM	3/11/2019	1:00 PM	Draining Maintenance	
Complete			/ Roads Side Ditch Digging		
Req Comment:	NEED SWALE DITCH BY OWNER AND NEIGHBOR				
	Clean ditch from 12939 to 12909 also clean 4 sets of driveway culverts Priority3				
17-002274			Public Works		10569 CORE LN
3/20/2019	7:00 AM	3/20/2019	10:00 AM	Draining Maintenance	10569 CORE LN
Complete			/ Roads Side Ditch Digging		
Req Comment:	CLOGGED DITCHES WITH STANDING WATER-FRONT AND REAR NEED TO BE REDUG				
	Dig ditch from 10569 core to intersection of Blackwater . Pull 3 sets culverts to clean				
17-002341			Public Works		12997 SLOPE OAK
			Draining Maintenance		
Complete			/		
Req Comment:	DRAINAGE DITCH IN FRONT OF HOUSE IS NOT DRAINING - FILLS UP EVEN WITH A LITTLE RAIN				
	Culvert under driveway causing ditch to hold water. Clean 24 ft of culverts to catch basin outfall to canal Priority 3				
	WATER ELEVATION IN THE CATCH BASIN AND OUTFALL CULVERTS IS THE SAME AS THE WATER ELEVATION AT THE OUTFALL DITCH IN THE REAR OF THE PROPERTY.				
17-002425			Public Works		14099 BROWN RD
			Culvert Clean Out		14099 BROWN RD
Complete			/		
Req Comment:	DITCH AT NEIGHBORING DITCHES ARE OVERGROWN AND CULVERTS ARE SILTED IN				
17-002540			Public Works		CHANOVE AVE
3/25/2019	10:00 AM	3/26/2019	4:00 PM	Draining Maintenance	0 CHANOVE AVE
Complete			/ Roads Side Ditch Digging		
Req Comment:	DIG OUT DITCH CHANOVE @ BAYONNE DR				
	make w/o per david's orders				

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem	Cross Street
			Main Task/Task	
17-002569			Public Works	16237 OLD SETTLEMENT
3/22/2019	7:00 AM	3/22/2019	9:00 AM Draining Maintenance	
Complete			/ Roads Side Ditch Digging	
Req Comment:	CLEANED DITCHES ON ONE PART-NOT THE OTHER-DITCH HOLDING WATER			
	Dig ditch from 16227,16217 est 150 of. Priority 3 pull culverts			
17-002696			Public Works	17453 HEARTHWOOD DR
3/18/2019	7:00 AM	3/27/2019	12:00 PM Draining Maintenance	17453 HEARTHWOOD DR
Complete			/ Roads Side Ditch Digging	
Req Comment:	TORPEDO CULVERT DIG-REPAIR WASHOUT UNDER DRIVE			
	clean ditch 17453,17463,17473 Hearthwood est 12ft 3 culverts Priority 3			
17-002825			Public Works	15924 SHETLAND AVE
3/12/2019	7:00 AM	3/12/2019	10:00 AM Draining Maintenance	15924 SHETLAND AVE
Complete			/ Roads Side Ditch Digging	
Req Comment:	DIG FRONT DITCH			
	Dig ditch from driveway to 15914 est 90 lf Clean driveway culvert			
17-002826			Public Works	14655 DEVALL RD
			Draining Maintenance	14655 DEVALL RD
Complete			/	
Req Comment:	DOWN STREAM DITCH NEEDS DIGGING OUT			
	Dig front ditch from driveway of 14655 to cross culvert. Than dig along side of 14536 Deval est total 200 lf Priority3			
	OUTFALL DITCH DRAINS THROUGH PRIVATE PROPERTY. THE DITCH ENDS, THERE IS NO WAY TO GET THE WATER TO FLOW ANY FURTHER THAN WHAT IT IS. NO DRAINAGE SERVITUDE IN THE AREA.			
17-002875			Public Works	15046 HUBBS RD
3/20/2019	10:00 AM	3/21/2019	4:00 PM Draining Maintenance	15046 HUBBS RD
Complete			/ Roads Side Ditch Digging	
Req Comment:	DITCH NEEDS CLEANING FORM 15046 HUBBS RD TO BRIDGE-CLOSE TO BRIDGE DIG AROUND CULVERTS			
	Dig from 15046 Hubbs road to canal 14762 Hubbs. Both sides of road major silt in ditches. Pull all 6 sets of culverts large diameter pipe. Priority 3 / need flag men 1500 of total 10 driveways			
18-000012			Public Works	17013 BENTON'S FERRY AVE
3/28/2019	7:00 AM	3/28/2019	2:30 PM Draining Maintenance	
Complete			/ Repair or Replace Landscaping	
Req Comment:	NEIGHBORS FLOODING YARD-ALWAYS MUDDY			
18-000240			Public Works	15423 COUNTRY RD
3/6/2019	7:00 AM	3/6/2019	12:00 PM Draining Maintenance	15423 COUNTRY RD
Complete			/ Roads Side Ditch Digging	
Req Comment:	FRONT DITCH NEEDS TO BE CLEANED-NOT INVESTIGATED-MADE WORKERORDER BY ACIDENT			
	FRONT DITCH NEEDS TO BE CLEANED			
	NEEDS DOTTIED			
18-000329			Public Works	16648 PAINT
			Draining Maintenance	
Complete			/	

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address	Cross Street
Status				Main Task/Task		
Req Comment: CULVERT IS BLOCKED IN THE FRONT AND NEEDS TO BE CLEANED; REAR DITCH IS BLOCK AS WELL						
Work has been complete Close work order per homeowner						
18-000413	3/26/2019 2:00 PM	3/27/2019 9:30 AM	Public Works	Off-Road Weedeating/Cleanup	10617 TALLOWWOOD AVE	10617 TALLOWWOOD AVE
Complete				/ Remove Debris		
Req Comment: BACK CANAL CLEAR- FOLLOWED DRAIN DOWN STREAM FROM PHEASANTWOOD AND RIBBON WOOD TO CANAL LARGE CULVERT CLOGGED WITH DEBRIS FUTHER DOWN STREAM ANOTHER BLOCKAGE						
18-000438	9/27/2018 7:30 AM	9/27/2018 8:15 AM	Public Works	Draining Maintenance	13330 WOOD CREEK DR	13330 WOOD CREEK DR
Complete				/ Remove Debris		
Req Comment: DITCH NEEDS TO BE DUG						
18-000596	3/27/2019 10:50 AM	3/27/2019 2:00 PM	Public Works	Draining Maintenance	14621 CRYSTAL DR	14621 CRYSTAL DR
Complete				/ Remove Debris		
Req Comment: DITCHES ALONG TAURUS NEED DIGGING OUT-CANAL CROSSING NORTH BEAVER DEBRIS LEAVES NEED REMOVING FROMCULVERTS						
18-000627	9/27/2018 7:15 AM	9/27/2018 7:16 AM	Public Works	Draining Maintenance	16155 FRENCHTOWN RD	16155 FRENCHTOWN RD
Complete				/ Remove Debris		
Req Comment: FRONT DITCH DIGGING PASSED ADDRESS LISTED-"HERS LOOKS GREAT" BACKED UP AT NEIGHBORS						
18-000646	3/13/2019 7:00 AM	3/13/2019 4:00 PM	Public Works	Off Road Drainage	HUNTLEY PLACE SUBDIVISION	
Complete				/ Remove Debris		
Req Comment: 3 BRIDGES NEED REMOVING-3 BEAVER DAMS NEED REMOVING OTHER DEBRIS AND VEGETATION NEED REMOVING BEHIND NEW SHOE CREEK DEVELOPMENT						
RODNEY NIJOKA - 276-1010-13560 MARLIN HO SAYS WATER IS BACKING UP AT THE REAR OF HIS PROPERTY.						
WO/ 18-002744, 18-000946 WAS CLOSED OUT IN REFERENCE TO THIS WO						
link below is video of damns removal						
<a href="https://www.facebook.com/cityofcentralnotifications/videos/291630308179951/">https://www.facebook.com/cityofcentralnotifications/videos/291630308179951/</a>						
18-000663	3/12/2019 12:30 PM	3/12/2019 4:00 PM	Public Works	Draining Maintenance	6623 BRYCE CANYON DR	6623 BRYCE CANYON DR
Complete				/ Roads Side Ditch Digging		
Req Comment: DITCH 6633 BRYCE CANYON NEEDS DIGGING						
18-000679	2/28/2019 11:45 AM	2/28/2019 2:30 PM	Public Works	Off-Road Weedeating/Cleanup	12864 LOVETT RD	12864 LOVETT RD
Complete				/ Remove Debris		
Req Comment: CANAL CENTER RUNS CLEAR-OUTSIDE CENTER OF CHANNEL VEGETATION NEEDS CLEARING						
18-000687	3/6/2019 7:00 AM	3/6/2019 12:00 PM	Public Works	Draining Maintenance	8515 SULLY DR	8515 SULLY DR
Complete				/ Roads Side Ditch Digging		
Req Comment: DIG FRONT AND SIDE DITCH						
SKIM OUT FRONT AND SIDE DITCH						

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task		Cross Street
18-000692			Public Works	Draining Maintenance	16443 OLD SETTLEMENT
Complete			/		
Req Comment:	LAND IS FLAT AND SEWER DISCHARGE PIPE INTO DITCH				
18-000693			Public Works	Draining Maintenance	16701 TURNBULL DR
3/4/2019 7:00 AM	3/4/2019 3:00 PM				16701 TURNBULL DR
Complete			/ Roads Side Ditch Digging		
Req Comment:	DITCHES NEED SKIMMING OUT 16721 TURNBULL				
DIG DITCH IN FRONT OF 11412 D'EVEREAUX TO MATCH GRADE. REMOVE PIPE					
18-000717			Public Works	Draining Maintenance	18685 N JOOR RD
Complete			/		
Req Comment:	DITCHES NEED DIGGING				
18-000727			Public Works	Off Road Drainage	15915 ALFORD DR
9/27/2018 7:45 AM	9/27/2018 8:00 AM				15915 ALFORD DR
Complete			/ Remove Debris		
Req Comment:	LEAVES ARE BLOCKED BY LIMBS IN CANAL-REMOVE LIMBS AND OTHER VEGETATION FROM DITCH				
DIG OFF ROAD DITCH BETWEEN WASHINGTON LN AND DROZE RD					
18-000728			Public Works	Tree Removal	5725 BRISTLE CONE CT
3/29/2019 7:00 AM	3/29/2019 12:00 PM				5725 BRISTLE CONE CT
Complete			/ Remove Debris		
Req Comment:	LARGE TREE FELL IN CREEK 100% BLOCKAGE				
18-000754			Public Works	Draining Maintenance	14638 HAMPSHIRE DR
3/6/2019 1:00 PM	3/6/2019 4:00 PM				14638 HAMPSHIRE DR
Complete			/ Roads Side Ditch Digging		
Req Comment:	DIG DITCHES OUT FROM 14638 HAMPSHIRE TO HEATHERTON				
DIG HAMPSHIRE SIDE OF 14111 HEATHERTON TO CULVERT AT 14638 HAMPSHIRE					
18-000766			Public Works	Off Road Drainage	14692 FRENCHTOWN RD
3/7/2019 7:00 AM	3/7/2019 10:30 AM				14692 FRENCHTOWN RD
Complete			/ Off Road Ditch Digging		
Req Comment:	SIDE/REAR DITCH NEED APPROXIMATELY 5YD DISTANCE TO BE DUG OUT				
DITCH IS LOCATED IN THE REAR OF THE PROPERTY BETWEEN 14692 AND 14610					
18-000776			Public Works	Pot Hole Patching	0 BON DICKEY DR
3/7/2019 8:25 AM	3/7/2019 9:13 AM				0 BON DICKEY DR
Complete			Investigate / Fill Potholes		
Req Comment:	terrible shape, garbage truck, buses turn around, hole in culvert				
18-000935			Public Works	Draining Maintenance	16343 SPANISH CT
3/22/2019 10:00 AM	3/22/2019 4:00 PM				16343 SPANISH CT
Complete			/ Roads Side Ditch Digging		
Req Comment:	DITCHES NEED SKIMMED OUT FROM 16333 TO CROSS DRAIN AT 16435				
18-000946			Public Works	Off-Road Weedeating/Cleanup	11475 LAZY LAKE DR
Complete			/		11475 LAZY LAKE DR
Req Comment:	THE CONTEMPLATIVE TOLD ME PROBLEM IS MARLIN THROUGH SHOE CREEK DEVELOPMENT-FOUND BRIDGE IN NORTH WEST CORNER OF SHOE CREEK DEVELOPMENT HAS A BEAVER DAM WITH APPROX. 6' OF WATER-REMOVE DAM-2 OTHER MINOR DAMS FURTHER DOWN CANAL BEFORE 2ND BRIDGE				
CLOSED OUT IN REFERENCE TO WO/18-000946					

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
18-001046			Public Works Off Road Drainage	17515 HEARTHWOOD DR 17515 HEARTHWOOD DR
Complete		/		
Req Comment:	DIG OUT REAR DITCH FROM 17473 TO 17525 WORK DONE - REFER TO W.O. 19-000287			
18-001135			Public Works Off Road Drainage	13151 DENHAM RD
Complete		/		
Req Comment:	CHECK OFF ROAD DRAINAGE ALONG WOODLINE TO THE WEST OF ADDRESS-CALL HOMEOWNER FOR INSPECTION-PER HOME OWNER, ALAN CAME OUT LAST WEEK, 1/29-2/2, NOT SURE WHAT DAY. HAS SPOKEN WITH ROBERT ABOUT SOMEONE CLEARING WITHOUT A PERMIT; MR WEEKS QUESTIONED THE WATER SHED; PROPERTY THAT IS BEING WORKED ON IS IN GREEN SPACE. ON 2/7/2018 @ 10:12 AM MR WEEKS REQUESTED TO SPEAK WITH DAVID ON THIS MATTER.			
	REFERRED TO ROBERT-THIS IS AN ENGINEERING COMPLAINT NOT PUBLIC WORKS			
	Robert Joyner , councilman Vance ,Larry and I meet on site. Found nothing in violation with ordinance. Mr Weeks filed a complaint with the core . Meeting was held and issue was revised by the core on site visit. Out scope of work.			
18-001224			Public Works Off Road Drainage	16708 CHICKASAW AVE
3/26/2019 10:20 AM	3/26/2019 10:52 AM			
Complete		/ OFF ROAD WEEDEAT		
Req Comment:	REAR DITCH AT 16708 CHICKASAW IS CLEAR-DIG DITCH ON YATASI TO TENEIYA			
18-001441			Public Works Draining Maintenance	12228 S MILSTEAD PL
3/1/2019 8:30 AM	3/1/2019 10:30 AM			
Complete		/ Roads Side Ditch Digging		
Req Comment:	FRONT DITCH DUG-SO H/O CAN INSTALL CULVERTS			
	DIG OUT DITCH			
18-001499			Public Works Draining Maintenance	11721 N MILSTEAD PL
3/1/2019 10:30 AM	3/1/2019 11:51 AM			
Complete		/ Roads Side Ditch Digging		
Req Comment:	DREDGE DITCHES			
	DIG DITCH OUT BETWEEN WHITE MARKS			
18-001569			Public Works Draining Maintenance	12153 WICKWOOD AVE
3/1/2019 7:00 AM	3/1/2019 8:30 AM			
Complete		/ Roads Side Ditch Digging		
Req Comment:	SKIM OUT DITCH IN FRONT AT 12153 WICKWOOD			
	SKIM HIGH SPOT IN DITCH			
18-001597			Public Works Storm Drain Repair	18336 KEYSTONE AVE
3/11/2019 7:00 AM	3/26/2019 12:00 PM			
Complete		/ Repair or Replace Culvert		
Req Comment:	TORPEDO CULVERT AND CLEAN CATCH BASINS (2)-CORRECT 2 SINK HOLES			
	Keith-make a second task for the culvert clean out			
18-001656			Public Works Roadside Weed-eating	14725 TREY AVE
3/14/2019 11:15 AM	3/14/2019 11:45 AM			
Complete		/ ROADSIDE WEEDEAT		
Req Comment:	THE DITCHES ON TREY NEED TO BE DUG			
	Ditch needs weeding at 14716 and 14725 Trey to around the cul- de- sac			

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task	Cross Street	
18-001825			Public Works	Draining Maintenance	18501 LAKE STREAM DR
Complete			/		
Req Comment:	ROADSIDE DITCH NOT DRAINING				
Because of the design of retention pond,the drainage outfall causes the catch basins on Lake Stream and Lake Pass to hole water					
18-002141	3/1/2019	3/13/2019	Public Works	Off-Road Weedeating/Cleanup	14925 PINWOOD DR
Complete	9:10 AM		10:15 AM	/ Remove Debris	
Req Comment:	TREES IN CANAL ON SIDE OF HOUSE				
18-002180	2/28/2019	2/28/2019	Public Works	Draining Maintenance	15823 ALFORD DR
Complete	8:15 AM		10:00 AM	/ Remove Debris	
Req Comment:	SIDE DITCH DEEPER THAN REAR-CANT DRAIN-SILTED IN				
DITCH BETWEEN 15823 ALFORD AND 15847 ALFORD NEEDS TO BE MUCKED OUT. THE REAR DITCH NEEDS TO BE MUCKED OUT TO WASHINGTON LN					
PER RAY REMOVE DEBRIS AND CLOSE OUT					
18-002189	3/18/2019	3/18/2019	Public Works	Off Road Drainage	0 HAMPTON VILLAGE SUBDIVISION
Complete	1:17 PM		1:54 PM	/ Remove Debris	
Req Comment:	DITCH IN THE REAR, RUNS BEHIND MULTIPLE HOUSES, NANCY MORGAN TOLD WAYNE THAT THE DITCH IS NOT FLOWING & IT BACKS UP IN HER REAR YARD				
Ditch on the North side of Haven needs trees and shrubs removed					
18-002446	3/22/2019	3/22/2019	Public Works	Miscellaneous	11178 RONSON DR
Complete	7:00 AM		2:00 PM	/ Install Rip-Rap	
Req Comment:	DITCH EROSION IN SIDE CANAL				
The ditch between 11178 & 11188 needs bank stabilization					
CALLED IN BY MARCUS MITCHELLI 439-3157					
18-002686			Public Works	Miscellaneous	13115 DORSET AVE
Complete			/		
Req Comment:	LEFT DEBRIS ON BANKS				
There are no limbs at this address At 13125 Dorset there is brush pile. This pile is on the bank					
REFFERED TO CENTRAL CODE ENFORCEMENT					
18-002720	3/15/2019	3/15/2019	Public Works	Storm Drain Repair	9298 BRAMBLE DR
Complete	7:00 AM		10:30 AM	/ Repair Catch Basin	

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem	Cross Street
			Main Task/Task	
Req Comment:	PARK BENCH CHAINED TO STOP SIGN-RUSTED AND FALLING APART			
	SIDEWALK CAVING IN IN FRONT HOUSE NEXT TO ADDRESS LISTED			
	Rotting church pew needs removing Sidewalk has collapsed, broke up over storm drain at 9298 Bramble. Left barricade over broke sidewalk			
18-002730			Public Works Miscellaneous	13125 DORSET AVE
Complete	/			
Req Comment:	MAIN DRAIN TO BEAVER BAYOU TREES-ROOTS GROWING IN CANAL-BIG TREE NOT AS DEAD			
	-PER RAY-CANAL CLEARED CSRS-CHECK CCTV BULGE-HO NOT REALLY CONCERNED			
	CLOSING OUT PER RAY COMMENTS			
18-002744			Public Works Off Road Drainage	13855 MARLIN AVE
Complete	/			
Req Comment:	CHECK REAR CANAL AND CULVERTS RUNNING UNDER RIFLE FROM ADDRESS LISTED DOWN TO MAIN DRAINAGE FRO ANY BLOCKAGES			
	Both ends of culvert under Rifle needs digging out Second bridge in Shoe Creek has been dam up			
	CLOSED OUT IN REFERENCE TO WO/ 18-000646			
18-002751			Public Works Off-Road Weedeating/Cleanup	16336 COMANCHE AVE
Complete	/			
Req Comment:	TREE FELL IN REAR SERVITUDE			
	A tree has fallen into a servitude between 16336& 16326 Comanche			
	ROBERT-From my inspection, the fallen tree is in the public servitude, but it is not obstructing drainage. We will not be able to take action on this one.			
18-002763	3/7/2019 9:30 AM	3/7/2019 1:35 PM	Public Works Off-Road Weedeating/Cleanup	0 HOOPER RD
Complete	/ OFF ROAD WEEDEAT			
Req Comment:	GOING NORTHEAST ON HOOPER RD-CROSSING BRIDGE OF BEAVER BAYOU-THERE IS A TREE AND LOTS OF CANES IN CANAL			
	Cut stream bank vegetation from creek up &down stream of box culvert			
18-002772			Public Works Off-Road Weedeating/Cleanup	6615 THELMADALE DR
Complete	/			
Req Comment:	SIDE CANAL AND SERVITUDE-CLEAN OUT BUSHES, TREES, VINES GROWING OVER FENCE			
	Along the fence at top of ditch the vines ,trees, need cutting out. This ditch had already been sprayed			
	called and informed HO that the city will only remove debris if it is restricting flow. he said, " okay thank you" and hung up. closing out on those notes... Aaron			
18-002803	3/1/2019 7:00 AM	3/1/2019 9:00 AM	Public Works Off-Road Weedeating/Cleanup	13823 OAKBERRY AVE
Complete	/ Remove Debris			
Req Comment:	NORTH SIDE-OFF ROAD-SLOPES DOWN TO BEAVER BAYOU-BLOCKAGES SOMEWHERE			
	Spray rear ditch with herbicide , remove saplings from bottom of canal . Between 13711 & 13721 Oakberry there is ditch that runs into the rear canal causing a dam in the rear canal			

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem	Cross Street
			Main Task/Task	
18-002847	3/11/2019 8:15 AM	3/11/2019 1:10 PM	Public Works Off-Road Weedeating/Cleanup	13491 BLACKWATER RD
Complete			/ Remove Debris	
Req Comment:	DITCH WEST TO COMITE NOT DRAINING			
	Cut trees and shrubs from ditch from Blackwater to Comite River. The ditch has dams built up due to siltation.			
18-002860	3/26/2019 11:20 AM	3/26/2019 2:00 PM	Public Works Off Road Drainage	14242 HOOPER RD
Complete			/ Remove Debris	
Req Comment:	CLEAN CANAL-BEAVER DAM ON HER SIDE-DIG IT OUT			
	A channel section of approximately 200' appears to have silted in			
18-002915	3/21/2019 11:45 AM	3/21/2019 2:00 PM	Public Works Backfill/Dressup	17610 VILLA LAKE AVE
Complete			/ Install Rip-Rap	
Req Comment:	DRESS UP			
18-002935			Public Works Tree Removal	14435 RICHARDSON DR
Complete			/	
Req Comment:	TREE IN ROW-CALL BEFORE GOING			
	Dead tree in within servitude			
	Tree not in servitude			
18-002942	2/27/2019 10:00 AM	2/28/2019 4:00 PM	Public Works Draining Maintenance	13717 HERITAGE OAK DR
Complete			/ Repair or Replace Culvert	
Req Comment:	CULVERT CLOGGED AND BURIED COMPLETELY			
	Culvert needs to be torpedo and ditch dug out			
	DIG DITCH AT ADDRESS LISTED TO 13825 HERITAGE OAKS			
18-002984	3/1/2019 2:22 PM	3/1/2019 3:30 PM	Public Works Off-Road Weedeating/Cleanup	9146 RATHMOOR AVE
Complete			/ OFF ROAD WEEDEAT	
Req Comment:	REAR CANAL NEEDS CUT			
18-003007	2/18/2019 1:00 PM	3/19/2019 4:00 PM	Public Works Backfill/Dressup	12949 BIG OAK AVE
Complete			/ Repair or Replace Culvert	
Req Comment:	BACK FILL			
18-003013			Public Works Off-Road Weedeating/Cleanup	17530 ASHTON AVE
Complete			/	
Req Comment:	RUNNING WATER IN REAR CANAL FROM EITHER 17530 OR 17540 ASHTON WATER RUNS WEST TO AND THEN SOUTH THROUGH TO OUTFALL AT ROBLE-SOMEWHERE ALONG THE WAY IS A BLOCKAGE			
	In the rear servitude of lot 17530 to 17438 Ashton remove shrubs from servitude. Dig a shallow ditch in rear of 10825 Holly Hock to allow water to flow			
	PER RAY INVESTIGATION Hand crew to remove few high spots in rear canal BETWEEN holly hock AND SUGAR PINE			
	WORK WAS COMPLETED WITH WO/ 19-000248--CLOSING OUT PER RAY			



# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
18-003061	3/14/2019 7:00 AM	3/14/2019 8:00 AM	Public Works Storm Drain Repair	13516 OAK TRAIL AVE
Complete	/ Repair or Replace Culvert			
Req Comment:	SINK HOLE NEXT TO DRIVEWAY-EROSION			
	Sink hole next to drive way over sanitary sewer line			
18-003153	12/10/2018 8:00 AM	3/29/2019	Public Works Litter Control	CITY WIDE SNIPE
Complete	Pick Up Trash /			
Req Comment:	snipe signs was completed by alan			
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
19-000006			Public Works Draining Maintenance	10228 CARMEL DR
Complete	/			
Req Comment:	CULVERT CLOGGED			
	Dig ditch out in front of 10218 Carmel			
	SPOKE WITH H.O. SHE DOESN'T WANT HER DITCH DUG AT THIS TIME. SHE WILL CALL BACK IN THE FUTURE IF SHE NEEDS WORK DONE.			
19-000011	2/28/2019 7:00 AM	2/28/2019 4:00 PM	Public Works Storm Drain Repair	14270 SUNNYSLOPE DR
Complete	/ Repair or Replace Culvert			
Req Comment:	DRIVEWAY CAVING IN			
	Driveway is undermined over culvert Saw cut drive to repair culvert leak			
	PER HOMEOWNER MAY BE SEWER			
19-000013	3/28/2019 7:00 AM	3/28/2019 12:00 PM	Public Works Culvert Clean Out	18203 KEYSTONE AVE
Complete	/ Clean Culvert			
Req Comment:	CLEAN OUT CULVERTS-WORK WAS NOT DONE			
	Torpedo 18203 culvert			
19-000066			Public Works Culvert Clean Out	12011 OLD CANAL RD
Complete	/			
Req Comment:	CULVERTS SILTED IN NEED CLEANING OUT			
	Home owner stated he has removed silt from around catch basin opening, the basin must be silted in. By design the catch basins hold water. There is some trash built up in catch basin.			
	no debris in catch basin- Aaron			
19-000089	3/18/2019 7:00 AM	3/18/2019 4:00 PM	Public Works Storm Drain Repair	10916 DOWNEY DR
Complete	/ Repair or Replace Culvert			
Req Comment:	DRIVEWAY COLLAPSING			
	Driveway has been undermined. Dye test prove culvert has leaks . Culvert needs to torpedo . Saw cut concrete to make repair			
	DOESNT WANT REPAIR WHILE SLEEPING-PER RAY-PER VAL			

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task	Cross Street	
19-000104	3/22/2019 10:00 AM	3/25/2019 9:30 AM	Public Works	Draining Maintenance	5655 BLUEFIELD DR
Complete			/ Clean Culvert		
Req Comment:	FRONT DITCH STARTING TO HOLD WATER				
Dig ditch out from 5655 Bluefield to Winterset torpedo driveway culvert					
19-000115	3/1/2019 7:00 AM	3/4/2019 4:00 PM	Public Works	Storm Drain Repair	13733 HUNTLEY AVE
Complete			/ Repair or Replace Culvert		
Req Comment:	DRIVEWAY DAMAGED AT END				
Concrete driveway has failed over storm drain. Saw cut driveway and repair rcp culvert					
19-000128	3/21/2019 10:30 AM	3/21/2019 10:48 AM	Public Works	Backfill/Dressup	11084 HENSON DR
Complete			/ Resurface		
Req Comment:	ADD MORE dirt TO LEFT SIDE OF DRIVEWAY				
PICTURE ATTACHED					
19-000135	3/15/2019 1:00 PM	3/15/2019 4:00 PM	Public Works	Off-Road Weedeating/Cleanup	18142 MAGNOLIA BRIDGE RD
Complete			/ OFF ROAD WEEDEAT		
Req Comment:	REAR CANAL				
The ditch starts at 18030 Magnolia Bridge. From there to the weir inlet at Village Lakes the ditch needs to have shrubs and saplings removed along with some debris. At weir inlet all debris needs to be removed. The weir inlet needs to be open up. Debris and rip rap has inlet totally blocked . Access can be obtained by 18142 Magnolias Bridge Road					
19-000139	3/21/2019 7:00 AM	3/21/2019 8:35 AM	Public Works	Backfill/Dressup	17209 EVERGREEN AVE HILL
Complete			/ Resurface		
Req Comment:	NEEDS A WHOLE TRUCK LOAD OF BACKFILL FROM PREVIOUS WORK				
19-000143	3/8/2019 7:00 AM	3/8/2019 4:00 PM	Public Works	Storm Drain Repair	11848 PHEASANTWOOD DR
Complete			/ Repair or Replace Culvert		
Req Comment:	DRIVEWAY CRACKED				
It appears the culvert does not have enough cover it. On both sides of culvert the concrete has a depression. From 1st joint to road concrete is broken up.					
19-000155	3/4/2019 7:00 AM	3/4/2019 8:17 AM	Public Works	Tree Removal	0 VIRGIL JACKSON AVE
Complete			/ High Tree Limb Removal		
Req Comment:	TRIM TREES AT ENTRANCE OF SUBDIVISION				
Two trees each has one limb on edge of roadway on the subdivision exist lane					
19-000170	3/15/2019 10:30 AM	3/15/2019 4:00 PM	Public Works	Storm Drain Repair	17708 HEARTHWOOD DR
Complete			/ Repair Catch Basin		
Req Comment:	GROUND ERODING FROM UNDERNEATH DRIVEWAY				
REFERRED FROM CITY SEWER					
The driveway is undermined due to a catch basin with sink holes					

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000175	3/14/2019 8:00 AM	3/14/2019 3:30 PM	Public Works Storm Drain Repair / Install Culvert	17517 FRENCHTOWN ACRES DR
Complete				
Req Comment:	ROADSIDE DITCH, CULVERT IS CRACKED			
Approximately 18" of a reinforced concrete culvert has broken off. Driveway is gravel				
19-000176	3/19/2019 7:00 AM	3/19/2019 8:03 AM	Public Works Backfill/Dressup / Resurface	16129 SHETLAND AVE
Complete				
Req Comment:	DRIVEWAY WAS REPAIRED - NEED BACKFILL			
19-000182	3/7/2019 7:00 AM	3/7/2019 4:00 PM	Public Works Storm Drain Repair / Repair or Replace Culvert	10113 GOLDEN GATE AVE
Complete				
Req Comment:	SINKHOLE NEAR DRIVEWAY			
A large sink hole between driveway and open ditch,3 feet diameter by 4 feet deep				
19-000191	3/19/2019 2:15 PM	3/19/2019 2:45 PM	Public Works Backfill/Dressup / Resurface	5322 MAPLETON DR
Complete				
Req Comment:	BACKFILL			
19-000195	3/19/2019 1:34 PM	3/19/2019 2:00 PM	Public Works Backfill/Dressup / Resurface	12735 MUSTANG AVE
Complete				
Req Comment:	BACKFILL - MAJOR PLACE IS THE RECENT WORK DONE IN BETWEEN HOUSES. ALSO A SMALL ONE IN FRONT YARD.			
19-000196	3/4/2019 7:00 AM	3/4/2019 11:00 AM	Public Works Storm Drain Repair / Repair or Replace Grate	13555 NEW WOOD AVE
Complete				
Req Comment:	LOWER TOP OF CATCH BASIN			
19-000197	3/18/2019 1:00 PM	3/18/2019 1:13 PM	Public Works Traffic Sign Maintenance / Repair Sign	0 SHADOWS END AVE
Complete				
Req Comment:	STREET SIGN DOWN SHADOW'S END @ SHADY BLUFF			
19-000198	2/28/2019 10:20 AM	2/28/2019	Public Works Culvert Clean Out / Remove Debris	0 FRYERS AVE
Complete				
Req Comment:	CHECK CULVERTS AT EACH END OF FRYER'S.			
ALAN CALL AARON TO GO WITH YOU.				
HAND CREW POP ALL CATCH BASINS AND CLEAN CATCH BASINS OUT. A TOTAL OF 8.				
19-000199	3/14/2019 8:20 AM	3/14/2019 8:40 AM	Public Works Roadside Mowing / ROADSIDE WEEDEAT	12556 ROUNSAVILLE RD
Complete				
Req Comment:	WEEDEAT ROADSIDE DITCH. THE WHOLE ROAD NEEDS IT.			
19-000201	3/11/2019 7:00 AM	3/12/2019 4:00 PM	Public Works Storm Drain Repair / Reconstruct Catch Basin	15341 E BEAVER DR
Complete				
Req Comment:	STORM DRAIN CAVE-IN REPAIRS			
19-000202			Public Works Pot Hole Patching /	0 HAMPSHIRE DR
Complete				

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem	Cross Street
			Main Task/Task	
Req Comment: POTHOLE - HAMPSHIRE @ HAVERHILL				
Pot hole already repaired.Pic				
19-000203			Public Works	10184 HOOPER RD
3/19/2019	8:24 AM	3/19/2019	10:45 AM Backfill/Dressup	
Complete			/ Resurface	
Req Comment: BACKFILL RUTS IN REAR OF PROPERTY				
19-000204			Public Works	0 SOLITUDE LN
3/7/2019	7:00 AM	3/7/2019	8:25 AM Pot Hole Patching	
Complete			/ Fill Potholes	
Req Comment: PER THE MAYOR - shoulder drop off near the corner (Solitude and Joor) as you exit, and another shoulder drop off as you enter the neighborhood on Solitude on the right that needs filling.				
19-000205			Public Works	12309 MORGANFIELD AVE
3/14/2019	7:00 AM	3/14/2019	12:00 PM Off Road Drainage	
Complete			/ Off Road Ditch Digging	
Req Comment: REAR CANAL-WATER BACKING UP IN YARD-DEAD TREES AND BRANCHES NEEDS CLEARING OUT				
Drainage plate for Morgan Place West shows 12309 Morganfield as being a turtle back lot.				
Dig a swale ditch along north side of lot to Spring Meadow				
19-000206			Public Works	12608 JOOR RD
3/4/2019	8:59 AM	3/4/2019	9:32 AM Off Road Drainage	
Complete			/ OFF ROAD WEEDEAT	
Req Comment: WEEDEAT REAR DITCH				
19-000207			Public Works	6317 TARORRA DR
3/8/2019	7:00 AM	3/8/2019	4:00 PM Culvert Clean Out	
Complete			/ Clean Culvert	
Req Comment: PULL CULVERTS AT 6327 TARORRA				
19-000208			Public Works	0 CRYSTAL DR
3/6/2019	1:00 PM	3/7/2019	4:00 PM Draining Maintenance	
Complete			/ Roads Side Ditch Digging	
Req Comment: DIG DITCHES AT 14724 & 14820 CRYSTAL DRIVE				
19-000209			Public Works	11421 BROWNING RD
3/18/2019	8:30 AM	3/19/2019	3:00 PM Off Road Drainage	
Complete			/ Off Road Ditch Digging	
Req Comment: dig side servitude ditch				
19-000210			Public Works	10642 BIG SUR DR
3/19/2019	11:33 AM	3/19/2019	11:44 AM Backfill/Dressup	
Complete			/ Resurface	
Req Comment: BACKFILL AROUND CATCH BASIN				
19-000213			Public Works	0 GURNEY RD
			Traffic Sign Maintenance	
Complete			/	
Req Comment: SIGN FOR GURNEY RD IN ROUNDABOUT IS DOWN (GURNEY AND SULLIVAN)				
REFER TO EBR				
19-000214			Public Works	5639 LANDMOR DR
3/20/2019	7:30 AM	3/20/2019	10:00 AM Storm Drain Repair	
Complete			/ Repair or Replace Lid / Ring	
Req Comment: CONCRETE AROUND STORM DRAIN IS CRACKED.				
The concrete of a 2X2 catch basin is broken up on all four sides				

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task	Cross Street	
19-000215			Public Works		9925 TANGLEWOOD DR
3/21/2019	9:00 AM	3/21/2019	4:00 PM	Storm Drain Repair	
Complete			/ Repair Catch Basin		
Req Comment:	2 SINKHOLES AT THE ABOVE ADDRESS. 1 SINKHOLE AT 9923 TANGLEWOOD (NEIGHBOR)				
2X2 catch basin with white plastic pipes has two sink holes in front of 9925 Tanglewood, orange flags. On the 9945 side of 9923 Tanglewood, by a light pole and orange flags 2X2 catch basin has one sink hole					
19-000216			Public Works		10300 TALLOWOOD AVE
3/13/2019	7:00 AM	3/13/2019	2:30 PM	Off-Road Weedeating/Cleanup	
Complete			/ Remove Debris		
Req Comment:	DEBRIS PILED UNDER BRIDGE				
Remove drift from piles in center of creek					
19-000220			Public Works		17027 FIR AVE
3/27/2019	9:30 AM	3/27/2019	10:00 AM	Storm Drain Repair	
Complete			/ Repair or Replace Culvert		
Req Comment:	BIG SINKHOLE IN FRONT YARD. IN LINE WITH CULVERT AND SEWER.				
Sink hole next sewer man hole is not a sewer issue Red dye followed the outside of storm pipe not the inside of pipe Sink hole to outfall is approximately 10' Improper backfill 4 SEWER LEAK - REPORTED TO EBR SEWER 3/27/19					
19-000222			Public Works		6424 LAWRIDGE DR
3/19/2019	1:00 PM	3/19/2019	1:24 PM	Backfill/Dressup	
Complete			/ Resurface		
Req Comment:	SINKHOLES-CLOSE TO DRIVEWAY. PREVIOUS REPAIR MAY HAVE FAILED.				
Ground. Had settled Need 2, sq ft of fill material					
19-000223			Public Works		0 RICHARDSON DR
3/20/2019	10:00 AM	3/21/2019	9:00 AM	Storm Drain Repair	
Complete			/ Repair or Replace Culvert		
Req Comment:	CATCH BASIN ON THE CORNER OF RICHARDSON AND MCCORMICK. IT HAS YELLOW FENCING. DYE TEST.				
Red dye come into storm drain basin at the bottom wall and floor					
19-000226			Public Works		0 ARLEEN AVE
3/8/2019	8:32 AM	3/8/2019	12:00 PM	Roadside Weed-eating	
Complete			/ ROADSIDE WEEDEAT		
Req Comment:	weddeat the ditches on arleen. start at blackwater rd and weedeat both sides of arleen 200ft				
19-000227			Public Works		0 MAGNOLIA BRIDGE RD
			Litter Control		
Complete			/		
Req Comment:	BROKEN ROCKING CHAIR ON THE SIDE OF THE ROAD				
rocking chair was picked up 3-6-19					
19-000228			Public Works		6330 OAK CLUSTER DR
3/18/2019	7:00 AM	3/18/2019	7:40 AM	Pot Hole Patching	
Complete			/ Fill Potholes		
Req Comment:	POTHOLE IN FRONT OF DRIVEWAY ON OAK CLUSTER				

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000229			Public Works Miscellaneous	7618 PRAIRIE DR
Complete	/			
Req Comment:	PICKUP ROAD CLOSED SIGNS  EBR SIGNS. REFERRED TO EBR			
19-000230			Public Works	11033 NORWAY PINE DR
3/11/2019 1:00 PM	3/11/2019 4:00 PM	Miscellaneous		
Complete	/ Patching			
Req Comment:	ADD DIRT TO DITCH			
19-000231			Public Works	0 CORE LN
3/26/2019 9:00 AM	3/26/2019 10:00 AM	Pot Hole Patching		
Complete	/ Fill Potholes			
Req Comment:	1-POTHOLES AT CORE & JOOR. PLEASE DETERMINE IF THIS IS CENTRAL OR EBR PW.  2-12124 CORE LANE - ASPHALT NOT FIXED CORRECTLY FROM REPAIR TO CULVERT GOING UNDER CORE.  The pot holes at the intersection of Core and Joor is the City's responsibly The repair patch for cross drain at 12124 Core has sunk. Repair with asphalt to level out site			
19-000232			Public Works	20825 HOLMES DR
3/25/2019 9:30 AM	3/25/2019 2:00 PM	Draining Maintenance		
Complete	/ Roads Side Ditch Digging			
Req Comment:	homeowner is wanting their front ditch dug  Approximately 175' the front ditch for 20825 and 20815 Holmes need to be dug out. Torpedo two driveways one culvert is plastic the other is metal size undermined-able			
19-000233			Public Works	13726 RED RIVER AVE
3/11/2019 7:35 AM	3/11/2019 7:43 AM	Draining Maintenance		
Complete	/ Remove Debris			
Req Comment:	TIRE RIM IN CATCH BASIN  A tire on a rim is in the catch basin			
19-000234			Public Works	16621 WEYANOKE DR
3/8/2019 7:00 AM	3/8/2019 8:31 AM	Backfill/Dressup		
Complete	/ Fill Potholes			
Req Comment:	backfill the drive way			
19-000235			Public Works	0 ARLEEN AVE
3/18/2019 9:50 AM	3/18/2019 10:13 AM	Pot Hole Patching		
Complete	/ Fill Potholes			
Req Comment:	POTHOLE RIGHT PAST THE BRIDGE			
19-000236			Public Works	7335 WOODS EDGE DR
3/18/2019 1:00 PM	3/18/2019 2:00 PM	Miscellaneous		
Complete	/ Repair or Replace Landscaping			
Req Comment:	PICKUP THE PILE OF DIRT LEFT ACROSS THE STREET WHERE WE PUT IN A NEW CATCH BASIN. IT IS NEXT TO THE DRIVEWAY FOR 13523 BOGWOOD.			
19-000237			Public Works Miscellaneous	18313 EDNIE LN
Complete	/			
Req Comment:	PICKUP "MEN WORKING" SIGNS (ACROSS FROM COPART)  SIGN WAS PICKED UP			

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task	Cross Street	
19-000238			Public Works	Roadside Mowing	0 HOOPER RD
Complete			/		
Req Comment:	MOW THE MEDIAN FROM BLACKWATER TO THE END ON HOOPER				
	the median has been mowed-----Aaron				
19-000239			Public Works	Pot Hole Patching	0 BROWN RD
3/18/2019 8:30 AM	3/18/2019 9:13 AM		/ Fill Potholes		
Complete					
Req Comment:	POTHOLES IN THE FIRST BIG CURVE ON BROWN				
19-000240			Public Works	Pot Hole Patching	0 DOWNEY DR
3/18/2019 7:41 AM	3/18/2019 8:15 AM		/ Fill Potholes		
Complete					
Req Comment:	POTHOLE AT THE INTERSECTION OF DOWNEY AND FIR				
19-000241			Public Works	Pot Hole Patching	0 CLOUDLAND DR
3/18/2019 8:15 AM	3/18/2019 8:30 AM		/ Fill Potholes		
Complete					
Req Comment:	POTHOLES ON CLOUDLAND IN FRONT OF THE HIGH SCHOOL PARKING LOT				
19-000242			Public Works	Roadside Weed-eating	13712 HUNTLEY AVE
3/14/2019 8:58 AM	3/14/2019 10:50 AM		/ ROADSIDE WEEDEAT		
Complete					
Req Comment:	CORNER LOT. ROADSIDE DITCHES ON RIFLE AND HUNTLEY NEED WEEDEATING				
19-000243			Public Works	Roadside Mowing	12515 SULLIVAN RD
3/14/2019 7:00 AM	3/14/2019 8:00 AM		/ ROADSIDE WEEDEAT		
Complete					
Req Comment:	CORNER LOT. GURNEY SIDE OF LOT NEEDS MOWING				
19-000244			Public Works	Litter Control	0 WASHINGTON LN
3/14/2019 1:00 PM	3/14/2019 2:00 PM		/ Remove Debris		
Complete					
Req Comment:	PICK UP LITTER ON WASHINGTON LANE				
19-000245			Public Works	Pot Hole Patching	12236 PARTRIDGEWOOD DR
3/18/2019 9:40 AM	3/18/2019 9:47 AM		/ Fill Potholes		
Complete					
Req Comment:	POTHOLE NEAR THE DRIVEWAY IN ROADWAY				
19-000247			Public Works	Draining Maintenance	15730 SHETLAND AVE
3/18/2019 7:00 AM	3/18/2019 8:36 AM		/ Roads Side Ditch Digging		
Complete					
Req Comment:	DIG DITCH AT 15730				
19-000248			Public Works	Off Road Drainage	17413 HEARTHWOOD DR
3/15/2019 7:41 AM	3/15/2019 8:57 AM		/ OFF ROAD WEEDEAT		
Complete					
Req Comment:	DRAINAGE CANAL BETWEEN HOLLY HOCK AND SUGAR PINE NEEDS TO BE CLEARED.				
	high grass behind 10835 Holly Hoch and 10834 Sugar Pine needs cutting				
	Behind 10668 Sugar Pine a small shrub has fallen across servitude				
19-000250			Public Works	Herbicide Treatment	14446 JOOR RD
3/15/2019 11:00 AM	3/15/2019 11:21 AM		/ HERBICIDE TREATMENT		
Complete					
Req Comment:	REAR DRAINAGE CANAL - SPRAY HERBICIDE				

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000251	3/15/2019 9:52 AM	3/15/2019 10:58 AM	Public Works Roadside Weed-eating	12828 DENHAM RD
Complete		/ ROADSIDE WEEDEAT		
Req Comment:	WEEDEAT ROADSIDE DITCH BY BRIDGE. THERE IS A SIGN THAT HAS BEEN DOWN IN THIS DITCH FOR A LONG TIME. PLEASE PICKUP THE SIGN OUT OF THE DITCH WHEN WE WEEDEAT.			
19-000252			Public Works Miscellaneous	0 RONSON DR
Complete		/		
Req Comment:	STORM DRAIN COVER HAS BEEN PULLED OFF.  All lids were on catch basins —Aaron			
19-000253	3/15/2019 9:00 AM	3/15/2019 9:50 AM	Public Works Roadside Mowing	14213 GEMINI DR
Complete		/ ROADSIDE WEEDEAT		
Req Comment:	MOW ROADSIDE DITCH			
19-000255	3/14/2019 1:00 PM	3/15/2019 7:40 AM	Public Works Off Road Drainage	10744 HOLLY HOCK DR
Complete		/ OFF ROAD WEEDEAT		
Req Comment:	REAR CANAL NEEDS CLEANING  High weeds need cutting along servitude behind 10652, 10642 Holly Hock			
19-000256	3/15/2019 11:22 AM	3/15/2019 11:45 AM	Public Works Roadside Weed-eating	10544 LOVETT RD
Complete		/ ROADSIDE WEEDEAT		
Req Comment:	WEEDEAT ROADSIDE DITCH			
19-000257	3/18/2019 9:15 AM	3/18/2019 9:39 AM	Public Works Pot Hole Patching	0 PHEASANTWOOD DR
Complete		/ Fill Potholes		
Req Comment:	POTHOLE IN THE FIRST BLOCK OF PHEASANTWOOD			
19-000258	3/15/2019 11:30 AM	3/15/2019 11:40 AM	Public Works Litter Control	0 GREENWELL SPRINGS RD
Complete		/ Pick Up Trash		
Req Comment:	BOX OF TRASH DROPPED ON THE ROAD. ABOUT 50 YARDS			
19-000261	3/18/2019 11:00 AM	3/18/2019 11:58 AM	Public Works Roadside Mowing	0 DURMAST DR
Complete		Mowing / ROADSIDE WEEDEAT	0 DURMAST DR	
Crew Comment:	LITTER CONTROL, WEEDEAT AND ROADSIDE MOWING THE ENTIRE STREET			
19-000262	3/19/2019 7:00 AM	3/19/2019 12:00 PM	Public Works Off Road Drainage	15131 SCORPIO AVE
Complete		/ Off Road Ditch Digging		
Req Comment:	MAIN CANAL BEHIND SCORPIO NEEDS TO BE CLEANED  At the rear of 15131 Scorpio, Pisces intersects the canal. From this intersection to where the canal crosses Gemini, there is some accumulation of weeds and silt for approximately 100 feet. From Gemini to that canal's outfall is also silt and weeds accumulation. The main ditch is is free of obstructions			
19-000264	3/20/2019 1:20 PM	3/20/2019 2:00 PM	Public Works Roadside Weed-eating	16334 OLD SETTLEMENT RD
Complete		/ ROADSIDE WEEDEAT		
Req Comment:	ROADSIDE DITCH WEEDEAT			
19-000266	3/25/2019 9:15 AM	3/25/2019 9:27 AM	Public Works Pot Hole Patching	0 GURNEY RD
Complete		/ Fill Potholes		



# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
Req Comment:	"SINKHOLE" FORMING ON GURNEY NEXT TO BRIDGE NEAR CENTERRA CT. EASTBOUND LANE.			
19-000267			Public Works	6415 E CASTLEDALE DR
3/27/2019 10:30 AM	3/28/2019 10:30 AM	Storm Drain Repair		
Complete	/ Repair or Replace Culvert			
Req Comment:	3 STORM DRAINS - DIRT IS ERODING CREATING SINKHOLES. CORNER LOT. SINKHOLES IN FRONT AND SIDE YARD			
At the corner of N Castledale and E Castledale a catch basin has three sink holes on each side plus at the catch basin Same address on E Castledale a catch basin has a sink hole 12 feet from it toward the corner catch basin Repair catch basin top				
19-000272			Public Works	14101 HAVERHILL AVE
3/26/2019 1:00 PM	3/26/2019 2:30 PM	Storm Drain Repair		
Complete	/ Repair Catch Basin			
Req Comment:	STORM DRAIN ON THE CORNER IS CAVING IN			
Red dye put in sink hole next to storm drain migrated to storm drain Stop and street signs have been undermined but have not fallen down List #1 in urgent safety				
PER RAY TRY FLOWABLE FILL FIRST				
19-000273			Public Works	0 RONSON DR
3/26/2019 3:00 PM	3/26/2019 4:00 PM	Storm Drain Repair		
Complete	/ Repair Catch Basin			
Req Comment:	STORM DRAIN REPAIR IN BETWEEN 11086 AND 11096 RONSON. SINKHOLES AROUND STORM DRAIN			
A catch basin between 11086 & 11096 Ronson has a sink hole next to it and needs a grate 12X12 inches SEAL BOX, REPLACE 12X12 CATCH BASIN TOP				
19-000274			Public Works	10612 DURMAST DR
3/21/2019 10:00 AM	3/21/2019 10:20 AM	Backfill/Dressup		
Complete	/ Resurface			
Req Comment:	ENCLOSED CULVERTS - SINK HOLE IN FRONT YARD.			
Need to spread few cubic feet of fill dirt between catch basin and neighboring wood fence				
19-000280			Public Works	0 CLOUDLAND DR
3/20/2019 1:00 PM	3/20/2019 1:20 PM	Storm Drain Repair		
Complete	/ Remove Debris			
Req Comment:	2 CULVERTS AT THE BEGINNING OF CLOUDLAND ARE CLOGGED.			
As you enter Cloudland from Wax the catch basins on each side are blocked by silt and weeds				
19-000281			Public Works	5325 BAYONNE DR
3/26/2019 1:00 PM	3/26/2019 4:00 PM	Draining Maintenance		
Complete	/ Roads Side Ditch Digging			
Req Comment:	DITCH NEEDS TO BE DUG. CULVERT NEEDS TORPEDO			
Skim out ditch from the driveway of 5325 to 5315 Bayonne for approximately 30 feet torpedoes concrete culvert				
19-000282			Public Works	0 EMPRESS DR
3/20/2019 7:00 AM	3/20/2019 9:00 AM	Pot Hole Patching		
Complete	/ Fill Potholes			
Req Comment:	POTHOLE EMPRESS @ LANDMOR			
19-000283			Public Works	0 BON DICKEY DR
3/19/2019 3:00 PM	3/19/2019 4:00 PM	Pot Hole Patching		
Complete	/ Patching			
Req Comment:	POTHOLE			

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem	Cross Street
			Main Task/Task	
19-000284			Public Works	15259 DENHAM RD
3/20/2019	10:30 AM	3/20/2019	11:20 AM Roadside Weed-eating	
Complete			/ ROADSIDE WEEDEAT	
Req Comment:	WEEDEAT ROADSIDE DITCH			
19-000285			Public Works	13338 ACRES CT
3/20/2019	2:14 PM	3/20/2019	2:45 PM Roadside Weed-eating	
Complete			/ ROADSIDE WEEDEAT	
Req Comment:	weed eat ditch			
19-000287			Public Works	11016 RONSON DR
3/22/2019	2:04 PM	3/22/2019	2:30 PM Draining Maintenance	
Complete			/ Remove Debris	
Req Comment:	NEIGHBORS REAR DITCH HAS BLOCKAGE			
			Culvert blocked due to trash and 4 by 4 at face of culvert rear ditch down stream of complaint30 minutes handcrew	
19-000288			Public Works	0 WAX RD
3/20/2019	2:40 PM	3/21/2019	8:20 AM Roadside Mowing	
Complete			/ ROADSIDE WEEDEAT	
Req Comment:	weedeat the walkway on wax road			
19-000289			Public Works	9110 VILLA CROSSING DR
3/21/2019	2:00 PM	3/21/2019	2:20 PM Pot Hole Patching	
Complete			/ Fill Potholes	
Req Comment:	POTHOLE			
19-000290			Public Works	11007 GLENN WATTS RD
3/21/2019	2:30 PM	3/21/2019	3:00 PM Roadside Mowing	
Complete			/ ROADSIDE WEEDEAT	
Req Comment:	Weedeat ditch			
19-000291			Public Works	9923 TANGLEWOOD DR
3/22/2019	7:00 AM	3/22/2019	4:00 PM Driveway Repair	
Complete			Repair or Replace Culvert / Repair or Replace Culve	
Req Comment:	REPAIR DRIVEWAY			
19-000292			Public Works	0 THELMADALE DR
3/25/2019	8:30 AM	3/25/2019	8:48 AM Pot Hole Patching	
Complete			/ Fill Potholes	
Req Comment:	POTHOLE-THELMADALE @ ABUNDANCE			
19-000293			Public Works	0 MORGAN RD
3/25/2019	7:00 AM	3/25/2019	8:26 AM Pot Hole Patching	
Complete			/ Fill Potholes	
Req Comment:	POTHOLE- MORGAN @ EMPRESS			
19-000294			Public Works	16227 OLD SETTLEMENT RD
3/25/2019	10:40 AM	3/25/2019	10:59 AM Roadside Weed-eating	
Complete			/ ROADSIDE WEEDEAT	
Req Comment:	WEED EAT ROADSIDE DITCHES AT 16227 AND 16217 OLD SETTLEMENT			
19-000295			Public Works	10622 HOLLY HOCK DR
3/25/2019	1:30 PM	3/25/2019	1:58 PM Traffic Sign Maintenance	
Complete			/ Repair Sign	
Req Comment:	SPEED LIMIT SIGN DAMAGED. NEED NEED SIGN AND POLE			
19-000296			Public Works	12354 GURNEY RD
3/25/2019	11:00 AM	3/25/2019	12:30 PM Roadside Weed-eating	
Complete			/ ROADSIDE WEEDEAT	
Req Comment:	ROADSIDE DITCH WEEDEATED.			

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
19-000297	3/25/2019 2:18 PM	3/25/2019 3:05 PM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	16944 APACHE DR
Complete	Req Comment: CORNER LOT - ROADSIDE WEEDEATING ON PERNECIA SIDE			
19-000298	3/26/2019 8:25 AM	3/26/2019 8:45 AM	Public Works Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT	14009 HUNTLEY AVE
Complete	Req Comment: SIDE DITCH-WEEDEAT			
19-000299	3/26/2019 7:00 AM	3/26/2019 8:23 AM	Public Works Pot Hole Patching / Fill Potholes	0 N EISWORTH AVE
Complete	Req Comment: POTHOLE - N. EISWORTH @ W. WATERSIDE			
19-000300	3/27/2019 7:00 AM	9:00 AM	Public Works Storm Drain Repair / Repair Catch Basin	5315 BAYONNE DR
Complete	Req Comment: CATCH BASIN IN FRONT OF 5315 BAYONNE HAS LEAKS			
19-000302	3/27/2019 5:30 AM	3/27/2019 6:45 AM	Public Works Tree Removal / Remove Debris	13163 LOVETT RD
Complete	Req Comment: tree down in the road @ 13163 lovett rd			
19-000303	3/27/2019 1:30 PM	3/27/2019 3:15 PM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	14901 LIBRA AVE
Complete	Req Comment: ROADSIDE DITCH NEEDS WEEDEATING			
19-000309	3/28/2019 10:30 AM	3/28/2019 12:00 PM	Public Works Storm Drain Repair / Repair Catch Basin	16314 PERNECIA AVE
Complete	Req Comment: ROADSIDE SINKHOLE NEXT TO STORM DRAIN (BY LIGHT POLE)			
REAR OF THE PROPERTY WHERE THE CULVERTS FROM THE ROAD LEAD TO REAR DRAINAGE- EROSION				
A sink hole is at catch basin near light pole				
At the out fall of storm drainage pipe, trees had been cut down, the rotting roots have cause voids around the concrete pipe				
19-000311	3/28/2019 1:00 PM	3/28/2019 4:00 PM	Public Works Culvert Clean Out / Clean Culvert	7255 SHADY PARK DR
Complete	Req Comment: torpedo the culvert under driveway			
19-000312	3/28/2019 2:36 PM	3/28/2019 3:37 PM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	7424 SHADY PARK DR
Complete	Req Comment: weedeat the ditch and the ditch to the right of the house			
19-000315			Public Works Draining Maintenance /	11308 CORE LN
Complete	Req Comment: ROADSIDE DITCH HOLDING WATER NEAR DRIVEWAY			
CALL H.O. BEFORE INVESTIGATING				
DUPLICATE W.O. 19-000314				

# Work Order Listing Report

4/29/2019

MARCH 2019 COMPLETED

9:29 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address	Cross Street
Status			Main Task/Task			
19-000316			Public Works		10222 ARDOON DR	
3/28/2019	1:00 PM	3/28/2019	3:08 PM	Storm Drain Repair		
Complete			/ Repair Irrigation System			
Req Comment:	DRIVEWAY CAVING IN (REFERRED BY EBR)					
The dirt under the concrete drive has settled leaving a void on each side of the culvert. Concrete has no cracks						
19-000317			Public Works		0 JOOR RD	
3/29/2019	8:35 AM	3/29/2019	9:00 AM	Roadside Mowing		
Complete			Mowing / ROADSIDE WEEDEAT			
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE WELCOME TO THE CITY OF CENTRAL SIGN ON JOOR RD					
19-000318			Public Works		0 GREENWELL SPRINGS RD	
3/29/2019	8:00 AM	3/29/2019		Roadside Mowing	0 CENTRAL THRUWAY	
Complete			Mowing /			
Req Comment:	closing out, it does not need to be cut---Aaron					
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE EMPTY CORNER OF GREENWELL SPRING ROAD AND CENTRAL THRUWAY					
19-000320			Public Works		0 GURNEY RD	
3/28/2019	2:30 PM	3/28/2019	3:00 PM	Roadside Mowing	0 GURNEY RD	
Complete			Mowing / ROADSIDE WEEDEAT			
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT					
19-000321			Public Works		0 LOVETT RD	
3/28/2019	3:05 PM	3/28/2019	3:23 PM	Roadside Mowing	0 LOVETT RD	
Complete			Mowing / ROADSIDE WEEDEAT			
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT					