

Work Order Listing Report

10/18/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|---------------|---|---------------|-------------------------------------|-----------------|
| Status | | | Problem | Cross Street |
| | | | Main Task/Task | |
| 22-001314 | | | Public Works | 10440 CORE LN |
| 9/2/2022 | 11:46 AM | 9/2/2022 | 2:00 PM Pot Hole Patching | |
| Complete | | | / Fill Potholes | |
| Req Comment: | Description: Another item brought to me by residents of Core Lane. On the Core Lane Side of the corner of Core Lane and Blackwater, there are severe pot holes in desperate need of repairs. Several citizens have sustained damage to their vehicles and tires from this issue. Please keep me updated on this progress. | | | |
| | Donnie Fuslier At Large Candidate Central City Council Cell: (225) 444-9286 Email: donniefusliercampaign@gmail.com CitySourced Id: 2896161 | | | |
| 22-001315 | | | Public Works | 0 BRIDLEWOOD DR |
| 9/1/2022 | 7:00 AM | 9/1/2022 | 3:30 PM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | ROADSIDE DITCHES ALONG HOOPER (OUTSIDE OF DOTD R.O.W.) NEED TO BE CUT. USING CUTTER HEAD, CUT DITCHES AND REMOVE ANY DEBRIS. | | | |
| 22-001316 | | | Public Works | 0 GURNEY RD |
| 9/6/2022 | 2:15 PM | 9/6/2022 | 3:30 PM Roadside Weed-eating | 0 GURNEY RD |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Req Comment: | LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT | | | |
| Crew Comment: | LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT | | | |
| 22-001317 | | | Public Works | 0 LOVETT RD |
| 9/7/2022 | 12:30 PM | 9/7/2022 | 1:15 PM Roadside Weed-eating | 0 LOVETT RD |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Req Comment: | LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT | | | |
| Crew Comment: | LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT | | | |
| 22-001318 | | | Public Works | 0 YATASI DR |
| 9/2/2022 | 7:00 AM | 9/2/2022 | 10:15 AM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | WEEDEAT ROADSIDE DITCH NEXT TO PARK ON YATASI AND TENEIYA. CUT BACK VINES OFF OF STOP SIGN. | | | |
| 22-001319 | | | Public Works | 12824 LOVETT RD |
| 9/2/2022 | 10:31 AM | 9/2/2022 | 11:45 AM Pot Hole Patching | |
| Complete | | | / Fill Potholes | |
| Req Comment: | Description: Several bad pot holes. I hope I marked the correct spot but I promise you can't miss them! CitySourced Id: 2896252 Multiple potholes at 12875 lovett | | | |
| 22-001320 | | | Public Works | CITY WIDE SNIPE |
| 9/5/2022 | 8:00 AM | 9/6/2022 | 8:00 AM Litter Control | |
| Complete | | | Pick Up Trash / | |
| Req Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| Crew Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| 22-001323 | | | Public Works | 0 PECOS AVE |
| Complete | | | Pot Hole Patching | |
| Req Comment: | POTHOLES ON PECOS AND CONESTOGA All the pictures are on Conastoga dr and there are multiple pot holes on Pacos MAYORS ROAD REHAD PROJECT. CLOSE OUT NO WORK NEEDED | | | |

Work Order Listing Report

10/18/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|--|--|---------------|---------------------------------|--------------------------------|
| Status | | | Problem | Cross Street |
| | | | Main Task/Task | |
| 22-001324 | | | Public Works | 0 GREYSTONE DR |
| 9/23/2022 | 7:00 AM | 9/28/2022 | 11:30 AM Backfill/Dressup | |
| Complete | | | / Repair or Replace Landscaping | |
| Req Comment: | CHECK ALL ROUNDABOUTS IN TWIN LAKES SUBDIVISION FOR RUTS THAT NEED FILL DIRT | | | |
| 4 of the 6 roundabouts need repair. | | | | |
| 22-001325 | | | Public Works | 17531 PLANCHET RD |
| 9/14/2022 | 7:00 AM | 9/14/2022 | 3:30 PM Roadside Weed-eating | |
| Complete | | | / Remove Debris | |
| Req Comment: | ROADSIDE DITCH IS OVERGROWN AND NEEDS DEBRIS REMOVAL. LIMBS HAVE FALLEN INTO THE DITCH | | | |
| CALL BEFORE INSPECTING. | | | | |
| Weedeat roadside ditch at address listed and remove limbs and debris. | | | | |
| 22-001327 | | | Public Works | 0 DROZE RD |
| 9/14/2022 | 9:40 AM | 9/14/2022 | 11:30 AM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | Description: Hi. The ditches on Droze Rd has some High Weeds. Needing some one to come out and Weed | | | |
| CitySourced Id: 2858460 | | | | |
| Weedeat overgrown roadside ditches on Droze past alford. | | | | |
| 22-001328 | | | Public Works | 0 BRIDGEPORT DR |
| 9/20/2022 | 2:31 PM | 9/21/2022 | 9:00 AM Pot Hole Patching | |
| Complete | | | / Fill Potholes | |
| Req Comment: | POTHOLES ON BRIDGEPORT BETWEEN MORGAN RD AND LANDMOR | | | |
| Patch potholes between Landmor and Morgan on Bridgeport. | | | | |
| 22-001329 | | | Public Works | 7715 WASHINGTON LN |
| 9/14/2022 | 1:00 PM | 9/15/2022 | 11:00 AM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | WEEDEAT ROADSIDE DITCHES AT 7715 AND 7739 WASHINGTON LANE | | | |
| Weedeat all overgrown roadside ditches on Washington lane. | | | | |
| 22-001330 | | | Public Works | 25340 OLD GREENWELL SPRINGS RD |
| 9/7/2022 | 2:30 PM | 9/8/2022 | 12:00 PM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | Description: Request to cut the grass on the side of the road. Just need a mowing machine. | | | |
| Thank you! | | | | |
| CitySourced Id: 2859899 | | | | |
| BECOMING A HAZARD AT THE INTERSECTION OF OLD GREENWELL SPRINGS AND GREENWELL SPRINGS RD | | | | |
| AT BOTH ENDS. | | | | |
| Weedeat both old Greenwell and Greenwell springs corners and approximately 300 feet of both shoulders on the end | | | | |
| closest to liberty road. | | | | |
| 22-001331 | | | Public Works | 12606 TALMADGE CRUMHOLT RD |
| 9/15/2022 | 7:00 AM | 9/15/2022 | 11:15 AM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | Description: Roadside Ditches all along Talmadge Crumholt Road are severely overgrown and in desperate need of | | | |
| maintenance. Please keep me updated on this progress. Thank you. -Donnie Fuslier | | | | |
| CitySourced Id: 2861366 | | | | |
| Weedeat overgrown roadside ditches for approximately 900' starting at Blackwater. | | | | |
| 22-001332 | | | Public Works | 14824 SADDLE AVE |
| 9/15/2022 | 11:15 AM | 9/15/2022 | 1:30 PM Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |

Work Order Listing Report

10/18/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Problem | Address |
|---|--|---------------|----------------|----------------------|-------------------------|
| Status | | | Main Task/Task | | Cross Street |
| Req Comment: | Description: Ditches all along Cimmaron Drive, Saddle Avenue, and Sage Drive are overgrown and in need of maintenance to ensure proper drainage. Please keep me updated on this progress. -Donnie Fuslier CitySourced Id: 2861550 | | | | |
| CIMMARON RS WEEDEATING WILL BE COMPLETED WITH REQUEST # 22-001192. | | | | | |
| WEEDEAT ROADSIDE DITCHES ON SADDLE AVE AND SAGE DR | | | | | |
| Weedeat overgrown roadside ditches from 11833 sage to the corner of sage and alamo approximately 600' | | | | | |
| 22-001333 | | | Public Works | | 7255 SHADY PARK DR |
| 9/15/2022 | 11:00 AM | 9/15/2022 | 1:30 PM | Roadside Weed-eating | |
| Complete | | | / | ROADSIDE WEEDEAT | |
| Req Comment: | Description: Ditches all along Washington Lane and Shady Park Drive are overgrown and in need of maintenance to ensure proper drainage. Please keep me updated on this progress. -Donnie Fuslier CitySourced Id: 2861591 | | | | |
| Weedeat overgrown roadside ditches on shady park. | | | | | |
| 22-001334 | | | Public Works | | 10336 BANWAY DR |
| 9/20/2022 | 9:31 AM | 9/20/2022 | 11:30 AM | Pot Hole Patching | |
| Complete | | | / | Fill Potholes | |
| Req Comment: | Description: Potholes on Banway Drive at the Wax Road Intersection. There are actually several on Banway between Wax and Arendale Drive. With these pictured being at the intersection where one must accelerate rapidly at times, this can cause a major safety issue. Please keep me updated on this progress. | | | | |
| Donnie Fuslier At Large Candidate Central City Council Cell: (225) 444-9286 Email: DonnieFuslierCampaign@gmail.com CitySourced Id: 2868384 | | | | | |
| Patch 2 potholes at 10158 banway, 1 at 10328 banway and 2 at the intersection of wax and banway. | | | | | |
| 22-001335 | | | Public Works | | 11421 BROWNING RD |
| 9/7/2022 | 1:15 PM | 9/7/2022 | 2:30 PM | Roadside Weed-eating | |
| Complete | | | / | ROADSIDE WEEDEAT | |
| Req Comment: | WEEDEAT ROADSIDE DITCH AT ADDRESS LISTED TO THE CORNER OF BROWNING AND WOODROW KERR. | | | | |
| Weedeat roadside ditches at address listed to corner of Woodrow kerr | | | | | |
| 22-001336 | | | Public Works | | 13748 LOVETT RD |
| 9/15/2022 | 1:40 PM | 9/15/2022 | 2:00 PM | Roadside Weed-eating | |
| Complete | | | / | ROADSIDE WEEDEAT | |
| Req Comment: | ROADSIDE DITCH ALONG WOODS EDGE IS GROWN UP AND NEEDS TO BE CLEANED OUT. IT IS NOT DRAINING PROPERLY | | | | |
| Roadside ditches at front of woods edge are over grown need to be dug out | | | | | |
| 22-001337 | | | Public Works | | 14725 WISTERIA LAKES DR |
| 9/20/2022 | 8:46 AM | 9/20/2022 | 9:30 AM | Pot Hole Patching | |
| Complete | | | / | Fill Potholes | |
| Req Comment: | 2 POTHOLES NEAR ADDRESS LISTED. | | | | |
| Patch two potholes at 14725 wisteria. | | | | | |
| 22-001338 | | | Public Works | | 0 RATHMOOR AVE |
| 9/19/2022 | 2:23 PM | 9/20/2022 | 8:45 AM | Pot Hole Patching | |
| Complete | | | / | Fill Potholes | |

Work Order Listing Report

10/18/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Problem | Main Task/Task | Address | Cross Street |
|--|--------------------|--------------------|--------------|-----------------------------|--------------------|------------------------|--------------|
| Req Comment: POTHOLES AT THE FOLLOWING LOCATIONS: 1 - IN FRONT OF 9043 RATHMOOR 2 - AT THE INTERSECTION OF MONHEGAN AND GREтна GREEN Pothole at 9043 rathmoor and the corner of gretna green and monhegan | | | | | | | |
| 22-001339 | 9/15/2022 2:00 PM | 9/16/2022 9:00 AM | Public Works | Roadside Weed-eating | / ROADSIDE WEEDEAT | 13712 HUNTLEY AVE | |
| Complete Req Comment: ROADSIDE WEEDEAT 13712 HUNTLEY 10823 RIFLE Weedeat roadside ditches at 13712 huntley and 10823 rifle. | | | | | | | |
| 22-001340 | 9/15/2022 1:30 PM | 9/15/2022 2:45 PM | Public Works | Roadside Weed-eating | / ROADSIDE WEEDEAT | 15647 FOUR OAKS DR | |
| Complete Req Comment: WEEDEAT ROADSIDE DITCH Weedeat roadside ditches at the address listed. | | | | | | | |
| 22-001341 | 9/15/2022 2:45 PM | 9/15/2022 3:30 PM | Public Works | Roadside Weed-eating | / ROADSIDE WEEDEAT | 11007 GLENN WATTS RD | |
| Complete Req Comment: WEEDEAT ROADSIDE DITCH Weedeat roadside ditch on the captain baugh side of address. | | | | | | | |
| 22-001346 | 9/16/2022 10:00 AM | 9/16/2022 11:00 AM | Public Works | Roadside Weed-eating | / ROADSIDE WEEDEAT | 10707 WELCOME HITES DR | |
| Complete Req Comment: RAIN EVENT - ROADSIDE DITCH OVERFLOWING WITH WATER. MAY NEED CLEANING OUT AGAIN. Weedeat roadside ditch at 10615 to relieve water at address listed. | | | | | | | |
| 22-001347 | 9/19/2022 1:31 PM | 9/19/2022 2:22 PM | Public Works | Pot Hole Patching | / Fill Potholes | 13205 W WATERSIDE DR | |
| Complete Req Comment: Description: Pothole has been repaired before and it didn't last a week. It's growing daily. CitySourced Id: 2900246 Patch pothole at 13205 W Waterside | | | | | | | |
| 22-001348 | 9/16/2022 11:00 AM | 9/16/2022 1:30 PM | Public Works | Roadside Weed-eating | / ROADSIDE WEEDEAT | 18233 KEYSTONE AVE | |
| Complete Req Comment: CORNER LOT - WEEDEAT ROADSIDE DITCHES Corner lot- weedeat roadside ditches. | | | | | | | |
| 22-001351 | 9/16/2022 9:15 AM | 9/16/2022 10:00 AM | Public Works | Roadside Weed-eating | / ROADSIDE WEEDEAT | 0 BRIDLEWOOD DR | |
| Complete Req Comment: WEEDEAT THE REST OF THE ROADSIDE DITCH ALONG HOOPER RD IN FRONT OF BRIDLEWOOD SUB | | | | | | | |
| 22-001353 | 9/9/2022 7:00 AM | 9/9/2022 8:20 AM | Public Works | Off-Road Weedeating/Cleanup | / OFF ROAD WEEDEAT | 12261 HOOPER RD | |
| Complete Req Comment: WEEDEAT OFF ROAD DITCH. HOMEOWNER REQUESTED TO SPRAY JUST THE BOTTOM OF THE DITCH | | | | | | | |

Work Order Listing Report

10/18/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|---|---|--------------------|---|--|
| Status | Problem | Main Task/Task | Cross Street | |
| 22-001354 | 9/14/2022 7:00 AM | 9/14/2022 9:30 AM | Public Works Pot Hole Patching / Fill Potholes | 15964 BROWN RD |
| Complete | Req Comment: Description: There were patch repairs made at the south end of Brown Road two different times and this hole was skipped at the north end of Brown Road. The hole is now twice as big. CitySourced Id: 2899225 | | | |
| 22-001357 | 10/13/2022 7:00 AM | 10/13/2022 9:40 AM | Public Works Roadside Weed-eating ROADSIDE WEEDEAT / Mowing | 0 GREENWELL SPRINGS RD 0 MAGNOLIA BRIDGE RD |
| Complete | Crew Comment: LITTER CONTROL AND WEEDEATING AT THE EMPTY CORNERS OF GREENWELL SPRINGS ROAD AND MAGNOLIA BRIDGE RD | | | |
| 22-001358 | 9/12/2022 8:00 AM | 9/12/2022 8:30 AM | Public Works Litter Control Pick Up Trash / | CITY WIDE SNIPE |
| Complete | Req Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| Crew Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| 22-001368 | 9/13/2022 1:00 PM | 9/13/2022 1:40 PM | Public Works Shoulder Repair / Resurface | 13400 DENHAM RD |
| Complete | Req Comment: NEAR THE INTERSECTION OF DENHAM AND DEVALL NEEDS SHOULDER REPAIR. THERE IS A DROP OFF. | | | |
| 22-001369 | 9/13/2022 12:00 PM | 9/14/2022 12:30 PM | Public Works Drainage Maintenance / Repair or Regrade Ditch | 13151 DENHAM RD |
| Complete | Req Comment: PER MAYOR, COUNCILMEN AND HOMEOWNER REQUEST, CREATE A HIGH SPOT IN THE ROADSIDE DITCH TO ALLOW WATER TO DRAIN OPPOSITE DIRECTION. | | | |
| 22-001370 | 9/19/2022 7:00 AM | 9/21/2022 3:30 PM | Public Works COC ROADSIDE DRAINAGE PROJECT / Roads Side Ditch Digging | 0 WASHINGTON LN |
| Complete | Req Comment: H.O. WOULD LIKE FOR ALL THE ROADSIDE DITCHES ON BOTH SIDES OF WASHINGTON LANE ADDRESS AND/OR DUG. WATER DOES NOT FLOW PROPERLY | | | |
| Starting at 7200 Washington lane to 8283 Washington request is to clean all existing ditches on both sides of road. This can go on roadside ditch list project. | | | | |
| 22-001371 | 9/16/2022 10:00 AM | 9/16/2022 1:00 PM | Public Works Drainage Maintenance / Roads Side Ditch Digging | 14112 HAVERHILL AVE |
| Complete | Req Comment: HOMEOWNER WOULD LIKE THE ROADSIDE DITCH TO BE DUG | | | |
| Dig the roadside ditch at 14112 haverhill and at the outfall at 14102 haverhill (spoke to homeowner he is okay with digging ditch) | | | | |
| 22-001372 | 9/16/2022 1:00 PM | 9/16/2022 2:00 PM | Public Works Drainage Maintenance / Roads Side Ditch Digging | 15035 WILMINGTON DR |
| Complete | Req Comment: WATER IS HOLDING IN THE ROADSIDE DITCH. HOMEOWNER IS ALSO REQUESTING HIS CULVERT BE CLEANED OUT AS WELL. | | | |
| There is a high spot at the outflow side of the culvert restricting flow. There is also mud build up in the pipe | | | | |
| 22-001373 | 9/16/2022 2:00 PM | 9/19/2022 11:00 AM | Public Works Drainage Maintenance / Roads Side Ditch Digging | 14130 HEATHERTON AVE |
| Complete | | | | |

Work Order Listing Report

10/18/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|---------------|--|---------------|-------------------------------------|---------------------------|
| Status | | | Problem | Cross Street |
| | | | Main Task/Task | |
| Req Comment: | HOMEOWNER IS REQUESTING THE ROADSIDE DITCH TO BE DUG. HE STATED HE IS A HIGH POINT AND THE NEIGHBOR'S ROADSIDE DITCHES NEED TO BE CHECKED ALSO. THEY ARE NOT FLOWING PROPERLY. | | | |
| | Dig roadside ditch to the culvert at 14110 heatherington. Minimum digging needed past 14110 driveway culvert | | | |
| 22-001374 | | | Public Works | 10943 N OLD SETTLEMENT RD |
| 9/16/2022 | 9:00 AM | 9/16/2022 | 10:20 AM Roadside Weed-eating | |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Req Comment: | WEEDEAT ALL OVERGROWN DITCHES ON N OLD SETTLEMENT | | | |
| Crew Comment: | WEEDEAT ALL OVERGROWN DITCHES ON N OLD SETTLEMENT | | | |
| 22-001376 | | | Public Works | 0 STONEWAY PL |
| 9/16/2022 | 8:30 AM | 9/16/2022 | 9:15 AM Traffic Sign Maintenance | |
| Complete | | | / Repair Sign | |
| Req Comment: | REPLACE THE POST OF THE STOP SIGN AT THE INTERSECTION OF SHOE CREEK AND STONEWAY PL | | | |
| 22-001377 | | | Public Works | 0 JOOR RD |
| 9/16/2022 | 10:20 AM | 9/16/2022 | 11:40 AM Roadside Weed-eating | |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Crew Comment: | LITTER CONTROL AND WEEDEATING AT THE WELCOME TO THE CITY OF CENTRAL SIGN ON JOOR RD | | | |
| 22-001378 | | | Public Works | 6702 FRONTIER DR |
| 9/20/2022 | 7:00 AM | 9/20/2022 | 7:20 AM Traffic Sign Maintenance | |
| Complete | | | / Install Sign | |
| Req Comment: | INSTALL SPEED LIMIT SIGN NORTHBOUND ON FRONTIER | | | |
| | MAYOR WILL MARK LOCATION. - NEAR 6738 FRONTIER | | | |
| 22-001379 | | | Public Works | 10645 CORE LN |
| 9/30/2022 | 11:00 AM | 9/30/2022 | 3:30 PM Drainage Maintenance | |
| Complete | | | / Roads Side Ditch Digging | |
| Req Comment: | ROADSIDE DITCH IS SILTED IN AND COVERING THE TAIL LINE | | | |
| | Roadside ditch needs dug at address listed to relieve tail line. | | | |
| 22-001380 | | | Public Works | 4627 E POST OAK CT |
| 9/19/2022 | 11:00 AM | 9/19/2022 | 1:30 PM Drainage Maintenance | |
| Complete | | | / Roads Side Ditch Digging | |
| Req Comment: | ROADSIDE DITCH NEEDS TO BE CLEANED AND DUG OUT. | | | |
| | Ditch at 4627 needs to be dug but will require knuckling/ minor digging at 4545 and 4617 in order for ditch to drain. Spoke with homeowner at 4545 he is ok with the minor work needed. | | | |
| 22-001381 | | | Public Works | 17516 ROBLE AVE |
| 9/27/2022 | 7:00 AM | 9/28/2022 | 12:30 PM Drainage Maintenance | |
| Complete | | | / Resurface | |
| Req Comment: | DRIVEWAY - CULVERT NEEDS CLEANING. HE WOULD LIKE THE LIMESTONE TAKEN OUT. EROSION NEXT TO DRIVEWAY | | | |
| | Dig roadside ditch at address listed and neighbors address. | | | |
| | Clear culvert at address listed | | | |
| | Place dirt and sod next to driveway for erosion control. | | | |
| 22-001382 | | | Public Works | 15583 EL RANCHITOS AVE |
| 9/22/2022 | 12:00 PM | 9/22/2022 | 3:30 PM Drainage Maintenance | |
| Complete | | | / Roads Side Ditch Digging | |
| Req Comment: | Description: To clean out ditch in front of house CitySourced Id: 2840998 | | | |
| | HOMEOWNER IS REQUESTING THE DITCH TO BE DUG | | | |
| | Yard side of ditch is at grade. Dig sediment from roadside of ditch to restore full flow. | | | |

Work Order Listing Report

10/19/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|--------------------|--|---------------|--|---------------------|
| Status | | | Problem Main Task/Task | Cross Street |
| 22-001383 | | | Public Works | 6913 OAK CLUSTER DR |
| 9/16/2022 1:00 PM | 9/16/2022 1:15 PM | | Roadside Weed-eating / ROADSIDE WEEDEAT | |
| Complete | | | | |
| Req Comment: | ROADSIDE DITCH IS NOT DRAINING PROPERTY CAUSING TAIL LINE ISSUES. NEIGHBOR'S DITCH TO THE LEFT MAY NEED DIGGING | | | |
| | At this address the effluent discharge line does not need to be dugout,just weed eating. From 6913 driveway across 6811 oak Cluster need weed eating to cross drain. | | | |
| 22-001384 | | | Public Works | 16113 SANDEL AVE |
| 9/21/2022 12:00 PM | 9/22/2022 12:00 PM | | Drainage Maintenance / Roads Side Ditch Digging | |
| Complete | | | | |
| Req Comment: | ROADSIDE DITCHES NEED DIGGING. WATER IS NOT DRAINING PROPERLY | | | |
| | Dig from driveway at 9714 trendale back around corner at address listed. | | | |
| 22-001385 | | | Public Works | 9532 TRENDALE DR |
| 9/19/2022 1:30 PM | 9/21/2022 12:00 PM | | Drainage Maintenance / Roads Side Ditch Digging | |
| Complete | | | | |
| Req Comment: | WATER IS HOLDING IN THE ROADSIDE DITCH. ALSO 2 DOORS DOWN IS OVERGROWN AND HOLDING WATER THERE. | | | |
| | CALL AFTER INSPECTION | | | |
| | DIG ROADSIDE DITCH FROM 9512 TRENDALE TO THE OUTFALL AT THE INTERSECTION OF TRENDALE AND REGENT. START AT OUTFALL! | | | |
| 22-001386 | | | Public Works | 13151 DENHAM RD |
| 9/30/2022 7:00 AM | 10/6/2022 3:30 PM | | Storm Drain Repair / Repair or Replace Culvert | |
| Complete | | | | |
| Req Comment: | LOWER DRIVEWAYS/CULVERTS FROM ADDRESS LISTED TO OUTFALL CANAL AT BRIDGE. TOTAL OF 5 DRIVEWAYS | | | |
| | 13055 DENHAM 13003 DENHAM 13001 DENHAM 12995 DENHAM 12991 DENHAM | | | |
| 22-001391 | | | Public Works | 12454 JOOR RD |
| 9/16/2022 1:15 PM | 9/16/2022 2:00 PM | | Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT | |
| Complete | | | | |
| Req Comment: | WEEDEAT AND SPRAY REAR DITCH | | | |
| 22-001394 | | | Public Works | 11165 SHANDON DR |
| 9/16/2022 1:30 PM | 9/16/2022 3:30 PM | | Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT | |
| Complete | | | | |
| Req Comment: | SIDE SERVITUDE WEEDEATED FROM HENSON TO RONSON | | | |
| 22-001395 | | | Public Works | 0 ROBLE AVE |
| 9/19/2022 7:00 AM | 9/19/2022 9:20 AM | | Roadside Weed-eating / ROADSIDE WEEDEAT | |
| Complete | | | | |
| Req Comment: | CORNER LOT AT THE INTERSECTION OF ROBLE AND DOWNEY NEEDS TO BE WEEDEATED | | | |
| 22-001396 | | | Public Works | CITY WIDE SNIPE |
| 9/19/2022 8:00 AM | 9/19/2022 8:05 AM | | Litter Control Pick Up Trash / | |
| Complete | | | | |
| Req Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| Crew Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |

Work Order Listing Report

10/18/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|--------------|---|--------------------|--|----------------------|
| Status | | | Problem Main Task/Task | Cross Street |
| 22-001397 | 10/3/2022 7:00 AM | 10/3/2022 9:15 AM | Public Works Pot Hole Patching / Patching | 0 DENHAM RD |
| Complete | | | | |
| Req Comment: | POTHOLES ON THE WHOLE ROAD. THERE IS A BAD ONE ON THE GREENWELL SPRINGS END. | | | |
| 22-001398 | 9/19/2022 11:01 AM | 9/19/2022 1:30 PM | Public Works Pot Hole Patching / Fill Potholes | 0 DEVALD RD |
| Complete | | | | |
| Req Comment: | CHECK FOR POTHOLES ON THE WHOLE ROAD | | | |
| 22-001399 | 9/19/2022 7:00 AM | 9/19/2022 11:00 AM | Public Works Pot Hole Patching / Fill Potholes | 0 MCCULLOUGH RD |
| Complete | | | | |
| Req Comment: | Description: Several deep potholes on road. There is a pothole by each bridge and another one that appears to be a deep pothole within a pothole. Our potholes are now birthing potholes.....God help us and our vehicles! CitySourced Id: 2910871 | | | |
| 22-001400 | 9/19/2022 1:00 PM | 9/19/2022 1:30 PM | Public Works Traffic Sign Maintenance / Install Sign | 15012 ROANOKE AVE |
| Complete | | | | |
| Req Comment: | STREET SIGNS AT THE FOLLOWING INTERSECTIONS NEED TO STRAIGHTEN OR TIGHTENED DOWN. LAWNDALE @ BRENT ROANOKE @ SHANNON | | | |
| 22-001401 | 9/19/2022 1:30 PM | 9/19/2022 2:30 PM | Public Works Traffic Sign Maintenance / Install Sign | 10142 W BROOKSIDE DR |
| Complete | | | | |
| Req Comment: | Description: The street signs are missing off the intersection at Jenson and W. Brookside Drive The stop sign also needs repairing. CitySourced Id: 2889548 | | | |
| 22-001402 | 9/19/2022 2:30 PM | 9/19/2022 3:30 PM | Public Works Traffic Sign Maintenance / Install Sign | 8628 SULLY DR |
| Complete | | | | |
| Req Comment: | Description: Street name sign down at Sully and Leanne. Needs to be put back in ground CitySourced Id: 2923048 | | | |
| 22-001403 | 9/20/2022 7:20 AM | 9/20/2022 8:00 AM | Public Works Traffic Sign Maintenance / Install Sign | 14343 RICHARDSON DR |
| Complete | | | | |
| Req Comment: | STREET SIGNS ARE MISSING AT THE FOLLOWING INTERSECTIONS: RICHARDSON AND FRYERS (SIGN AND POLE MISSING) RICHARDSON AND ROY (SIGN MISSING, POLE STILL THERE) | | | |
| 22-001404 | 9/21/2022 9:30 AM | 9/21/2022 10:15 AM | Public Works Traffic Sign Maintenance / Install Sign | 0 BROWN RD |
| Complete | | | | |
| Req Comment: | BROWN RD STREET SIGN IS MISSING FROM THE POLE AT THE INTERSECTION OF BROWN AND CAREY. 9/8 - SIGNS ORDERED | | | |
| 22-001405 | 9/20/2022 8:00 AM | 9/20/2022 9:00 AM | Public Works Traffic Sign Maintenance / Install Sign | 0 MORGAN RD |
| Complete | | | | |
| Req Comment: | MORGAN RD STREET SIGN IS MISSING FROM THE INTERSECTION OF MORGAN RD AND ABUNDANCE AVE. INSTALL BACK TO TELEPHONE POLE 9/8 - SIGNS ORDERED | | | |
| 22-001406 | 9/20/2022 9:00 AM | 9/20/2022 11:00 AM | Public Works Traffic Sign Maintenance / Install Sign | 0 PEAIRS RD |
| Complete | | | | |

Work Order Listing Report

10/18/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|---|--------------------|-------------------------------------|--------------|----------------------|
| Status | Problem | Main Task/Task | Cross Street | |
| Req Comment: BOTH STREET SIGNS AND POLE ARE MISSING AT THE INTERSECTION OF PEAIRS AND GREENWELL SPRINGS PORT HUDSON RD. | | | | |
| 9/8 - SIGNS ORDERED | | | | |
| 22-001408 | | | Public Works | 0 TRIPLE B RD |
| 9/19/2022 11:15 AM | 9/19/2022 12:00 PM | Traffic Sign Maintenance | | |
| Complete | | / Install Sign | | |
| Req Comment: REPLACE STREET SIGN AT THE INTERSECTION OF TRIPLE B RD AND FRONTIER DR | | | | |
| 9/12 - SIGNS ORDERED | | | | |
| 22-001409 | | | Public Works | 0 MARLIN DR |
| 9/21/2022 8:15 AM | 9/21/2022 9:00 AM | Traffic Sign Maintenance | | |
| Complete | | / Install Sign | | |
| Req Comment: INSTALL STREET SIGN AT THE INTERSECTION OF MARLIN AT RIFLE | | | | |
| 22-001410 | | | Public Works | 0 DEVALD RD |
| 9/21/2022 9:00 AM | 9/21/2022 9:30 AM | Traffic Sign Maintenance | | |
| Complete | | / Install Sign | | |
| Req Comment: INSTALL STREET SIGN AT THE INTERSECTION OF DEVALD RD AND DENHAM RD | | | | |
| 22-001418 | | | Public Works | 0 LOVETT RD |
| 9/20/2022 11:31 AM | 9/20/2022 1:45 PM | Pot Hole Patching | | |
| Complete | | / Fill Potholes | | |
| Req Comment: POTHOLES ON LOVETT RD | | | | |
| 22-001419 | | | Public Works | 0 ARENDALE DR |
| 9/20/2022 1:00 PM | 9/20/2022 2:30 PM | Roadside Weed-eating | | |
| Complete | | / ROADSIDE WEEDEAT | | |
| Req Comment: WEEDEAT OVERGROWN ROADSIDE DITCH NEAREST TO POND ON ARENDALE | | | | |
| 22-001423 | | | Public Works | 0 DOWNEY DR |
| 9/21/2022 10:15 AM | 9/21/2022 11:00 AM | Traffic Sign Maintenance | | |
| Complete | | / Install Sign | | |
| Req Comment: PUT STREET SIGN BACK UP AT THE INTERSECTION OF DOWNEY AND FIR | | | | |
| 22-001424 | | | Public Works | 0 DURMAST DR |
| 9/21/2022 11:00 AM | 9/21/2022 11:15 AM | Traffic Sign Maintenance | | |
| Complete | | / Install Sign | | |
| Req Comment: PUT STREET SIGN BACK UP AT THE INTERSECTION OF DURMAST AND GREY BIRCH | | | | |
| 22-001427 | | | Public Works | 10745 SHOE CREEK DR |
| 9/21/2022 1:00 PM | 9/21/2022 1:40 PM | Off-Road Weedeating/Cleanup | | |
| Complete | | / OFF ROAD WEEDEAT | | |
| Req Comment: WEEDEAT SIDE SERVITUDE | | | | |
| 22-001428 | | | Public Works | 12828 DENHAM RD |
| 9/21/2022 1:40 PM | 9/21/2022 3:30 PM | Roadside Weed-eating | | |
| Complete | | / ROADSIDE WEEDEAT | | |
| Req Comment: WEEDEAT ROADSIDE DITCH | | | | |
| 22-001429 | | | Public Works | 0 REED AVE |
| 9/28/2022 7:00 AM | 9/28/2022 8:00 AM | Off-Road Weedeating/Cleanup | | 0 REED AVE |
| Complete | | OFF ROAD WEEDEAT / OFF ROAD WEEDEAT | | |
| Req Comment: LITTER CONTROL, WEEDEAT AND REMOVE DEBRIS FROM REAR DITCH ON REED AVE FROM SULLIVAN RD TO THE CONCRETE CANAL NEXT TO BREC PARK. | | | | |
| Crew Comment: LITTER CONTROL, WEEDEAT AND REMOVE DEBRIS FROM REAR DITCH ON REED AVE FROM SULLIVAN RD TO THE CONCRETE CANAL NEXT TO BREC PARK. | | | | |
| 22-001431 | | | Public Works | 10772 GLENN WATTS RD |
| 9/28/2022 1:00 PM | 9/28/2022 1:15 PM | Roadside Weed-eating | | |
| Complete | | / ROADSIDE WEEDEAT | | |

Work Order Listing Report

10/18/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|--------------|---|--------------------|---|----------------------|
| Status | Problem | Main Task/Task | Cross Street | |
| Req Comment: | CALL H.O. BEFORE INSPECTION TO LOCATE HER PROBLEM. | | | |
| | DITCH IN HER AREA NEEDS TO BE WEEDEATED AND/OR DUG OUT TO HELP WATER FLOW. | | | |
| | Met with homeowner. She wants ditches cleaned out on either side of driveway. On the north side of drive it needs weed eating, approx 100ft x 10ft. On south side of drive it needs dead vegetation raked out of standing water. DO NOT dig out ditch, culvert is not low enough. Rake and remove dead grass south side of driveway, approx 100ft x 2ft. | | | |
| 22-001437 | 9/29/2022 7:00 AM | 9/29/2022 10:00 AM | Public Works Storm Drain Repair | 5553 GOODLAND DR |
| Complete | | | / Repair Catch Basin | |
| Req Comment: | SINKHOLE IN FRONT YARD NEAR TELEPHONE POLE | | | |
| | Catch basin is falling apart. Reseal catch basin and backfill holes. | | | |
| 22-001440 | 9/28/2022 8:00 AM | 9/28/2022 10:20 AM | Public Works Off-Road Weedeating/Cleanup | 12835 GURNEY RD |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | RAIN EVENT - WATER SLOW TO DRAIN ALL AROUND HER PROPERTY. SUBSTATION HAD STANDING WATER ACROSS THE STREET. SHE WOULD LIKE ALL THE DRAINAGE TO BE CHECKED FOR CLOGS. | | | |
| | CALL AFTER INSPECTION. | | | |
| | Weed eat the ditch from 12835 Gurney driveway to cross drain then the ditch around the substation | | | |
| 22-001441 | 9/26/2022 7:00 AM | 9/27/2022 3:30 PM | Public Works Off-Road Weedeating/Cleanup | 9622 LANSDOWNE RD |
| Complete | | | / OFF ROAD WEEDEAT | |
| Req Comment: | Description: Rear ditch needs weedeating and clearing. CitySourced Id: 2842670 | | | |
| | Minor weed eating needed, 200 ft x 5 ft. Enter by Tanglewood dr | | | |
| 22-001443 | 9/29/2022 10:01 AM | 9/29/2022 2:00 PM | Public Works Storm Drain Repair | 13535 NEW WOOD AVE |
| Complete | | | / Repair or Replace Pipe | |
| Req Comment: | Description: Call me 12254136473 CitySourced Id: 2853892 | | | |
| | VOID UNDER DRIVEWAY, CHECK FOR LEAKS | | | |
| | There are two sinkholes. One at the corner of the address listed by the light pole appears to be caused by a lateral pipe draining from the rear. Second hole is at 13545 and is a leaking roadside pipe. It has been barricaded. | | | |
| 22-001444 | 10/13/2022 7:00 AM | 10/17/2022 3:30 PM | Public Works Storm Drain Repair | 11138 LANDFAIR AVE |
| Complete | | | / Repair or Replace Pipe | |
| Req Comment: | MEET COUNCILMAN EVANS ON SITE MULTIPLE SINKHOLES IN FRONT YARD AND VOID UNDER DRIVEWAYS PIPE IS NOT DRAINING AND FLOWING OPPOSITE OF DRAINAGE MAPS | | | |
| | From the corner of Landfair and Bretshire catch basin, along Landfair sink holes are 16', 105', 170', and 176'. The 105' is at the expansion joint of driveway. The dye that was put in the expansion joint showed up in the catch basin in the driveway. The culvert along Berkshire does not tie into the cross drain catch basin. It stops approximately 10' before the catch basin. This culvert needs to tie into the catch basin. There is also one sink hole along Landfair 129' from the corner catch basin Landfair and Berkshire. | | | |
| 22-001449 | 9/28/2022 2:00 PM | 9/28/2022 2:20 PM | Public Works Roadside Weed-eating | 10621 NORWAY PINE DR |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | WEEDEAT ROADSIDE DITCH - BOTH SIDES OF DRIVEWAY | | | |
| 22-001453 | 9/28/2022 11:15 AM | 9/28/2022 11:20 AM | Public Works Roadside Weed-eating | 0 WAX RD |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | 0 WAX RD |

Work Order Listing Report

10/18/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|---|-----------------|---------------|-------------------------------------|-----------------------|
| Status | | | Problem Main Task/Task | Cross Street |
| Req Comment: WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD | | | | |
| Crew Comment: WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD | | | | |
| 22-001454 | | | Public Works | 0 DURMAST DR |
| 9/28/2022 | 10:20 AM | 9/28/2022 | 11:15 AM Roadside Weed-eating | 0 DURMAST DR |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Req Comment: LITTER CONTROL, WEEDEAT AND ROADSIDE MOWING | | | | |
| Crew Comment: LITTER CONTROL, WEEDEAT AND ROADSIDE MOWING | | | | |
| 22-001455 | | | Public Works | 13721 HOOPER RD |
| 9/28/2022 | 1:15 PM | 9/28/2022 | 1:50 PM Roadside Weed-eating | |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Req Comment: WEED EAT IN FRONT OF CITY HALL | | | | |
| Crew Comment: WEED EAT IN FRONT OF CITY HALL | | | | |
| 22-001456 | | | Public Works | CITY WIDE SNIPE |
| 9/26/2022 | 8:00 AM | 9/26/2022 | 8:05 AM Litter Control | |
| Complete | | | Pick Up Trash / | |
| Req Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | | |
| Crew Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | | |
| 22-001457 | | | Public Works | 0 GOLDEN GATE AVE |
| 9/26/2022 | 7:00 AM | 9/26/2022 | 1:00 PM Culvert Clean Out | |
| Complete | | | / Clean Pipe | |
| Req Comment: CLEAN CULVERTS ALONG GOLDEN GATE, BIG SUR AND WEST BIG SUR | | | | |
| 22-001461 | | | Public Works | 10220 IDA AVE |
| 9/27/2022 | 1:00 PM | 9/27/2022 | 3:30 PM Drainage Maintenance | |
| Complete | | | / Clean Culvert | |
| Req Comment: Description: This issue has been reported numerous times, the problem has not been resolved. The corner of Hooper Rd and S Ida Ave floods yards when we get heavy rains. There is a problem on that corner and has been for years. I live on the corner of S Ida and Gateway drive and I have ditches in both corners and do not have this problem when we get heavy rains. We were told the issue was correct my the Mayor earlier this year , it's not corrected. These pics were taken today 8-10-22 around 4:30pm CitySourced Id: 2862860 | | | | |
| 22-001466 | | | Public Works | 9521 RUSTLING OAKS DR |
| 9/28/2022 | 12:30 PM | 9/28/2022 | 1:00 PM Backfill/Dressup | |
| Complete | | | / Repair or Replace Landscaping | |
| Req Comment: Description: See attached picture CitySourced Id: 2920470 | | | | |
| 22-001468 | | | Public Works | 11343 N FLINTRIDGE PL |
| 9/28/2022 | 1:00 PM | 9/28/2022 | 3:30 PM Backfill/Dressup | |
| Complete | | | / Resurface | |
| Req Comment: BACKFILL FOR FRONT YARD. HOW MUCH DOES THIS AREA NEED? | | | | |
| 22-001469 | | | Public Works | 0 GURNEY RD |
| 10/7/2022 | 11:15 AM | 10/7/2022 | 12:00 PM Roadside Weed-eating | 0 GURNEY RD |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Req Comment: LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT | | | | |
| Crew Comment: LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT | | | | |
| 22-001470 | | | Public Works | 0 LOVETT RD |
| 10/7/2022 | 10:30 AM | 10/7/2022 | 11:15 AM Roadside Weed-eating | 0 LOVETT RD |
| Complete | | | ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | |
| Req Comment: LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT | | | | |
| Crew Comment: LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT | | | | |

Work Order Listing Report

10/18/2022

COMPLETED WORK ORDERS FOR SEPTEMBER 2022

11:11 AM

| WO # | Start Date/Time | End Date/Time | Category | Problem | Address |
|--|---|---------------|--------------------|-----------------------------|---------------------|
| Status | | | Main Task/Task | Cross Street | |
| 22-001471 | | | Public Works | | 13904 TECH AVE |
| 10/14/2022 | 7:00 AM | 10/14/2022 | 10:00 AM | Off-Road Weedeating/Cleanup | |
| Complete | | | / OFF ROAD WEEDEAT | | |
| Req Comment: | HOMEOWNER WOULD LIKE DRAINAGE SERVITUDE BEHIND HIS HOME WEEDEATED | | | | |
| Customer wants ditch cleaned behind house to hooper rd. Need weed eating 200 x 13 feet. Possible ditch digging if too thick. | | | | | |
| 22-001472 | | | Public Works | | 10660 DOWNEY DR |
| 9/29/2022 | 9:50 AM | 10/6/2022 | 8:40 AM | Off-Road Weedeating/Cleanup | |
| Complete | | | / OFF ROAD WEEDEAT | | |
| Req Comment: | WEEDEAT AND REMOVE DEBRIS FROM REAR DITCH FROM ROBLE TO FIR. | | | | |
| Major overgrowth on servitude from 10712 to 10742. Underbrush major problem with small trees needing to be removed. Access is a problem . Need hold harmless to enter and remove material. Phase 1 than we can review any drainage issues . Sewer and utilities located in servitude. Estimated 400 lf of removal and weedeat in | | | | | |
| 22-001473 | | | Public Works | | 10912 SHOE CREEK DR |
| 9/29/2022 | 7:00 AM | 9/29/2022 | 8:50 AM | Off-Road Weedeating/Cleanup | |
| Complete | | | / OFF ROAD WEEDEAT | | |
| Req Comment: | REAR DITCH APPEARS TO BE CLOGGED | | | | |
| Talked with homeowner, states ditch does not drain well anymore. There is debris downstream behind neighbors yard where they dump limbs and grass clippings. Remove with hand crew, rake flow line of ditch. Ultimately needs to be regraded but told him that we'll clean for now. In a few years it will need digging. | | | | | |