

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task		Cross Street
22-001218	9/19/2022 9:20 AM	12/16/2022 7:45 AM	Public Works	Traffic Sign Maintenance	0 CORE LN
Complete			/ Replace Sign		
Req Comment:	"Blackwater Rd" sign at Core Ln. Only "Blackwater Rd" sign is needed. Need cross bracket to attach on top of "Core Ln" sign.				
	Needs Blackwater Rd sign and cross bracket replaced.				
	SIGN ORDERED 8/15/22				
	11/18/22 - UPDATE - CORE AND BLACKWATER SIGNS ARE MISSING.				
22-001546	12/2/2022 10:45 AM	12/2/2022 1:00 PM	Public Works	Drainage Maintenance	14261 LOVETT RD
Complete			/ Clean Culvert		
Req Comment:	Came by to see Mayor regarding a drainage issue at the above address. He states that the ditch across from him needs to be cleaned out, because when it rains the water is backing up in his yard. He would like to be contacted and have someone come out and look at his issue.				
	Sediment is blocking flow in front of double barrel cmp across from address. Need roadside dig crew to dig out sediment. See pic				
22-001551	12/16/2022 12:30 PM	12/16/2022 3:30 PM	Public Works	Drainage Maintenance	8675 ROME DR
Complete			/ Roads Side Ditch Digging		
Req Comment:	CULVERT IS CLOGGED.				
	Clean ditch with machine and jet culvert, see pics				
22-001553	12/5/2022 1:30 PM	12/5/2022 3:30 PM	Public Works	Storm Drain Repair	13200 W WATERSIDE DR
Complete			/ Repair Catch Basin		
Req Comment:	MANHOLE TOP IS FLIPPED AND WILL NOT STAY IN PLACE. POSSIBLY A SEWER MANHOLE.				
	Drain base need to be reset and sealed in concrete this is located across from 13184 W Waterside				
	RE-SEAL CONCRETE BASE				
22-001557	12/1/2022 7:00 AM	12/1/2022 1:00 PM	Public Works	Drainage Maintenance	10932 IDA AVE
Complete			/ Roads Side Ditch Digging		
Req Comment:	Description: Residential ditch needs to be scrapped out. Almost higher then culvert CitySourced Id: 2891065				
	The ditch from 10932 Ida driveway to intersection of 10940 Ida and Captain Baugh needs digging out.				
22-001558	12/1/2022 1:00 PM	12/1/2022 3:30 PM	Public Works	Drainage Maintenance	9245 MONHEGAN AVE
Complete			/ Roads Side Ditch Digging		
Req Comment:	ROADSIDE DITCH IS NOT DRAINING PROPERLY. THE HOMEOWNER STATED THE NEIGHBORS DITCH IS A LITTLE HIGH THAN HIS, SO THAT MAY BE THE CAUSE OF THE WATER HOLDING IN HIS DITCH.				
	Skim out the ditch in front of 9317 and 9327 Monhegan				
22-001560	12/1/2022 7:00 AM	12/1/2022 3:30 PM	Public Works	Off Road Drainage	9927 TREDALE DR
Complete			/ Remove Debris		
Req Comment:	Description: Drainage Servitude between Trendale and Banway needs to be cleaned out. Water is backing up in there, rising, and getting into people's yards during a heavy rain event because the water cannot properly drain. CitySourced Id: 2898298				
22-001566	12/8/2022 7:00 AM	12/8/2022 2:00 PM	Public Works	Storm Drain Repair	11545 WINTERGREEN DR
Complete			/ Repair or Replace Pipe		

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem	Cross Street
			Main Task/Task	
Req Comment: DIG OFF ROAD DITCHES FROM BLACKWATER BAYOU TO THE REAR OF 13747 BLACKWATER RD				
PHASE 1 - CUTTERHEAD				
PHASE 2 - DIGGING				
22-001668			Public Works	0 WOODROW KERR LN
12/2/2022	11:30 AM	12/2/2022	1:40 PM Pot Hole Patching	
Complete			/ Patching	
Req Comment: **There are pot holes on Woodrow Kerr Lane (off McCullough). There are pot holes and areas of the road that need overlays. This road is narrow so not much room to navigate two vehicles passing on the road. There are no shoulders.....just ditches on either side. There are a few areas along the side a of the road that needs repairing as the side has cracked or broken off the road.....dangerous for vehicles and/or the school busses that travel this road daily. CitySourced id: 2938102				
PATCH ALL POTHOLES ON WOODROW KERR				
22-001669			Public Works	22704 ASHFORD LN
12/2/2022	1:40 PM	12/2/2022	3:30 PM Pot Hole Patching	
Complete			/ Patching	
Req Comment: CHECK FOR POTHOLES ON THE WHOLE ROAD. NEAR THE END IS PRIVATE.				
PATCH ALL POTHOLES ON ASHFORD LANE				
22-001671			Public Works	0 DEVALL RD
12/2/2022	10:40 AM	12/2/2022	11:30 PM Pot Hole Patching	
Complete			/ Patching	
Req Comment: POTHOLE ON DEVALL NEAR THE HOUSE WITH THE POND IN THE CURVE				
PATCH POTHOLE NEAR 13122 DEVALL RD				
22-001685			Public Works	16832 TENEIYA AVE
12/5/2022	7:00 AM	12/5/2022	1:30 PM Storm Drain Repair	
Complete			/ Repair or Replace Pipe	
Req Comment: SINKHOLE WITH BARRICADES AROUND IT. DETERMINE IF THIS IS SEWER OR DRAINAGE RELATED.				
Sink holes on top of drain pipe are caused by rcp joints, need repair asap, dangerous. Joint repair needed. Sink hole by manhole under water meter is by sewer.				
22-001687			Public Works	0 WAX RD
11/21/2022	8:00 AM	12/12/2022	8:00 AM Roadside Weed-eating	0 WAX RD
Complete			ROADSIDE WEEDEAT /	
Req Comment: WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD				
NO WORK NEEDED				
Crew Comment: WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD				
22-001688			Public Works	0 DURMAST DR
12/5/2022	1:15 PM	12/5/2022	2:20 PM Roadside Weed-eating	0 DURMAST DR
Complete			ROADSIDE WEEDEAT / ROADSIDE WEEDEAT	
Req Comment: LITTER CONTROL, WEEDEAT AND ROADSIDE MOWING				
Crew Comment: LITTER CONTROL, WEEDEAT AND ROADSIDE MOWING				
22-001689			Public Works	13721 HOOPER RD
12/12/2022	7:00 AM	12/12/2022	7:15 AM Roadside Weed-eating	
Complete			ROADSIDE WEEDEAT / ROADSIDE WEEDEAT	
Req Comment: WEED EAT IN FRONT OF CITY HALL				
Crew Comment: WEED EAT IN FRONT OF CITY HALL				
22-001690			Public Works	CITY WIDE SNIPE
12/12/2022	7:00 AM	12/12/2022	12:00 PM Litter Control	
Complete			Pick Up Trash / Pick Up Trash	
Req Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD				

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem Main Task/Task	Cross Street
Crew Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVAL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD				
22-001691	12/12/2022 7:15 AM	12/12/2022 7:20 AM	Public Works Roadside Weed-eating	0 GURNEY RD
Complete			ROADSIDE WEEDEAT / ROADSIDE WEEDEAT	0 GURNEY RD
Req Comment: LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT				
Crew Comment: LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT				
22-001692	12/12/2022 7:30 AM	12/12/2022 8:00 AM	Public Works Roadside Weed-eating	0 LOVETT RD
Complete			ROADSIDE WEEDEAT / ROADSIDE WEEDEAT	0 LOVETT RD
Crew Comment: LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT				
22-001693	12/6/2022 7:00 AM	12/7/2022 10:30 AM	Public Works Storm Drain Repair	10931 SUNCREST AVE
Complete			/ Repair or Replace Pipe	
Req Comment: REPAIR CULVERT NEAR DRIVEWAY				
HOMEOWNER NEEDS 24 HOURS NOTICE BEFORE CONCRETE IS POURED (MEDICAL REASONS)				
22-001700	12/9/2022 1:40 PM	12/9/2022 3:30 PM	Public Works Roadside Weed-eating	15622 EL RANCHITOS AVE
Complete			/ ROADSIDE WEEDEAT	
Req Comment: WEEDEAT ROADSIDE DITCH				
22-001701	12/9/2022 7:45 AM	12/9/2022 10:45 AM	Public Works Roadside Weed-eating	8752 ROME DR
Complete			/ ROADSIDE WEEDEAT	
Req Comment: WEEDEAT ROADSIDE DITCH				
22-001702	12/5/2022 10:00 AM	12/5/2022 11:30 AM	Public Works Off-Road Weedeating/Cleanup	16344 ALFORD DR
Complete			/ OFF ROAD WEEDEAT	
Req Comment: WEEDEAT THE SIDE SERVITUDE TO THE PARK AND BE SURE TO WEEDEAT ALL THE WAY TO THE FENCE.				
22-001703	12/9/2022 7:00 AM	12/9/2022 7:45 AM	Public Works Roadside Weed-eating	16421 ALFORD DR
Complete			/ ROADSIDE WEEDEAT	
Req Comment: WEEDEAT ROADSIDE DITCH				
22-001704	12/5/2022 2:20 PM	12/5/2022 3:30 PM	Public Works Roadside Weed-eating	11033 NORWAY PINE DR
Complete			/ Remove Debris	
Req Comment: CLEAR LEAVES FROM ROADSIDE DITCH AT ADDRESS LISTED AND NEIGHBOR'S ADDRESS				
22-001705	12/1/2022 7:00 AM	12/1/2022 11:20 AM	Public Works Pot Hole Patching	0 MORGAN MEADOW AVE
Complete			/ Patching	
Req Comment: POTHOLES ON MORGAN MEADOW FROM SHOE CREEK TO JOOR				
POTHOLES ON SHOE CREEK FROM HOOPER TO MORGAN MEADOW				
22-001707	12/2/2022 7:00 AM	12/2/2022 10:30 AM	Public Works Drainage Maintenance	10033 W BIG SUR CT
Complete			/ Roads Side Ditch Digging	
Req Comment: DIG ROADSIDE DITCH FROM ADDRESS LISTED TO BIG SUR CT				
22-001709	12/15/2022 10:00 AM	12/15/2022 10:40 AM	Public Works Storm Or Hurricane Related Issues	15353 HOOPER RD
Complete			/ Remove Debris	
Req Comment: REMOVE DEBIRS AT CULVERTS				
Remove debris				

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Main Task/Task	Address	Cross Street
22-001711	11/30/2022 9:50 AM	11/30/2022 10:30 AM	Public Works	Storm Or Hurricane Related Issues	Remove Debris	0	DEVALL RD
Complete	Req Comment: CLEAN BOX CULVERTS UNDER DEVALL						
	Remove limb						
22-001712	11/30/2022 2:45 PM	12/1/2022 1:30 PM	Public Works	Storm Or Hurricane Related Issues	Remove Debris	0	WILLOW CREEK DR
Complete	Req Comment: REMOVE DEBRIS AT THE BRIDGE ON WILLOWCREEK						
	Clean culverts lots of debris						
22-001715	12/1/2022 2:16 PM	12/1/2022 2:30 PM	Public Works	Miscellaneous	Install Sign	0	HOOPER RD
Complete	Req Comment: PLACE 10 BARRICADES AT THE INTERSECTION OF HOOPER AND JOOR. YOU WILL NEED 10 BARS AND 20 LEGS FOR THIS LOCATION						
	STAGE IN THE GRASS NEAR DENTIST OFFICE (ON WINN DIXIE SIDE)						
22-001716	12/1/2022 2:31 PM	12/1/2022 3:30 PM	Public Works	Miscellaneous	Install Sign	0	MORGANFIELD AVE
Complete	Req Comment: PLACE 4 BARRICADES AT THE INTERSECTION OF MORGANFIELD AND JOOR. YOU WILL NEED 4 BARS AND 8 LEGS FOR THIS LOCATION						
	STAGE IN THE GRASS BY THE ENTRANCE SIGN TO SUBDIVISION						
22-001717	12/1/2022 1:31 PM	12/1/2022 2:15 PM	Public Works	Miscellaneous	Install Sign	0	LOVETT RD
Complete	Req Comment: PLACE 8 BARRICADES AT THE INTERSECTION OF LOVETT AND JOOR. YOU WILL NEED 8 BARS AND 16 LEGS FOR THIS LOCATION						
	STAGE IN THE GRASS BY THE STORE						
22-001718	11/30/2022 7:00 AM	11/30/2022 3:30 PM	Public Works	Culvert Clean Out	Clean Culvert	11608	MCCULLOUGH RD
Complete	Req Comment: CLEAN CULVERTS						
22-001719	11/30/2022 7:00 AM	12/1/2022 10:30 AM	Public Works	Storm Drain Repair	Repair or Replace Pipe	9605	SHADY BLUFF DR
Complete	Req Comment: CHECK PREVIOUS REPAIR AT DRIVEWAY.						
22-001720	12/2/2022 9:30 AM	12/2/2022 10:40 AM	Public Works	Pot Hole Patching	Patching	14380	DENHAM RD
Complete	Req Comment: Description: Pot hole around the area. It's a pothole right after a patched area. CitySourced Id: 2971948						
	PATCH ALL POTHOLES ON DENHAM RD AND RECORD ADDRESSES IN TASK						
22-001721	12/2/2022 8:20 AM	12/2/2022 9:30 AM	Public Works	Pot Hole Patching	Patching	10114	LOVETT RD
Complete	Req Comment: Description: There's a big pot hole here. It was filled before but all the material has come back out again. It didn't last long and it's a deep one. CitySourced Id: 3082744						

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category Problem Main Task/Task	Address Cross Street
22-001724	12/5/2022 11:30 AM	12/5/2022 1:15 PM	Public Works Off-Road Weedeating/Cleanup OFF ROAD WEEDEAT / OFF ROAD WEEDEAT	12261 HOOPER RD
Complete				
Req Comment: WEEDEAT AND SPRAY THE BOTTOM OF THE SIDE SERVITUDE 12261 HOOPER RD				
Crew Comment: WEEDEAT AND SPRAY THE BOTTOM OF THE SIDE SERVITUDE 12261 HOOPER RD				
22-001728	12/5/2022 7:00 AM	12/5/2022 8:15 AM	Public Works Pot Hole Patching / Patching	13277 BROWN RD
Complete				
Req Comment: POT HOLE NEAR ADDRESS LISTED				
22-001729	12/5/2022 9:00 AM	12/5/2022 10:00 AM	Public Works Miscellaneous / Resurface	0 LOVETT RD
Complete				
Req Comment: PICKUP 8 BARRICADES AT THE INTERSECTION OF LOVETT AND JOOR.				
22-001730	12/5/2022 8:30 AM	12/5/2022 9:00 PM	Public Works Miscellaneous / Resurface	0 MORGAN MEADOW AVE
Complete				
Req Comment: PICKUP 4 BARRICADES AT THE INTERSECTION OF MORGAN MEADOW AND JOOR.				
22-001731	12/5/2022 8:15 AM	12/5/2022 8:30 AM	Public Works Miscellaneous / Resurface	0 HOOPER RD
Complete				
Req Comment: PICKUP 10 BARRICADES AT THE INTERSECTION OF HOOPER AND JOOR.				
22-001737	12/6/2022 7:00 AM	12/6/2022 3:30 PM	Public Works Off-Road Weedeating/Cleanup / Remove Debris	13277 BROWN RD
Complete				
Req Comment: CLEAR DEBRIS FROM OFF ROAD DITCH				
22-001738	12/8/2022 11:15 AM	12/16/2022 2:15 PM	Public Works Traffic Sign Maintenance / Replace Sign	0 LANDMOR DR
Complete				
Req Comment: STREET SIGN DOWN AT THE INTERSECTION OF TEAH AND LANDMOR				
22-001739	12/16/2022 8:15 AM	12/16/2022 9:00 AM	Public Works Traffic Sign Maintenance / Replace Sign	0 SHOE CREEK DR
Complete				
Req Comment: STREET SIGN MISSING AT THE INTERSECTION OF SHOE CREEK AND CONWOOD				
22-001740	12/8/2022 10:45 AM	12/8/2022 11:00 AM	Public Works Traffic Sign Maintenance / Replace Sign	14343 RICHARDSON DR
Complete				
Req Comment: STREET SIGNS ARE MISSING AT THE INTERSECTION OF RICHARDSON AND FRYERS				
22-001741	12/8/2022 11:00 AM	12/8/2022 11:15 AM	Public Works Traffic Sign Maintenance / Replace Sign	0 WINTERSET DR
Complete				
Req Comment: STREET SIGN MISSING AT FRENCHTOWN RD AND WINTERSET DR				
22-001742	12/16/2022 10:45 AM	12/16/2022 11:30 AM	Public Works Traffic Sign Maintenance / Replace Sign	0 MAPLETON DR
Complete				
Req Comment: STREET SIGNS MISSING AT THE FOLLOWING INTERSECTIONS: MAPLETON DR AT RICHARDSON DR MAPLETON DR AT GOODLAND DR (POST NEEDED)				
22-001743	12/16/2022 9:00 AM	12/16/2022 10:00 AM	Public Works Traffic Sign Maintenance / Replace Sign	0 EVERGREEN HILLS DR
Complete				
Req Comment: STREET SIGNS MISSING AT THE INTERSECTION OF EVERGREEN HILLS AT BRISTLE CONE CT.				

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Main Task/Task	Address	Cross Street
22-001744	12/16/2022 2:15 PM	12/20/2022 10:45 AM	Public Works	Traffic Sign Maintenance	Public Works	0 PEAIRS RD	
	Complete			/ Replace Sign			
Req Comment:	STREET NAME SIGNS ARE MISSING AT THE INTERSECTION OF PEAIRS AND GREENWELL SPRINGS-PORT HUDSON						
22-001745	12/8/2022 11:20 AM	12/8/2022 12:00 PM	Public Works	Traffic Sign Maintenance	Public Works	0 BLACKWATER RD	
	Complete			/ Replace Sign			
Req Comment:	STREET NAME SIGNS ARE MISSING AT THE INTERSECTION OF BLACKWATER RD AND DYER RD						
22-001746	12/16/2022 10:00 AM	12/16/2022 10:30 AM	Public Works	Traffic Sign Maintenance	Public Works	0 CORE LN	
	Complete			/ Replace Sign			
Req Comment:	STREET NAME SIGNS ARE MISSING AT THE INTERSECTION OF CORE LANE AND ACRES CT.						
22-001747	12/16/2022 7:45 AM	12/16/2022 8:15 AM	Public Works	Traffic Sign Maintenance	Public Works	0 DEVALL RD	
	Complete			/ Replace Sign			
Req Comment:	STREET NAME SIGNS ARE MISSING AT THE INTERSECTION OF DEVALL RD AND DENHAM RD						
22-001748	12/7/2022 8:00 AM	12/7/2022 9:00 AM	Public Works	Traffic Sign Maintenance	Public Works	0 BRETSHIRE DR	
	Complete			/ Replace Sign			
Req Comment:	REPLACE OLD STREET SIGNS WITH NEW AT THE FOLLOWING INTERSECTIONS: BRETSHIRE & LANDFAIR AVE BRETSHIRE & BRILLOCK AVE SIGNS ORDERS 11/30/22						
22-001749	12/7/2022 7:00 AM	12/7/2022 8:00 AM	Public Works	Traffic Sign Maintenance	Public Works	0 LAWRIDGE DR	
	Complete			/ Replace Sign			
Req Comment:	REPLACE OLD STREET SIGNS WITH NEW SIGNS AT THE INTERSECTION OF LAWRIDGE AND BRILLOCK SIGNS ORDERED 11/30/22						
22-001750	12/7/2022 1:15 PM	12/16/2022 10:45 AM	Public Works	Traffic Sign Maintenance	Public Works	0 LANDFAIR AVE	
	Complete			/ Replace Sign			
Req Comment:	REPLACE THE OLD STREET SIGNS WITH NEW AT THE FOLLOWING LOCATIONS: LANDFAIR & LANGSTON CT LANDFAIR & STONESHIRE DR						
22-001751	12/7/2022 12:30 PM	12/7/2022 1:15 PM	Public Works	Traffic Sign Maintenance	Public Works	0 N FLINTRIDGE PL	
	Complete			/ Replace Sign			
Req Comment:	REPLACE THE OLD STREET SIGNS WITH NEW AT THE FOLLOWING LOCATIONS: N FLINTRIDGE & STONESHIRE N FLINTRIDGE & W FLINTRIDGE SIGNS ORDERED 11/30/22						
22-001752	12/7/2022 9:00 AM	12/7/2022 10:15 AM	Public Works	Traffic Sign Maintenance	Public Works	0 S FLINTRIDGE PL	
	Complete			/ Replace Sign			
Req Comment:	REPLACE OLD STREET SIGNS WITH NEW AT THE FOLLOWING LOCATIONS: S FLINTRIDGE & W FLINTRIDGE S FLINTRIDGE & STONESHIRE SIGNS ORDERED 11/30/22						

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Main Task/Task	Address	Cross Street
22-001753	12/7/2022 1:45 PM	12/7/2022 2:30 PM	Public Works	Traffic Sign Maintenance		7271 LAKE COMITE DR	
				/ Remove Sign and / or Post			
					Req Comment: REMOVE THE STOP AHEAD SIGN AND POST IN FRONT OF 7271 LAKE COMITE		
22-001754	12/16/2022 12:30 PM	12/16/2022 1:15 PM	Public Works	Traffic Sign Maintenance		11108 LANDFAIR AVE	
				/ Replace Sign			
					Req Comment: REMOVE STOP AHEAD SIGN IN FRONT OF 11108 LANDFAIR AVE AND REPLACE IT WITH A NO OUTLET SIGN		
22-001755	12/9/2022 10:45 AM	12/9/2022 1:40 PM	Public Works	Roadside Weed-eating		10943 N OLD SETTLEMENT RD	
				ROADSIDE WEEDEAT / ROADSIDE WEEDEAT			
					Crew Comment: WEEDEAT ALL OVERGROWN DITCHES ON N OLD SETTLEMENT		
22-001757	12/12/2022 7:20 AM	12/12/2022 7:30 AM	Public Works	Roadside Weed-eating		0 JOOR RD	
				ROADSIDE WEEDEAT / ROADSIDE WEEDEAT			
					Req Comment: LITTER CONTROL AND WEEDEATING AT THE WELCOME TO THE CITY OF CENTRAL SIGN ON JOOR RD		
					Crew Comment: LITTER CONTROL AND WEEDEATING AT THE WELCOME TO THE CITY OF CENTRAL SIGN ON JOOR RD		
22-001758	12/9/2022 8:00 AM	12/9/2022 8:05 AM	Public Works	Off-Road Weedeating/Cleanup		0 MAGNOLIA CROSSING DR	
				OFF ROAD WEEDEAT /			
					Req Comment: WEEDEAT OVERGROWN AREA OF VILLAGE LAKES		
					Crew Comment: NO WORK NEEDED		
					Crew Comment: WEEDEAT OVERGROWN AREA OF VILLAGE LAKES		
22-001759	12/9/2022 7:00 AM	12/9/2022 3:30 PM	Public Works	Pot Hole Patching		6303 OAK CLUSTER DR	
				/ Fill Potholes			
					Req Comment: Description: Huge pot hole at the dead end of Oak Cluster that the school buses are falling into daily		
					CitySourced Id: 2972049		
22-001761	12/12/2022 8:00 AM	12/12/2022 10:00 PM	Public Works	Culvert Clean Out		5609 THIBODEAUX RD	
				/ Clean Culvert			
					Req Comment: Description: Culverts stopped up. Backing up water.		
					CitySourced Id: 3088716		
					Met with the husband on site, he stated the culvert was clogged during the rain event and he removed debris to drain the water. Debris still remains around needs to be raked up.		
22-001762	12/12/2022 10:00 AM	12/12/2022 3:30 PM	Public Works	Culvert Clean Out		16829 PERNECIA AVE	
				/ Clean Culvert			
					Req Comment: HOMEOWNER STATED ALL THE LEAVES FROM HOUSES UPSTREAM END UP AT HIS DRIVEWAY CULVERT AND CAUSES A BLOCKAGE. CHECK DRIVEWAY CULVERT FOR BLOCKAGES		
					Hand crew can rake and bag leaves blocking these 2 culverts. Use handle to try and clear culvert if needed.		
22-001763	12/15/2022 1:30 PM	12/15/2022 3:30 PM	Public Works	Pot Hole Patching		0 TANGLEWOOD DR	
				/ Patching			
					Req Comment: CHECK THE WHOLE ROAD FOR POTHOLES. HOMEOWNER MENTIONED THERE WERE 3 BEFORE THE BRIDGE AND 2-3 AFTER. ALSO, AT THE INTERSECTION OF LANSDOWNE AND TANGLEWOOD.		
					9966 tanglewood, 9822 tanglewood, bramble and tw, 3 potholes for repair. Will need flaggers.		
22-001767	12/12/2022 7:00 AM	12/12/2022 1:30 PM	Public Works	Storm Drain Repair		10745 STONE PINE DR	
				/ Repair or Replace Culvert			
					Req Comment: DRIVEWAY IS CRACKING OVER CULVERT		

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category Problem Main Task/Task	Address Cross Street
22-001768	12/21/2022 7:00 AM	12/22/2022 11:30 AM	Public Works Storm Drain Repair / Repair or Replace Pipe	12643 MUSTANG AVE
Complete				
Req Comment: Description: Sink hole in the front yard in two spots , driveway caving in another spot and sink hole on the other side of the driveway. A neighbor told me he believes it's all due to the culvert that was placed in the ground years ago when the houses were built. CitySourced Id: 2880520				
22-001770	12/15/2022 7:00 AM	12/15/2022 9:00 AM	Public Works Off Road Drainage / OFF ROAD WEEDEAT	10630 DOWNEY DR
Complete				
Req Comment: HOMEOWNER STATED HER BACK DITCH NEEDS CLEANING AND CLEARING. THEY HAVE BIG LIMBS/TREES GROWING THAT NEED TO BE ADDRESSED. WALK-IN There is a 15" culvert placed in the servitude behind this address by opposite property. The culvert downstream is 24" and the 15" appears to be undersized. WEEDEAT DOWNSTREAM AND CLEAR CULVERT				
22-001771	12/27/2022 7:00 AM	12/27/2022 11:00 AM	Public Works Storm Drain Repair / Repair or Replace Pipe	13825 HERITAGE OAK DR
Complete				
Req Comment: SINKHOLE IN THE FRONT YARD Sink hole by street sign and light pole, probably caused one. Suggest camera drain to determine if that's the problem or bad joint, befriended re digging up.				
22-001774	12/27/2022 11:01 AM	12/27/2022 3:30 PM	Public Works Storm Drain Repair / Repair or Replace Pipe	5825 LANDMOR DR
Complete				
Req Comment: Description: Sinkholes along drainage culvert CitySourced Id: 2994127 Catch basin needs grouting and sinkhole located 8' east of CB. Joint repair needed				
22-001778	12/28/2022 7:00 AM	12/28/2022 3:30 PM	Public Works Storm Drain Repair / Repair or Replace Pipe	10931 SHOE CREEK DR
Complete				
Req Comment: DRIVEWAY IS CRACKING WHERE CULVERT IS. CALL HOMEOWNER AFTER INSPECTION. Driveway is in danger of falling in, very urgent. Replace or repair concrete pipe. 15" rcp.				
22-001779	12/13/2022 7:00 AM	12/13/2022 10:30 AM	Public Works Storm Or Hurricane Related Issues / OFF ROAD WEEDEAT	10724 HOLLY HOCK DR
Complete				
Req Comment: CHECK ROADSIDE AND REAR DRAINAGE FOR BLOCKAGES At the outfall on the south end there's a CB with an open throat and grate. The open throat is small and gets overwhelmed and the grate was clogged. I cleared the grate. there needs weedeating in the ditch up to this property. Also need to hand dig as much as possible to open the ditch up around a manhole, its holding water. The homeowners have put fences across the servitude and they are blocking the natural flow.				
22-001781	12/15/2022 1:00 PM	12/15/2022 1:30 PM	Public Works Pot Hole Patching / Patching	0 CAREY RD
Complete				
Req Comment: Description: Pothole on Carey Rd at Blackwater intersection on Carey Rd side CitySourced Id: 3107627 See pics, sawcut 5x5 area at intersection. Fill right turn from Carey.				

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem Main Task/Task	Cross Street
22-001783	12/12/2022 1:00 PM	12/12/2022 2:15 PM	Public Works Off-Road Weedeating/Cleanup / Resurface	11020 LIVE OAK GROVE DR
Complete				
Req Comment:	BEAVER DAM LOCATED BEHIND 11259 JOOR RD. ACCESS FROM ADDRESS LISTED.			
22-001784	12/12/2022 1:30 PM	12/13/2022 9:00 AM	Public Works Pot Hole Patching / Fill Potholes	0 FRENCHTOWN RD
Complete				
Req Comment:	POTHOLES NEAR THE TRAIN TRACKS			
22-001785	12/13/2022 9:00 AM	12/13/2022 11:00 AM	Public Works Drainage Maintenance / Off Road Ditch Digging	0 FRENCHTOWN RD
Complete				
Req Comment:	DRAINAGE MAINTENANCE NEAR THE TRAIN TRACKS			
22-001786	12/13/2022 2:00 PM	12/13/2022 2:30 PM	Public Works Storm Or Hurricane Related Issues / Remove Debris	0 LAWNSIDE AVE
Complete				
Req Comment:	CHECK REAR DITCH FOR BLOCKAGES			
22-001787	12/13/2022 1:30 PM	12/13/2022 2:00 PM	Public Works Storm Or Hurricane Related Issues / Remove Debris	0 SOLITUDE LN
Complete				
Req Comment:	CHECK BOX CULVERTS FOR BLOCKAGES			
22-001788	12/13/2022 12:30 PM	12/13/2022 1:00 PM	Public Works Storm Or Hurricane Related Issues / Remove Debris	0 COUNTRY ESTATE AVE
Complete				
Req Comment:	REMOVE DEBRIS AT BRIDGE ON COUNTRY ESTATES			
22-001789	12/13/2022 1:00 AM	12/13/2022 1:30 PM	Public Works Storm Or Hurricane Related Issues / Remove Debris	16948 WEYANOKE DR
Complete				
Req Comment:	CLEAR CULVERT OF DEBRIS			
22-001790	12/14/2022 8:00 AM	12/14/2022 11:00 AM	Public Works Storm Or Hurricane Related Issues / Remove Debris	14774 N BEAVER DR
Complete				
Req Comment:	SIDE DITCH IS CLOGGEDE AND NEEDS DEBRIS CLEARED FROM CULVERTS			
22-001791	12/14/2022 9:00 AM	12/14/2022 12:00 PM	Public Works Storm Or Hurricane Related Issues / Remove Debris	0 OLD SETTLEMENT RD
Complete				
Req Comment:	CROSS CULVERT UNDER OLD SETTLEMENT NEAR MCCULLOUGH IS STOPPED UP AND NEEDS TO BE CLEARED			
22-001793	12/15/2022 9:00 AM	12/15/2022 10:00 AM	Public Works Off-Road Weedeating/Cleanup OFF ROAD WEEDEAT / OFF ROAD WEEDEAT	0 REED AVE
Complete				
Req Comment:	LITTER CONTROL, WEEDEAT AND REMOVE DEBRIS FROM REAR DITCH ON REED AVE FROM SULLIVAN RD TO THE CONCRETE CANAL NEXT TO BREC PARK.			
Crew Comment:	LITTER CONTROL, WEEDEAT AND REMOVE DEBRIS FROM REAR DITCH ON REED AVE FROM SULLIVAN RD TO THE CONCRETE CANAL NEXT TO BREC PARK.			
22-001796	12/16/2022 9:40 AM	12/19/2022 11:40 AM	Public Works Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT	14523 COOTER DR
Complete				
Req Comment:	REAR CANAL IS OVERGROWN AND NEEDS TO BE CLEARED			
There is a vacant lot next to this trailer, clear the ditch behind trailer, jump fence in vacant lot. Lots of small brush, may need blades on weed eater				
22-001797	12/16/2022 8:00 AM	12/16/2022 9:40 PM	Public Works Off-Road Weedeating/Cleanup / Remove Debris	0 COOTER DR
Complete				

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task	Cross Street	
Req Comment:	SIDE CANAL AT THE DEAD END OF COOTER DR IS OVERGROWN AND NEEDS CLEARING - CANAL RUNS NEXT TO 14513/14514 COOTER DR				
	Remove any brush along canal at dead end. It's not bad just make sure banks and flowline are clear.				
22-001798			Public Works		14214 GEMINI DR
12/16/2022	7:00 AM	12/16/2022	9:40 AM	Off-Road Weedeating/Cleanup	
Complete			/ ROADSIDE WEEDEAT		
Req Comment:	SIDE AND REAR DRAINAGE NEEDS TO BE ADDRESSED. 2 ROTTEN TREES - 1 - SIDE DITCH AND 1 - REAR DITCH				
	The lady is a widow and cant cut the ditch anymore. Please weedeat and cut small brush along side ditch next to house and in the back if needed. Dogs bark but the fence is high.				
22-001799			Public Works		12315 MORGAN MEADOW AVE
12/19/2022	11:40 AM	12/21/2022	12:00 PM	Off-Road Weedeating/Cleanup	
Complete			/ Remove Debris		
Req Comment:	SIDE SERVITUDE NEEDS TO BE CLEANED OF DEBRIS, STANDING TREES GROWING IN DITCH				
	REAR SERVITUDE NEEDS TO BE CLEANED AND WEEDEATED FROM ADDRESS LISTED TO JOOR RD				
	Rake leaves from ditch on side. Clear limbs and brush. Lots of work about 200' clear any debris in back up to new SD that's in flowline. Big job				
22-001800			Public Works		0 WAX RD
12/19/2022	8:00 AM	12/19/2022	8:05 AM	Roadside Weed-eating	0 WAX RD
Complete			ROADSIDE WEEDEAT /		
Req Comment:	NO WORK NEEDED				
Crew Comment:	WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD				
22-001801			Public Works		0 DURMAST DR
12/19/2022	8:00 AM	12/19/2022	8:05 AM	Roadside Weed-eating	0 DURMAST DR
Complete			ROADSIDE WEEDEAT /		
Req Comment:	NO WORK NEEDED				
Crew Comment:	LITTER CONTROL, WEEDEAT AND ROADSIDE MOWING				
22-001802			Public Works		13721 HOOPER RD
12/19/2022	8:00 AM	12/19/2022	8:05 AM	Roadside Weed-eating	
Complete			ROADSIDE WEEDEAT /		
Req Comment:	WEED EAT IN FRONT OF CITY HALL				
	NO WORK NEEDED				
Crew Comment:	WEED EAT IN FRONT OF CITY HALL				
22-001803			Public Works		CITY WIDE SNIPE
12/19/2022	8:00 AM	12/19/2022	8:05 AM	Litter Control	
Complete			Pick Up Trash /		
Req Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD				
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD				
22-001805			Public Works		18094 SUNCREST AVE
12/20/2022	12:30 PM	12/20/2022	2:00 PM	Litter Control	18094 SUNFIELD DR
Complete			/ Pick Up Trash		
Req Comment:	REMOVE TREE DEBRIS AT ADDRESS LISTED - 18094 SUNFIELD				
	AT THE VACANT LOT NEXT DOOR, PICK UP PAINT CANS AND DEBRIS				
22-001806			Public Works		0 PLANCHET RD
12/20/2022	10:00 AM	12/20/2022	12:00 PM	Tree Removal	
Complete			/ High Tree Limb Removal		
Req Comment:	CURVE ON PLANCHET NEAR FRENCHTOWN RD NEEDS TREE TRIMING. HAZARDOUS - BLIND CORNER				

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category	Address
			Problem	Cross Street
			Main Task/Task	
22-001807			Public Works	13126 BRIDLEWOOD DR
12/27/2022	8:45 AM	12/27/2022	10:15 AM Tree Removal	
Complete			/ Remove Debris	
Req Comment:	TREE DOWN IN REAR DITCH			
See pics small limbs to remove. Will have to hop chain link fence no gate				
22-001812			Public Works	10624 SHOE CREEK DR
12/22/2022	7:00 AM	12/22/2022	1:00 PM Culvert Clean Out	
Complete			/ Clean Culvert	
Req Comment:	CLEAN CULVERT AND CATCH BASIN AT THE PROPERTY LINE OF ADDRESS LISTED.			
12" RCP pipe, 45' long, slam full of mud needs to be cleaned				
22-001813			Public Works	14180 HUBBS ACRES AVE
12/27/2022	7:00 AM	12/27/2022	8:45 AM Roadside Weed-eating	
Complete			/ ROADSIDE WEEDEAT	
Req Comment:	ROADSIDE DRAINAGE NEEDS TO BE ADDRESSED. TAIL LINE ISSUES - WATER IN DITCH IS ABOVE TAIL LINE			
Neighbors on the upstream side do not maintain ditch, needs cutting.				
22-001816			Public Works	25080 OLD GREENWELL SPRINGS RD
12/20/2022	10:45 AM	12/20/2022	12:00 PM Storm Drain Repair	
Complete			/ Cover Utility Cut or Hole	
Req Comment:	JUNCTION BOX HAS COLLAPSED			
PLACE ORANGE FENCING AROUND HOLE FOR SAFETY REASONS.				
3RD PARTY				
22-001827			Public Works	6565 MORGAN RD
12/21/2022	1:00 PM	12/21/2022	2:45 PM Roadside Weed-eating	
Complete			/ ROADSIDE WEEDEAT	
Req Comment:	Description: Ditch/drain is not allowing water to drain from residents on Morgan Rd CitySourced Id: 3087244			
Rake all leaves around intersection. Clean ditch, not sure if weedeating will work or need roadside dig to scrape out roots of flowline.				
22-001831			Public Works	0 PLANCHET RD
12/22/2022	7:00 AM	12/22/2022	8:30 AM Pot Hole Patching	
Complete			/ Patching	
Req Comment:	CHECK WHOLE ROAD FOR POTHOLES AND SHOULDER REPAIRS. ESPECIALLY IN THE CURVE BEFORE FRENCHTOWN RD			
POTHOLE AT 16928 PLANCHET (PIZZOLATO)				
22-001832			Public Works	9713 TANGLEWOOD DR
12/22/2022	8:30 AM	12/22/2022	10:20 AM Pot Hole Patching	
Complete			/ Patching	
Req Comment:	POTHOLE IN FRONT OF ADDRESS LISTED			
22-001834			Public Works	CITY WIDE SNIPE
12/27/2022	7:00 AM	12/27/2022	3:00 PM Litter Control	
Complete			Pick Up Trash / Remove Sign and / or Post	
Req Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR DECEMBER 2022

7:45 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
22-001835			Public Works	6633 LINDSEY NEAL DR
12/28/2022 1:00 PM	12/28/2022 3:30 PM	Off-Road Weedeating/Cleanup		
Complete		/ OFF ROAD WEEDEAT		
Req Comment:	REAR SERVITUDE NEEDS TO BE CLEANED OUT AND WEEDEATED. IT IS VERY OVERGROWN.			
22-001836			Public Works	15233 HIDDEN CREEK DR
12/28/2022 10:30 AM	12/28/2022 11:45 AM	Off-Road Weedeating/Cleanup		
Complete		/ OFF ROAD WEEDEAT		
Req Comment:	SIDE SERVITUDE NEXT TO 15141 HIDDEN CREEK IS ABOUT 40% BLOCKED AND NEEDS TO BE CLEANED AND WEEDEATED			
22-001837			Public Works	14912 LIBRA AVE
12/27/2022 1:40 PM	12/27/2022 3:30 PM	Roadside Weed-eating		
Complete		/ ROADSIDE WEEDEAT		
Req Comment:	ROADSIDE DITCH AT 14901 LIBRA (CORNER LOT) ON S. BEAVER SIDE NEEDS TO BE WEEDEATED.			
22-001838			Public Works	11116 NORWAY PINE DR
12/28/2022 7:00 AM	12/28/2022 9:00 AM	Off-Road Weedeating/Cleanup		
Complete		/ OFF ROAD WEEDEAT		
Req Comment:	WEEDEAT REAR SERVITUDE			