

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category Problem Main Task/Task | Address Cross Street |
|---|---------------------|---------------------|--|---------------------------|
| 22-000490 | 10/27/2022 11:00 AM | 10/27/2022 3:30 PM | Public Works Backfill/Dressup / Resurface | 8517 SHADY KNOLL PL |
| Complete | | | | |
| Req Comment: BACKFILL PREVIOUS REPAIR. | | | | |
| Ho is requesting backfill for ruts and for all the larger chunks of rock to be removed. COC to do this ? | | | | |
| 22-000530 | 5/24/2022 7:15 AM | 5/24/2022 8:40 AM | Public Works Tree Removal / High Tree Limb Removal | 6542 CHRISTOPHER AVE |
| Complete | | | | |
| Req Comment: SEVERAL TREES IN THE CREEK BEHIND ADDRESS LISTED. H.O. ALSO STATED THE CREEK IS NOT DRAINING LIKE IT USED TO. | | | | |
| HAND CREW TAKE POLE SAW AND CUT THE LIMB THAT IS HANGING IN THE FLOW LINE OF THE DITCH | | | | |
| TREE IS NOT IN THE FLOW LINE OF THE DITCH | | | | |
| 22-000768 | | | Public Works Draining Maintenance | 11348 LANDFAIR AVE |
| Complete | | | | |
| Req Comment: FRONT YARD IS STILL HOLDING WATER. | | | | |
| CLOSE OUT/ NO ISSUES | | | | |
| 22-000773 | | | Public Works Backfill/Dressup / | 13822 OAKBERRY AVE |
| Complete | | | | |
| Req Comment: BACKFILL FOR RUTS FROM ORD PROJECT | | | | |
| The ruts is HO yard needs more backfill | | | | |
| CLOSE OUT PER PUBLIC WORKS DIRECTOR | | | | |
| 22-000781 | 11/11/2022 7:00 AM | 11/11/2022 3:30 PM | Public Works Pot Hole Patching / Resurface | 11726 LOVETT RD |
| Complete | | | | |
| Req Comment: PREVIOUS CULVERT REPAIR UNDER LOVETT RD IS TURNING INTO A SPEED BUMP. CAN WE ADD ASPHALT TO THE PREVIOUS REPAIR. | | | | |
| 22-000918 | | | Public Works Miscellaneous | 15545 S POST OAK CT |
| Complete | | | | |
| Req Comment: PREVIOUS ROADSIDE DIG MADE A BELLY IN THE DITCH - APPROX. 20 FT | | | | |
| Add sod to a 30' section that is painted by the white lines | | | | |
| SPOKE TO HOMEOWNER. SOD IS NO LONGER NEEDED. CLOSE OUT | | | | |
| 22-000944 | 10/27/2022 10:00 AM | 10/27/2022 11:00 AM | Public Works Backfill/Dressup / Resurface | 15038 GLENN DR |
| Complete | | | | |
| Req Comment: HOMEOWNER STATED THE PREVIOUS REPAIR IN THE FRONT YARD IS STILL LEAKING | | | | |
| The previous repairs need more backfill | | | | |
| 22-001007 | 10/26/2022 10:30 AM | 10/26/2022 11:00 AM | Public Works Litter Control / Pick Up Trash | 10832 N OLD SETTLEMENT RD |
| Complete | | | | |
| Req Comment: DEBRIS - PILE OF LIMBS/LEAVES, SHELF, WIRE IN FRONT OF ADDRESS LISTED | | | | |
| Debris at the bridge on n old settlement. Haul off debris | | | | |
| 22-001084 | 9/8/2022 10:01 AM | 10/26/2022 3:30 PM | Public Works Litter Control / Pick Up Trash | 12055 DEVALD RD |
| Complete | | | | |

Work Order Listing Report

1/19/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category | Problem | Main Task/Task | Address | Cross Street |
|--------------|---|---------------|------------------|-----------------------------|----------------|---------|-----------------|
| | | | | | | | |
| Req Comment: | Description: 3rd Request for pile of limbs to be removed next to that treatment station/canal across the street from our house at 12042 Devall Rd-spoke to grass cutting crew & they said to contact you again-Btw, love improved maintenance of grass cutting in this area, but curious why they don't mow strip of land by canal? | | | | | | |
| | If possible, I would appreciate a call at [REDACTED] | | | | | | |
| | Thank you. [REDACTED] | | | | | | |
| | CitySourced Id: 2728845 | | | | | | |
| | Remove the debris pile at the pumping station property | | | | | | |
| | 9/12 - PILE IS STILL THERE | | | | | | |
| 22-001087 | | | Public Works | | | 14442 | CAREY RD |
| 10/10/2022 | 7:00 AM | 11/14/2022 | 3:30 PM | Off-Road Weedeating/Cleanup | | | |
| Complete | / OFF ROAD WEEDEAT | | | | | | |
| Req Comment: | REMOVE LIMBS AND DEBRIS FROM PREVIOUS OFF ROAD DIG | | | | | | |
| | Haul off the limbs and debris left from the off road drainage project | | | | | | |
| 22-001101 | | | Public Works | | | 17936 | VILLA LAKE AVE |
| 11/21/2022 | 7:00 AM | 11/21/2022 | 8:40 AM | Backfill/Dressup | | | |
| Complete | / Resurface | | | | | | |
| Req Comment: | Sink hole at 17936 villa lake | | | | | | |
| | At 17936 Villa lake the CB is not leaking multiple dye test confirmed. The area needs backfill with top soil, which can be done by HC. Homeowner name is [REDACTED] | | | | | | |
| 22-001255 | | | Public Works | | | 11929 | PHEASANTWOOD DR |
| | | | Backfill/Dressup | | | | |
| Complete | / | | | | | | |
| Req Comment: | BACKFILL FOR DRIVEWAY MAY BE NEEDED. | | | | | | |
| | DRIVEWAY HAS BEEN GIVEN TO THIRD PARTY FOR CONCRETE | | | | | | |
| | Needs small amount of milled for backfill. | | | | | | |
| | DRIVEWAY REPLACED. CLOSE OUT | | | | | | |
| 22-001256 | | | Public Works | | | 16550 | ALFORD DR |
| 10/27/2022 | 7:00 AM | 10/27/2022 | 10:00 AM | Backfill/Dressup | | | |
| Complete | / Resurface | | | | | | |
| Req Comment: | Description: Previous repair done here by the city a couple of months ago, but now the spot is larger and appears to be sinking back in again in several large spots. These areas are located on the east side of the home running parallel with Droze Rd in the northeast quadrant of the lot. | | | | | | |
| | CitySourced Id: 2839200 | | | | | | |
| | Repair has settled needs backfill. | | | | | | |
| 22-001326 | | | Public Works | | | 6343 | SUN CT |
| 11/22/2022 | 7:00 AM | 11/22/2022 | 9:00 AM | Pot Hole Patching | | | |
| Complete | / Patching | | | | | | |
| Req Comment: | Description: Stop sign of Keystone and Sun Court. The road is caving in. | | | | | | |
| | CitySourced Id: 2853382 | | | | | | |
| | Repair sunken portion of base failure. | | | | | | |
| 22-001407 | | | Public Works | | | 0 | ALFORD DR |
| 9/21/2022 | 7:00 AM | 11/15/2022 | 3:30 PM | Traffic Sign Maintenance | | | |
| Complete | / Install Sign | | | | | | |

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category | Problem | Main Task/Task | Address | Cross Street |
|---|-----------------|---------------|--------------|--------------------------|----------------------------|---------|----------------------|
| Req Comment: ALFORD STREET SIGN IS MISSING AT THE INTERSECTION OF ALFORD AND DROZE RD. INSTALL BACK TO TELEPHONE POLE | | | | | | | |
| 9/8 - SIGNS ORDERED | | | | | | | |
| 22-001411 | | | Public Works | | | 0 | DYER RD |
| 11/16/2022 | 10:00 AM | 11/17/2022 | 9:30 AM | Traffic Sign Maintenance | / Install Sign | | |
| Complete | | | | | | | |
| Req Comment: REPLACE BROWN RD SIGN AT THE INTERSECTION OF BROWN AND DYER RD. | | | | | | | |
| 22-001430 | | | Public Works | | | 12024 | LOVETT RD |
| 9/22/2022 | 7:00 AM | 9/23/2022 | 3:30 PM | Pot Hole Patching | / Resurface | | |
| Complete | | | | | | | |
| Req Comment: Description: Please repair multiple pot holes and missing roadway edge sections — Lovett between Sullivan and Joor. CitySourced Id: 2952702 | | | | | | | |
| MULTIPLE SHOULDER REPAIRS. NO POTHOLES AT THIS TIME. | | | | | | | |
| REPAIR SHOULDER REPAIRS | | | | | | | |
| 22-001436 | | | Public Works | | | 11143 | LANDFAIR AVE |
| 10/26/2022 | 12:30 PM | 11/4/2022 | 3:30 PM | Storm Drain Repair | / Repair or Replace Pipe | | |
| Complete | | | | | | | |
| Req Comment: CORNER LOT - CIRCLE DRIVEWAY ON LANDFAIR HAS CAVE INS, SINKHOLES ACROSS FRONT YARD DRIVEWAY ON BRETSHIRE - CHECK CULVERT FOR LEAKS | | | | | | | |
| Multiple repairs to be made across front yard and under both sides of circle driveway. Side driveway has no leaks. Poor compaction. | | | | | | | |
| 22-001442 | | | Public Works | | | 16110 | REGENT AVE |
| Complete | | | | | | | |
| Req Comment: Description: Drainage Servitude across from the intersection of Trendale Drive and Regent is severely overgrown and full of silt, sludge, mud preventing proper drainage. This issue has been reported by residents of the neighborhood numerous times. Please keep me updated on this progress. CitySourced Id: 2861331 | | | | | | | |
| Please clean flow line of concrete flume from street going south to wood line, 200ft. Need shovels and wheel barrows to clean much, maybe weed eaters for side of fence. Also weed eat ditch at NW corner of intersection. | | | | | | | |
| WORK TO BE COMPLETED ON 22-001530 THIRD PARTY | | | | | | | |
| 22-001445 | | | Public Works | | | 10124 | DUNDEE DR |
| 11/16/2022 | 7:00 AM | 11/16/2022 | 10:00 AM | Drainage Maintenance | / Roads Side Ditch Digging | | |
| Complete | | | | | | | |
| Req Comment: HOMEOWNER WOULD LIKE FOR THE ROADSIDE DITCH TO BE DUG | | | | | | | |
| Ditch needs to be dug out. | | | | | | | |
| 22-001446 | | | Public Works | | | 4545 | E POST OAK CT |
| 10/24/2022 | 12:01 PM | 11/7/2022 | 12:00 PM | Storm Drain Repair | / Repair or Replace Pipe | | |
| Complete | | | | | | | |
| Req Comment: DRIVEWAY HAS A HOLE IN IT OVER THE CULVERT | | | | | | | |
| Culvert is leaking under the driveway | | | | | | | |
| 22-001447 | | | Public Works | | | 12606 | TALMADGE CRUMHOLT RD |
| 11/16/2022 | 10:01 AM | 11/17/2022 | 11:00 AM | Drainage Maintenance | / Roads Side Ditch Digging | | |
| Complete | | | | | | | |

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category Problem Main Task/Task | Address Cross Street |
|--|---------------------|---------------------|---|-------------------------|
| <p>Req Comment: Description: Ditches all need to be dug out and culverts cleaned along with the ditch cutting request I put in for proper drainage. Please keep me updated on this progress. -Donnie Fuslier CitySourced Id: 2861392</p> <p>Start at 12616 Talmadge Crumholt dig ditch to bridge . Home owner stated his driveway has no culvert. He has a culvert but needs some help to install. Home owner wants the spoil.</p> | | | | |
| 22-001448 | 11/23/2022 9:00 AM | 11/23/2022 12:00 PM | Public Works Storm Drain Repair / Repair Catch Basin | 5609 LANDMOR DR |
| <p>Complete</p> <p>Req Comment: CULVERTS ARE SINKING ON THE KEYSTONE SIDE OF LOT</p> <p>The catch basin on Keystone is leaking causing a sink hole at the catch basin. The sidewalk from Landmor to house is undermined over culvert.</p> | | | | |
| 22-001474 | 10/3/2022 7:00 AM | 11/2/2022 3:30 PM | Public Works COC ROADSIDE DRAINAGE PROJECT / Roads Side Ditch Digging | 0 BANWAY DR |
| <p>Complete</p> <p>Req Comment: EXCAVATE ROADSIDE DITCHES IN BILTMORE SUB</p> | | | | |
| 22-001478 | 11/16/2022 9:30 AM | 11/16/2022 10:30 AM | Public Works Shoulder Repair / Repair Edge of Road | 16465 WAX RD |
| <p>Complete</p> <p>Req Comment: ACROSS FROM ADDRESS LISTED ARE TWO AREAS THAT NEED SHOULDER REPAIR.</p> <p>Pothole repair, see picture</p> | | | | |
| 22-001537 | 11/17/2022 11:20 AM | 11/17/2022 3:30 PM | Public Works Off-Road Weedeating/Cleanup / Remove Debris | 6696 THELMA DALE DR |
| <p>Complete</p> <p>Req Comment: REMOVE LARGE TREE LIMB THAT HAS FALLEN INTO SERVITUDE.</p> <p>A 15' servitude does exist. Will have to access via homeowner property. Limb cutters needed</p> | | | | |
| 22-001543 | 11/17/2022 10:00 AM | 11/17/2022 11:20 AM | Public Works Drainage Maintenance / Resurface | 10824 CARMEL DR |
| <p>Complete</p> <p>Req Comment: ROADSIDE DITCH AND ROADWAY HOLD WATER DURING A RAIN EVENT. CHECK ROADSIDE DITCHES AND CULVERTS ON THE E CARMEL AND CARMEL SIDES OF LOT.</p> <p>CALL AFTER INSPECTION</p> <p>Culvert appears to be undersized. Clean out grass clippings from CB. Where busses turn has caused slight high spot on curb, use machine or shovels to clip top off and allow water to enter catch basin.</p> | | | | |
| 22-001554 | 11/22/2022 7:00 AM | 11/22/2022 3:30 PM | Public Works Storm Drain Repair / Repair or Replace Pipe | 12147 S MILSTEAD PL |
| <p>Complete</p> <p>Req Comment: Description: Sinkholes. Call me with questions CitySourced Id: 2885077</p> <p>Culvert linking by property line, and approximately 10' feet from driveway.</p> | | | | |
| 22-001555 | 11/7/2022 12:30 PM | 11/9/2022 9:00 AM | Public Works Storm Drain Repair / Repair or Replace Pipe | 14774 N BEAVER DR |
| <p>Complete</p> <p>Req Comment: SINKHOLES IN THE FRONT YARD</p> <p>Catch basin and at least three joints leaking.</p> | | | | |
| 22-001556 | 11/17/2022 7:00 AM | 11/17/2022 11:30 AM | Public Works Storm Drain Repair / Repair or Replace Pipe | 6955 LAKE COMITE DR |
| <p>Complete</p> | | | | |

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category | Problem | Address |
|---------------|--|---------------|----------------|-----------------------------|-----------------------|
| Status | | | Main Task/Task | | Cross Street |
| Req Comment: | SINKHOLE ABOUT 2FT DEEP IN FRONT YARD. HOMEOWNER WOULD LIKE BARRICADES DUE TO THE AMOUNT OF KIDS IN THE AREA. | | | | |
| | Sink hole in yard over storm drain approximately 6' from catch basin. | | | | |
| 22-001561 | | | Public Works | | 6414 NARCISSUS DR |
| 11/9/2022 | 12:30 PM | 11/18/2022 | 3:30 PM | Storm Drain Repair | |
| Complete | / Repair or Replace Pipe | | | | |
| Req Comment: | SINKHOLES ARE FORMING IN THE FRONT YARD NEAR THE 6424 NARCISSUS. POSSIBLY SEWER RELATED. | | | | |
| | The culvert under the driveway has failed causing the concrete driveway to crack. | | | | |
| 22-001562 | | | Public Works | | 17226 LAWNSIDE AVE |
| 11/21/2022 | 7:00 AM | 11/21/2022 | 3:30 PM | Storm Drain Repair | |
| Complete | / Repair or Replace Pipe | | | | |
| Req Comment: | DRIVEWAY CAVING IN.CHECK DRIVEWAY CULVERT FOR LEAKS | | | | |
| | Concrete culvert has failed causing the concrete driveway to crack up. | | | | |
| 22-001564 | | | Public Works | | 12014 MORGANFIELD AVE |
| 11/9/2022 | 9:01 AM | 11/9/2022 | 12:00 PM | Storm Drain Repair | |
| Complete | / Repair or Replace Pipe | | | | |
| Req Comment: | DRAINAGE CULVERT UNDER SIDEWALK HAS LEAKS | | | | |
| | Culvert joint is leaking under sidewalk | | | | |
| 22-001567 | | | Public Works | | 11760 N MILSTEAD PL |
| 10/31/2022 | 7:00 AM | 10/31/2022 | 3:30 PM | Storm Drain Repair | |
| Complete | / Repair or Replace Pipe | | | | |
| Req Comment: | Description: Sinkhole above storm drain line on right side of property. CitySourced Id: 2952171 | | | | |
| | Knocked on homeowners door, no answer. On E property side there is a large JB with a sink hole on the N side. Two catch basins N there is a sink hole. Boxes need repair. | | | | |
| 22-001585 | | | Public Works | | 6527 LINDSEY NEAL DR |
| 11/9/2022 | 7:00 AM | 11/9/2022 | 10:30 AM | Off-Road Weedeating/Cleanup | |
| Complete | / OFF ROAD WEEDEAT | | | | |
| Req Comment: | HOMEOWNER STATED THAT THE SERVITUDE IS OVERGROWN AND OVER TAKING HER FENCE | | | | |
| | Talked to homeowner she needs the area behind fence cut. Dogs on property call ahead. | | | | |
| 22-001586 | | | Public Works | | 0 ARLEEN AVE |
| 11/16/2022 | 2:30 PM | 11/17/2022 | 11:00 AM | Traffic Sign Maintenance | |
| Complete | / Repair Sign Post | | | | |
| Req Comment: | STREET NAME SIGN IS MISSING AND THE POLE IS BENT AT THE INTERSECTION OF ARLEEN AND GILLIE | | | | |
| | Street sign ok, pole needs straighten a bit | | | | |
| 22-001590 | | | Public Works | | CITY WIDE SNIPE |
| 11/1/2022 | 7:20 AM | 11/1/2022 | 3:20 PM | Litter Control | |
| Complete | Pick Up Trash / Pick Up Trash | | | | |
| Req Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | | |
| Crew Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | | |
| 22-001594 | | | Public Works | | 15523 CHARLESTON DR |
| 11/1/2022 | 7:00 AM | 11/1/2022 | 12:00 PM | Pot Hole Patching | |
| Complete | / Resurface | | | | |
| Req Comment: | POTHOLE ON CHARLESTON | | | | |
| | Patch potholes at 15441 Charleston | | | | |

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|---------------|---|--------------------|---|----------------------------|
| | | | Problem | Cross Street |
| Status | | | Main Task/Task | |
| 22-001601 | 11/16/2022 11:00 AM | 11/16/2022 2:30 PM | Public Works Storm Or Hurricane Related Issues / Clean Ditch | 0 SOLITUDE LN |
| Complete | | | | |
| Req Comment: | CHECK BOX CULVERTS FOR BLOCKAGES | | | |
| | Pulled a few limbs that will need to be hauled off. Box culverts clear. | | | |
| 22-001602 | 10/27/2022 12:30 PM | 10/27/2022 3:30 PM | Public Works Backfill/Dressup / Resurface | 15742 FOUR OAKS DR |
| Complete | | | | |
| Req Comment: | BACKFILL PREVIOUS REPAIR IN YARD | | | |
| 22-001603 | 11/4/2022 1:30 PM | 11/4/2022 2:20 PM | Public Works Roadside Weed-eating ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | 0 GURNEY RD 0 GURNEY RD |
| Complete | | | | |
| Req Comment: | LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT | | | |
| Crew Comment: | LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT | | | |
| 22-001604 | 11/4/2022 2:20 PM | 11/4/2022 2:45 PM | Public Works Roadside Weed-eating ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | 0 LOVETT RD 0 LOVETT RD |
| Complete | | | | |
| Req Comment: | LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT | | | |
| Crew Comment: | LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT | | | |
| 22-001605 | 11/7/2022 9:00 AM | 11/7/2022 3:30 PM | Public Works Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT | 11653 GURNEY RD |
| Complete | | | | |
| Req Comment: | REAR DITCH NEEDS WEEDEATING. ALSO, CLEAN BEHIND THE BIG WHITE BUILDING | | | |
| 22-001606 | 11/10/2022 1:00 PM | 11/10/2022 2:00 PM | Public Works Roadside Weed-eating / ROADSIDE WEEDEAT | 12828 DENHAM RD |
| Complete | | | | |
| Req Comment: | WEEDEAT ROADSIDE DITCH | | | |
| 22-001608 | 11/3/2022 7:00 AM | 11/4/2022 10:30 AM | Public Works Off Road Drainage / Off Road Ditch Digging | 15325 CHARLESTON DR |
| Complete | | | | |
| Req Comment: | DIG OFF ROAD DRAINAGE DITCH FROM ROADSIDE TO THE REAR OF PROPERTY | | | |
| 22-001609 | 11/2/2022 7:00 AM | 11/2/2022 11:00 AM | Public Works Drainage Maintenance / Roads Side Ditch Digging | 12171 ROUNSAVILLE RD |
| Complete | | | | |
| Req Comment: | ROADSIDE DRAINAGE NEEDS TO BE ADDRESSED. | | | |
| | CALL HOMEOWNER WHEN INSPECTING, HE WOULD LIKE TO BE ON-SITE | | | |
| | PRIVATE DITCH. CAN NOT DIG | | | |
| 22-001611 | 11/30/2022 1:00 AM | 11/30/2022 1:15 PM | Public Works Traffic Sign Maintenance / Install Sign | 0 BLUEFIELD DR |
| Complete | | | | |
| Req Comment: | REPLACE STOP SIGN AND POLE AT THE INTERSECTION OF BLUEFIELD AND OLD GREENWELL SPRINGS RD. | | | |
| 22-001612 | 11/1/2022 12:00 PM | 11/1/2022 3:30 PM | Public Works Pot Hole Patching / Resurface | 17139 CHICKASAW AVE |
| Complete | | | | |
| Req Comment: | ROADWAY IS CRACKING UNDER THE TREES COVERING ROADWAY NEAR ADDRESS LISTED | | | |
| 22-001613 | 11/4/2022 7:00 AM | 11/4/2022 9:20 AM | Public Works Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT | 6615 THELMADALE DR |
| Complete | | | | |
| Req Comment: | WEEDEAT SIDE SERVITUDE TO MORGAN RD | | | |

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|-----------|---|--------------------|---|------------------------|
| Status | Problem | Main Task/Task | Cross Street | |
| 22-001614 | 11/1/2022 12:00 PM | 11/1/2022 3:30 PM | Public Works Litter Control / Pick Up Trash | 0 GREENWELL SPRINGS RD |
| Complete | Req Comment: CHECK FOR SIGNS IN THE R.O.W. ON THE FOLLOWING ROADS: HOOPER RD JOOR RD SULLIVAN RD LOVETT RD GREENWELL SPRINGS RD DENHAM RD | | | |
| 22-001615 | 11/1/2022 7:00 AM | 11/1/2022 8:30 AM | Public Works Miscellaneous / Resurface | 0 GREENWELL SPRINGS RD |
| Complete | Req Comment: PUT UP BLUE STAR MOM BANNERS AT THE INTERSECTION OF GREENWELL SPRINGS AND CENTRAL THRUWAY | | | |
| 22-001616 | 11/1/2022 8:30 AM | 11/1/2022 9:30 AM | Public Works Miscellaneous / Resurface | 0 MAGNOLIA BRIDGE RD |
| Complete | Req Comment: PUT UP BLUE STAR MOM BANNERS AT THE INTERSECTION OF GREENWELL SPRINGS AND MAGNOLIA BRIDGE | | | |
| 22-001617 | 11/1/2022 11:00 AM | 11/1/2022 12:00 PM | Public Works Miscellaneous / Resurface | 0 HOOPER RD |
| Complete | Req Comment: PUT UP BLUE STAR MOM BANNER AT THE INTERSECTION OF HOOPER RD AND JOOR RD | | | |
| 22-001618 | 11/2/2022 9:30 AM | 11/2/2022 11:00 PM | Public Works Miscellaneous / Resurface | 0 SULLIVAN RD |
| Complete | Req Comment: PUT UP BLUE STAR MOM BANNERS AT THE INTERSECTION OF HOOPER RD AND SULLIVAN RD | | | |
| 22-001619 | 11/1/2022 1:00 PM | 11/1/2022 3:00 PM | Public Works Miscellaneous / Resurface | 0 LOVETT RD |
| Complete | Req Comment: PUT UP BLUE STAR MOM BANNERS AT THE INTERSECTION OF JOOR RD AND LOVETT RD | | | |
| 22-001620 | 11/7/2022 7:00 AM | 11/7/2022 9:00 PM | Public Works Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT | 6743 LANDMOR DR |
| Complete | Req Comment: Description: The servitude between Landmor and Thelmadale is getting out of control again. Weeds are pulling to the top of our fence and poison ivy is finding it's way into our yard again. We have small children highly allergic and dogs that can carry and spread it. There are all sorts of critters making home as well in the obnoxiously overgrown weeds. CitySourced Id: 2888226 Minor weedeating behind house, will only take a few minutes | | | |
| 22-001621 | 10/28/2022 7:00 AM | 10/28/2022 3:30 PM | Public Works Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT | 0 SULLIVAN RD |
| Complete | Req Comment: WEEDEAT OFF ROAD DITCH FROM SCHOOL TO PUMPING STATION | | | |
| 22-001622 | 11/3/2022 7:00 AM | 11/15/2022 3:30 PM | Public Works COC ROADSIDE DRAINAGE PROJECT / Roads Side Ditch Digging | 0 HUNTLEY AVE |
| Complete | Req Comment: EXCAVATE ROADSIDE DITCHES IN HUNTLEY SUB | | | |
| 22-001624 | 11/16/2022 1:30 PM | 11/16/2022 2:30 PM | Public Works Traffic Sign Maintenance / Install Sign | 0 GURNEY RD |
| Complete | Req Comment: REPLACE THE 35MPH SIGN EAST OF THE ROUNDABOUT ON GURNEY AT JOOR. INSTALL AT THE END OF THE MEDIAN DIRECTLY ACROSS FROM THE "KEEP RIGHT" SIGN | | | |

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|---------------|--|---------------------|---|---------------------------|
| Status | | | Problem | Cross Street |
| | | | Main Task/Task | |
| 22-001625 | | | Public Works | 4267 BEAVER CREEK DR |
| 11/11/2022 | 7:00 AM | 11/11/2022 9:20 AM | Litter Control | |
| Complete | | | / Pick Up Trash | |
| Req Comment: | REMOVE RUBBISH (CINDER BLOCKS, PALLETS) FROM THE RIGHT OF WAY | | | |
| | SENT BY CODE ENFORCEMENT | | | |
| | **CORRECT ADDRESS IS 4627 BEAVER CREEK** | | | |
| 22-001626 | | | Public Works | 12261 HOOPER RD |
| 11/14/2022 | 7:00 AM | 11/14/2022 7:15 AM | Off-Road Weedeating/Cleanup | |
| Complete | | | OFF ROAD WEEDEAT / OFF ROAD WEEDEAT | |
| Req Comment: | WEEDEAT AND SPRAY THE BOTTOM OF THE SIDE SERVITUDE 12261 HOOPER RD | | | |
| Crew Comment: | WEEDEAT AND SPRAY THE BOTTOM OF THE SIDE SERVITUDE 12261 HOOPER RD | | | |
| 22-001628 | | | Public Works | CITY WIDE SNIPE |
| 11/15/2022 | 10:30 AM | 11/15/2022 1:15 PM | Litter Control | |
| Complete | | | Pick Up Trash / Remove Sign and / or Post | |
| Req Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| Crew Comment: | FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD | | | |
| 22-001629 | | | Public Works | 18211 N SHERIDANE CT |
| 11/8/2022 | 9:00 AM | 11/8/2022 2:00 PM | Off-Road Weedeating/Cleanup | |
| Complete | | | / OFF ROAD WEEDEAT | |
| Req Comment: | H.O. WOULD LIKE FOR THE REAR DITCH BEHIND 18221 N SHERIDANE TO BE WEEDEATED AND CLEARED OF DEBRIS. | | | |
| | ALSO SHE WOULD LIKE FOR THE BAMBOO TO BE CUT FROM THE SERVITUDE IN THE REAR (PROPERTY ADDRESS BEHIND HER IS 18204 KEYSTONE) | | | |
| 22-001631 | | | Public Works | 17778 FRENCHTOWN ACRES DR |
| 11/14/2022 | 7:15 AM | 11/15/2022 3:30 PM | Roadside Weed-eating | |
| Complete | | | / ROADSIDE WEEDEAT | |
| Req Comment: | Description: The ditches between 17446 and 17778 are taken by trees on both sides of the streets. They need to be cleaned up. Thx CitySourced Id: 2878370 | | | |
| | Hand crew needed to cut grass and limbs about 130' each side of rd, see pics. | | | |
| 22-001632 | | | Public Works | 10660 DOWNEY DR |
| 11/9/2022 | 10:30 AM | 11/9/2022 11:30 AM | Off-Road Weedeating/Cleanup | |
| Complete | | | / OFF ROAD WEEDEAT | |
| Req Comment: | CLEAN CULVERTS IN THE REAR OF THE PROPERTY | | | |
| | Homeowner requesting rear ditch be weedeated | | | |
| 22-001633 | | | Public Works | 6426 E CASTLEDALE DR |
| 11/9/2022 | 11:30 AM | 11/10/2022 12:00 PM | Off-Road Weedeating/Cleanup | |
| Complete | | | / OFF ROAD WEEDEAT | |
| Req Comment: | REAR DRAINAGE NEEDS TO BE CLEANED OUT FROM ADDRESS TO DRAUGHN'S CREEK. THERE ARE DOWNED TREES AS WELL. | | | |
| | Hand crew needed for off-road cutting small limbs. Begin at this address head south 254 yds of rear serv. Ditch maintenance. Stop at dead end of stoneridge dr. | | | |
| 22-001636 | | | Public Works | 10941 BRILLOCK AVE |
| 11/14/2022 | 10:00 AM | 11/14/2022 1:00 PM | Off-Road Weedeating/Cleanup | |
| Complete | | | / Remove Debris | |

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category Problem Main Task/Task | Address Cross Street |
|---|---------------------|---------------------|---|---------------------------|
| <p>Req Comment: OFF ROAD DRAINAGE CANAL NEEDS TO BE LOOKED AT FOR BLOCKAGES. TREES ARE DOWN NEAR THE REAR OF THE ADDRESS LISTED AND WHERE THE SAME CANAL MEETS BRETSHIRE</p> <p>Homeowner wants log removed from back yard laying across ditch. Need chainsaw. Also tree in row at bretshire near edge of road.</p> | | | | |
| 22-001638 | 11/14/2022 1:00 PM | 11/14/2022 2:30 PM | Public Works Off-Road Weedeating/Cleanup / Remove Debris | 8155 LAVENDER DR |
| <p>Complete</p> <p>Req Comment: REAR CANAL IS OVERGROWN AND HAS A TRAMPOLINE IN IT. HOMEOWNER STATED THERE MAY BE MORE BLOCKAGES ALONG THE WAY DUE TO HOW HIGH THE WATER IS GETTING AT HER ADDRESS.</p> <p>CUT UP AND REMOVE TRAMPOLINE ONLY</p> | | | | |
| 22-001639 | 11/14/2022 8:50 AM | 11/14/2022 10:00 AM | Public Works Tree Removal / High Tree Limb Removal | 0 DENHAM RD |
| <p>Complete</p> <p>Req Comment: BRANCHES ARE ENCROACHING THE ROADWAY AT THE INTERSECTION OF DENHAM RD AND GREENWELL SPRINGS RD BLOCKING THE FLASHING LIGHTS. DETERMINE IF THIS IS CENTRAL R.O.W. OR DOTD R.O.W.</p> <p>Limbs on south side of den ham rd in row need trimming. Could use saws all</p> | | | | |
| 22-001641 | 11/21/2022 10:30 AM | 11/21/2022 12:00 PM | Public Works Erosion Control / Resurface | 9915 SHOE CREEK DR |
| <p>Complete</p> <p>Req Comment: EROSION FROM THE REAR DITCH. HOMEOWNER STATED WE CAME OUT BEFORE AND PLACED MILLED ASPHALT IN THE AREAS OF CONCERN.</p> <p>Homeowner has sink holes in back yard near canal. We putRAP in holes years ago. Not sure what's causing them.</p> | | | | |
| 22-001642 | 11/16/2022 7:00 AM | 11/16/2022 8:45 AM | Public Works Off-Road Weedeating/Cleanup / Remove Debris | 18704 LOCH BEND AVE |
| <p>Complete</p> <p>Req Comment: REAR DRAINAGE NEEDS TO BE ADDRESSED. CANAL IS OVERGROWN AND HAS FALLEN TREES IN IT</p> <p>REMOVE SMALL TREE FROM CANAL</p> | | | | |
| 22-001643 | 11/16/2022 8:45 AM | 11/16/2022 9:50 AM | Public Works Off-Road Weedeating/Cleanup / Remove Debris | 15005 RUSSETT AVE |
| <p>Complete</p> <p>Req Comment: SMALL PINE TREE HAS FALLEN IN THE REAR DITCH AND SEEMS TO BE CREATING A DAM.</p> <p>Pine limb blocking ditch, can cut up with chain saw or saws all and walk out.</p> | | | | |
| 22-001644 | 11/9/2022 8:00 AM | 11/9/2022 8:05 AM | Public Works Roadside Weed-eating ROADSIDE WEEDEAT / | 10943 N OLD SETTLEMENT RD |
| <p>Complete</p> <p>Req Comment: cut by green seasons. close out.</p> <p>Crew Comment: WEEDEAT ALL OVERGROWN DITCHES ON N OLD SETTLEMENT</p> | | | | |
| 22-001645 | 11/9/2022 7:00 AM | 11/9/2022 9:00 AM | Public Works Pot Hole Patching / Patching | 15713 GREYSTONE DR |
| <p>Complete</p> <p>Req Comment: Description: Pothole at the entrance of the subdivision. CitySourced Id: 2943296</p> | | | | |
| 22-001650 | 11/10/2022 2:00 PM | 11/10/2022 3:30 PM | Public Works Roadside Weed-eating ROADSIDE WEEDEAT / ROADSIDE WEEDEAT | 0 JOOR RD |
| <p>Complete</p> <p>Crew Comment: LITTER CONTROL AND WEEDEATING AT THE WELCOME TO THE CITY OF CENTRAL SIGN ON JOOR RD</p> | | | | |
| 22-001651 | 11/10/2022 7:00 AM | 11/10/2022 9:20 AM | Public Works Off-Road Weedeating/Cleanup / OFF ROAD WEEDEAT | 12902 DENHAM RD |
| <p>Complete</p> <p>Req Comment: WEEDEAT BOTH SIDES OF THE CANAL NEXT TO ADDRESS LISTED.</p> | | | | |

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|--------------|---|---------------------|---|------------------------|
| Status | | | Problem | Cross Street |
| | | | Main Task/Task | |
| 22-001652 | 11/10/2022 7:00 AM | 11/10/2022 9:30 AM | Public Works Storm Drain Repair | 10036 BANWAY DR |
| Complete | | | / Repair or Replace Grate | |
| Req Comment: | Description: Homeowner reports caved in catch basin. Currently has covered with a paver for safety reasons. Please investigate. CitySourced Id: 2962830 | | | |
| 22-001655 | 11/14/2022 10:30 AM | 11/14/2022 1:30 PM | Public Works Culvert Clean Out | 11608 MCCULLOUGH RD |
| Complete | | | / Roads Side Ditch Digging | |
| Req Comment: | Description: Sewer is backing up into the house. We are barely able to use any of the toilets without the water overflowing at times in the house. Plumber has notified the runoff pipe is covered and clogged. The ditches have ~8" of mud from driveway to culvert heading towards Joor Rd that needs to be cleaned out. The culvert seems to be clogged as well not allowing the water to flow. CitySourced Id: 3059260 | | | |
| | Spoke with Ray we are going to muck homeowner and neighbors ditch for immediate relief. | | | |
| 22-001663 | 11/16/2022 9:50 AM | 11/17/2022 10:00 AM | Public Works Off-Road Weedeating/Cleanup | 6844 SILVER SPRINGS DR |
| Complete | | | / OFF ROAD WEED EAT | |
| Req Comment: | REAR DITCH NEEDS TO BE CLEANED OUT. IT IS OVERGROWN | | | |
| 22-001665 | 11/21/2022 9:40 AM | 11/21/2022 10:30 AM | Public Works Off-Road Weedeating/Cleanup | 8102 STONESHIRE DR |
| Complete | | | / OFF ROAD WEED EAT | |
| Req Comment: | GATE IS LOCKED - WILL NEED TO CALL HOMEOWNER FOR ACCESS TO THE REAR DITCH FOR INSPECTION AND WHEN WORK WILL BE COMPLETED | | | |
| | REAR DITCH NEEDS TO BE WEED EATED AND SPRAYED | | | |
| 22-001666 | 11/18/2022 11:15 AM | 11/18/2022 1:00 PM | Public Works Off-Road Weedeating/Cleanup | 14435 E BEAVER DR |
| Complete | | | / Remove Debris | |
| Req Comment: | SIDE SERVITUDE HAS DEBRIS AND TRASH NEAR THE CULVERT. | | | |
| 22-001667 | 11/18/2022 7:00 AM | 11/18/2022 11:15 AM | Public Works Off-Road Weedeating/Cleanup | 12721 BON OAK AVE |
| Complete | | | / OFF ROAD WEED EAT | |
| Req Comment: | OVERGROWN GRASS ALONG THE REAR SERVITUDE NEEDS TO BE CUT. | | | |
| 22-001670 | 11/22/2022 1:00 PM | 11/22/2022 3:30 PM | Public Works Pot Hole Patching | 6827 BRYCE CANYON DR |
| Complete | | | / Patching | |
| Req Comment: | Description: Pothole on Lariat Drive at intersection with Bryce Canyon in Comite Hills subdivision CitySourced Id: 2941232 | | | |
| 22-001672 | 11/16/2022 10:30 AM | 11/16/2022 11:00 AM | Public Works Miscellaneous | 10126 CARMEL DR |
| Complete | | | / Clean Ditch | |
| Req Comment: | MILLED ASPHALT FROM STORM DRAIN REPAIR IS ERODING INTO THE ROADSIDE DITCH | | | |
| | SHOVEL OUT MILLED ASPHALT IN THE PIPE | | | |
| 22-001673 | 11/16/2022 7:00 AM | 11/16/2022 9:30 AM | Public Works Backfill/Dressup | 10747 CORE LN |
| Complete | | | / Resurface | |
| Req Comment: | Description: Low spots in driveway. Would like some crushed asphalt put in them please. CitySourced Id: 2965003 | | | |
| 22-001674 | 11/16/2022 2:30 PM | 11/16/2022 3:30 PM | Public Works Traffic Sign Maintenance | 16201 MISSY CT |
| Complete | | | / Repair Sign Post | |

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category | Problem | Address |
|---|-----------------|---------------|----------------|-------------------------------------|-----------------------|
| Status | | | Main Task/Task | Cross Street | |
| Req Comment: Description: Stop sign leaning at corner of Oak Cluster & Missy Ct CitySourced Id: 2972032 | | | | | |
| 22-001676 | | | Public Works | | 13841 LEEANNE DR |
| 11/21/2022 | 1:00 PM | 11/23/2022 | 12:00 PM | Roadside Weed-eating | |
| Complete | | | | / ROADSIDE WEEDEAT | |
| Req Comment: WEEDEAT ROADSIDE DITCH | | | | | |
| WEEDEAT ALL ROADSIDE DITCHES | | | | | |
| 22-001677 | | | Public Works | | 0 BRENT AVE |
| 11/22/2022 | 11:20 AM | 11/22/2022 | 12:00 PM | Pot Hole Patching | |
| Complete | | | | / Patching | |
| Req Comment: POTHOLE AT THE ENTRANCE OF OLD BILTMORE NEAR THE DRIVEWAY FOR CENTRAL PHARMACY | | | | | |
| 22-001678 | | | Public Works | | 0 LIGHTHOUSE AVE |
| 11/22/2022 | 10:00 AM | 11/22/2022 | 11:20 AM | Pot Hole Patching | |
| Complete | | | | / Patching | |
| Req Comment: POTHOLES ON LIGHTHOUSE AVE | | | | | |
| PATCH ALL POTHOLES ON LIGHTHOUSE | | | | | |
| 22-001679 | | | Public Works | | 15233 HIDDEN CREEK DR |
| 11/18/2022 | 1:15 PM | 11/18/2022 | 3:30 PM | Roadside Weed-eating | |
| Complete | | | | / ROADSIDE WEEDEAT | |
| Req Comment: WEEDEAT THE ROADSIDE DITCH AT 15141 HIDDEN CREEK | | | | | |
| 22-001681 | | | Public Works | | 0 BONANZA PL |
| 11/15/2022 | 1:15 PM | 11/15/2022 | 1:30 PM | Traffic Sign Maintenance | |
| Complete | | | | / Install Sign | |
| Req Comment: REPLACE STREET SIGN AT THE INTERSECTION OF BONANZA AND FRONTIER | | | | | |
| 22-001682 | | | Public Works | | 0 REED AVE |
| 11/18/2022 | 1:00 PM | 11/18/2022 | 1:15 PM | Off-Road Weedeating/Cleanup | |
| Complete | | | | OFF ROAD WEEDEAT / OFF ROAD WEEDEAT | |
| Req Comment: LITTER CONTROL, WEEDEAT AND REMOVE DEBRIS FROM REAR DITCH ON REED AVE FROM SULLIVAN RD TO THE CONCRETE CANAL NEXT TO BREC PARK. | | | | | |
| Crew Comment: LITTER CONTROL, WEEDEAT AND REMOVE DEBRIS FROM REAR DITCH ON REED AVE FROM SULLIVAN RD TO THE CONCRETE CANAL NEXT TO BREC PARK. | | | | | |
| 22-001683 | | | Public Works | | 0 E CASTLEDALE DR |
| 11/22/2022 | 9:00 AM | 11/22/2022 | 10:00 AM | Pot Hole Patching | |
| Complete | | | | / Patching | |
| Req Comment: AT THE INTERSECTION OF N CASTLEDALE AND E CASTLEDALE THERE ARE MULTIPLE POTHOLES | | | | | |
| 4 potholes at N and E Castledale need repair. 2'2' each | | | | | |
| 22-001686 | | | Public Works | | 11608 MCCULLOUGH RD |
| 11/28/2022 | 7:00 AM | 11/29/2022 | 1:00 PM | Drainage Maintenance | |
| Complete | | | | / Roads Side Ditch Digging | |
| Req Comment: DIG ROADSIDE DITCHES FROM ADDRESS LISTED TO BRIDGE | | | | | |
| 22-001695 | | | Public Works | | 0 LOVETT RD |
| 11/28/2022 | 1:00 PM | 11/29/2022 | 8:20 AM | Miscellaneous | |
| Complete | | | | / Resurface | |
| Req Comment: REMOVE BLUE STAR BANNERS AND PUT UP CHRISTMAS BANNERS AT THE INTERSECTION OF LOVETT RD AND JOOR RD | | | | | |
| 22-001696 | | | Public Works | | 0 HOOPER RD |
| 11/28/2022 | 8:00 AM | 11/28/2022 | 11:00 AM | Miscellaneous | |
| Complete | | | | / Resurface | |
| Req Comment: REMOVE BLUE STAR BANNERS AND PUT UP CHRISTMAS BANNERS AT THE INTERSECTION OF SULLIVAN RD AND HOOPER RD | | | | | |

Work Order Listing Report

1/18/2023

COMPLETED WORK ORDERS FOR NOVEMBER 2022

7:44 AM

| WO # | Start Date/Time | End Date/Time | Category | Address |
|-----------|--|---------------------|--|----------------------|
| Status | Problem | Main Task/Task | Cross Street | |
| 22-001697 | 11/28/2022 7:00 AM | 11/28/2022 8:00 PM | Public Works Miscellaneous / Resurface | 0 MAGNOLIA BRIDGE RD |
| Complete | Req Comment: REMOVE BLUE STAR BANNERS AND PUT UP CHRISTMAS BANNERS AT THE INTERSECTION OF MAGNOLIA BRIDGE AND GREENWELL SPRINGS RD | | | |
| 22-001698 | 11/29/2022 8:20 AM | 11/29/2022 9:40 AM | Public Works Miscellaneous / Resurface | 0 CENTRAL THRUWAY |
| Complete | Req Comment: REMOVE BLUE STAR BANNERS AND PUT UP CHRISTMAS BANNERS AT THE INTERSECTION OF CENTRAL THRUWAY AND GREENWELL SPRINGS RD | | | |
| 22-001699 | 11/28/2022 11:00 AM | 11/28/2022 12:00 PM | Public Works Miscellaneous / Resurface | 0 JOOR RD |
| Complete | Req Comment: REMOVE BLUE STAR BANNERS AND PUT UP CHRISTMAS BANNERS AT THE INTERSECTION OF HOOPER AND JOOR | | | |
| 22-001706 | 11/29/2022 9:40 AM | 11/29/2022 11:00 AM | Public Works Culvert Clean Out / Remove Debris | 0 BEAU BOIS DR |
| Complete | Req Comment: CLEAR CULVERTS AND CATCH BASINS AT THE INTERSECTION OF BEAU BOIS AND CHATEAU ROUX | | | |
| 22-001708 | 11/30/2022 7:00 AM | 11/30/2022 8:45 AM | Public Works Storm Or Hurricane Related Issues / Remove Debris | 0 RAMBLING OAKS AVE |
| Complete | Req Comment: CHECK CULVERT FOR BLOCKAGES Remove debris both sides | | | |
| 22-001710 | 11/30/2022 8:45 AM | 11/30/2022 9:50 AM | Public Works Storm Or Hurricane Related Issues / Remove Debris | 0 DEVALL RD |
| Complete | Req Comment: REMOVE DEBRIS AT DEVALL RD SCHOOL BRIDGE Remove grass debris | | | |
| 22-001713 | 11/30/2022 10:30 AM | 11/30/2022 11:20 AM | Public Works Storm Or Hurricane Related Issues / Remove Debris | 0 RIFLE DR |
| Complete | Req Comment: REMOVE THE DEBRIS AT THE CULVERTS THAT GO UNDER RIFLE Clean debris pic won't load | | | |
| 22-001714 | 11/30/2022 11:45 AM | 11/30/2022 2:25 PM | Public Works Storm Or Hurricane Related Issues / Remove Debris | 0 BEAUFORT DR |
| Complete | Req Comment: CLEAN THE CULVERTS ON BEAUFORT Leaves need cleaned out pic won't load | | | |