

# Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR NOVEMBER 2021

8:50 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task		Cross Street
21-000808	11/3/2021 7:00 AM	11/4/2021 3:30 PM	Public Works	Erosion Control	10213 SHOE CREEK DR
Complete			/ Resurface		
Req Comment:	REAR CANAL IS WASHING OUT INTO 10213 AND 10223 SHOE CREEK PROPERTIES.				
Between the houses there is area eroding. Add more rip rap or milled asphalt. At the culvert add more rip rap. Called and LVM about access. Ho said that last time the actress from servitude on Morgan meadow so kabota will be needed					
21-000827	7/19/2021 7:00 AM	7/19/2021 3:30 PM	Public Works	Draining Maintenance	13485 CAREY RD
Complete			/ Roads Side Ditch Digging		
Req Comment:	H.O. STATED THE ROADSIDE DITCH NEEDS DIGGING				
Dig out the ditch in front of 13485 to cross drain drain next to 13485 Carney					
21-000832	11/4/2021 7:00 AM	11/4/2021 3:30 PM	Public Works	Draining Maintenance	16127 CHINON CT
Complete			/ Roads Side Ditch Digging		
Req Comment:	CORNER LOT. H.O. WANTS ALL THE ROADSIDE DITCHES DUG ON HER PROPERTY.				
CALL AFTER INSPECTION.					
Dig out ditch from 16127 Chinon driveway to driveway of 16116 Chevernt From 16127 Chinon driveway to 16107 Chinon driveway barely needs to be dug out					
21-000883	11/1/2021 7:00 AM	11/1/2021 12:00 PM	Public Works	Storm Drain Repair	16914 EVERGREEN HILLS DR
Complete			/ Repair or Replace Pipe		
Req Comment:	SINKHOLE IN THE CORNER OF THE YARD BY THE STREET.				
Pipe is PVC. Bring a wrap					
21-000900	10/29/2021 7:00 AM	10/29/2021 9:00 AM	Public Works	Draining Maintenance	0 FRENCHTOWN RD
Complete			/ Investigate		
Req Comment:	CHECK THE AREA NEXT TO THE ENTRANCE OF GEO JE'S. WATER IS CONSTANTLY RUNNING THROUGH THE AREA AND HOLDING AT THE ENTRANCE OF GEO JE'S				
Located tail line from house south of Chauement 15223 French town road. Swale ditch needs to be dug along French town road to culvert under Chauement. Drive. This will allow discrete to sheet flow resolving problem. Culvert under roadway and drains to beaver bayou. Locate all utilities and ditch should be no deeper than 12 inches in depth next to woods to resolve problem. Option 2 is to check to see if culverts exist under driveways and to southern outfall east 250 If and 5 driveway - ditch restrictions. If utilities are not in conflict easiest I think is to float to chaumont					
21-001038	11/2/2021 7:00 AM	11/2/2021 10:00 AM	Public Works	Storm Drain Repair	7732 BRONCO AVE
Complete			/ Repair Catch Basin		
Req Comment:	SINKHOLE ON THE SIDE OF THE CATCH BASIN IN THE FRONT YARD AND THE DRIVEWAY IS SINKING				
No dye water in catch basin, but catch basin design is not of today's standard No sewer at the sink hole site Sinkhole on side of driveway is a culvert leak that is leaking underneath catch basin box driveway is not collapsed					
21-001050	11/1/2021 7:00 AM	11/2/2021 3:30 PM	Public Works	Draining Maintenance	16116 SANDEL AVE
Complete			/ Roads Side Ditch Digging		

# Work Order Listing Report

1/18/2022

8:50 AM

COMPLETED WORK ORDERS FOR NOVEMBER 2021

WO #	Start Date/Time	End Date/Time	Category	Problem	Main Task/Task	Address	Cross Street
21-001098	11/8/2021 7:00 AM	11/8/2021 9:30 AM	Public Works	Backfill/Dressup	/ Resurface	15340	PINEWOOD DR
Req Comment: CALL H.O. BEFORE INSPECTING.  ROADSIDE DITCH AND CULVERT NEED TO BE INSPECTED AT THE ABOVE ADDRESS. H.O. STATES IT IS NOT DRAINAING PROPERLY.  Dig roadside ditches from the corner of 16116 sandal (trendale @ sandal) 9826 trendale 9836 trendale 9846 trendale 9918 trendale (outfall pipe) use as your bench mark elevation.							
Description: Ditch clean out and general maintenance in area. Call Aaron McKinney Mark Corrick 2259785531  8/12/2021 - SPOKE WITH H.O. HE WOULD LIKE SOME BACKFILL FOR HIS YARD WHERE PREVIOUS REPAIRS WERE MADE. HE ALSO STATED HE DOES NOT WANT CONCRETE.  Two areas in the yard need backfill. One is 6x6 the other is 7x7							
21-001243	11/12/2021 7:00 AM	11/12/2021 9:00 AM	Public Works	Pot Hole Patching	/ Fill Potholes	10275	LOVETT RD
Req Comment: Description: Edge of road is breaking off.  Shoulder repair across the street from address listed							
21-001244	11/8/2021 2:15 PM	11/8/2021 3:30 PM	Public Works	Miscellaneous	/ Remove Debris	0	TANGLEWOOD DR
Req Comment: HOMEOWNER WOULD LIKE FOR ALL THE R.O.W. IN TANGLEWOOD TO BE CUT. THE AREA BETWEEN THE SIDEWALK AND THE ROADWAY.  Take a flat head shovel and clean the gutter section of the roadway at 9745 hardwood dr							
21-001269	11/2/2021 10:30 AM	11/4/2021 9:00 AM	Public Works	Storm Drain Repair	/ Repair or Replace Landscaping	14233	HAVERHILL AVE
Req Comment: CHECK REAR DRAINAGE FOR SINKHOLES NEAR WINSLOW DR.  The enclosed ditch along the Winslow side of address has 5 sink holes. The hole from fence appears to be leaking from underneath the bell of culvert							
21-001330	11/15/2021 7:00 AM	11/15/2021 11:30 AM	Public Works	Off-Road Weedeating/Cleanup	/ OFF ROAD WEEDEAT	11942	N MILSTEAD PL
Req Comment: WATER STANDS IN THE REAR DITCH THAT HAS DOWNED TREES IN IT.  Spot weedeating in the rear ditch, several larger limbs that need to be cut up and removed from ditch							
21-001335	11/10/2021 7:00 AM	11/11/2021 3:30 PM	Public Works	Tree Removal	/ Remove Debris	16035	ALFORD DR
Req Comment: SENT BY CODE ENFORCEMENT  NUMEROUS LARGE OAK TREES HAVE FALLEN INTO THE REAR DITCH BLOCKING THE FLOW OF WATER  CALL H.O. BEFORE INSPECTING.  Trees down directly behind address listed. They are laying in the ditch. Best access to backside of ditch is from Droze rd							

# Work Order Listing Report

1/18/2022

8:50 AM

## COMPLETED WORK ORDERS FOR NOVEMBER 2021

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
21-001337	11/15/2021 1:00 PM	11/15/2021 3:30 PM	Public Works Off-Road Weedeating/Cleanup / Remove Debris	17709 MAGNOLIA BRIDGE RD
Complete	Req Comment: Description: Drainage ditch is blocked by trees from Ida. These trees are on the other side of the ditch behind our house. My husband can not clear this. Multiple trees and tons of leaves and limbs.			
The rear ditch that runs behind the address listed and all the adjacent addresses has minor blockages through out. And the rest of a tree needs to be cut out of the ditch. HC job				
21-001339	11/2/2021 9:00 AM	11/2/2021 11:30 AM	Public Works Pot Hole Patching / Fill Potholes	0 BRIDGEPORT DR
Complete	Req Comment: POTHOLES ON BRIDGEPORT BETWEEN MORGAN RD AND LANDMOR			
4 potholes on Bridgeport				
21-001340	11/1/2021 7:00 AM	11/1/2021 9:00 AM	Public Works Traffic Sign Maintenance / Repair Sign	0 SHADY PARK DR
Complete	Req Comment: REPLACE STREET SIGN AT SHADY PARK AND GREENWELL SPRINGS RD			
Need a new pole and brackets and signs				
21-001341	11/1/2021 9:30 AM	11/1/2021 9:40 AM	Public Works Traffic Sign Maintenance / Replace Sign	0 AUDUSSON DR
Complete	Req Comment: REPLACE STREET SIGN AT THE INTERSECTION OF AUDUSSON AND EMPRESS DR.			
Post is there just need brackets and signs				
21-001343	11/1/2021 10:00 AM	11/1/2021 10:15 AM	Public Works Traffic Sign Maintenance / Replace Sign	0 BASSWOOD AVE
Complete	Req Comment: REPLACE THE STREET SIGN AT THE INTERSECTION OF BASSWOOD AND NORWAY PINE			
Post is there need brackets and signs				
21-001350	11/2/2021 2:00 PM	11/3/2021 9:00 AM	Public Works Pot Hole Patching / Fill Potholes	0 OAK CLUSTER DR
Complete	Req Comment: POTHOLES ON OAK CLUSTER			
5 potholes near 6431 oak cluster				
21-001351	11/2/2021 12:00 PM	11/2/2021 1:00 PM	Public Works Pot Hole Patching / Fill Potholes	6415 W SHERIDANE CT
Complete	Req Comment: Description: It is just after the curve from S Sheridane to W Sheridane			
Pothole near the intersection of w Sheridan and s Sheridan				
21-001374	11/1/2021 1:00 PM	11/1/2021 1:15 PM	Public Works Traffic Sign Maintenance / Install Sign	0 TYNEWOOD AVE
Complete	Req Comment: REPLACE STREET SIGN AT THE INTERSECTION OF JOOR RD AND TYNEWOOD AVE (COMITE HILLS WEST)			
21-001376	10/29/2021 9:00 AM	10/29/2021 1:00 PM	Public Works Storm Drain Repair / Repair Catch Basin	11711 WILD ROSE DR
Complete	Req Comment: SINKHOLE HAS FORMED AGAIN AT THE END OF MORGANFIELD. PREVIOUS REPAIR			
CB box is leaking on inside in the corner. Bring backfill for previous repair also				

# Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR NOVEMBER 2021

8:50 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task	Cross Street	
21-001378			Public Works		14113 HUNTLEY AVE
11/4/2021	10:00 AM	11/4/2021	2:00 PM	Storm Drain Repair	
Complete			/ Repair or Replace Pipe		
Req Comment:	SENT BY EBR - DRAINAGE PIPE IN THE FRONT YARD PARALLEL TO THE STREET HAS APPARENTLY COLLAPSED CAUSING LARGE DEEP HOLES IN OUR YARD.				
	EBR PLACED BARRICADES				
	3 sinkholes in front yard they are all in the same area. Dye test confirmed the concrete culvert is leaking				
21-001382			Public Works		16222 OLD SETTLEMENT RD
11/8/2021	10:00 AM	11/8/2021	10:50 AM	Draining Maintenance	
Complete			/ Remove Debris		
Req Comment:	SENT BY EBR - DITCHES NEED TO BE DUG OUT. IT IS OVERFLOWING TODAY (5/10/21) BACKING UP IN THE YARD.				
	16216 TO CROSS CULVERT AT OLD SETTLEMENT / MCCULLOUGH LOTS OF DEBRIS IN DITCH RESTRICTING FLOW. REMOVE ALL DEBRIS WILL NEED A TRAILER				
21-001384			Public Works		9071 MONHEGAN AVE
11/8/2021	7:00 AM	11/8/2021	10:30 AM	Storm Drain Repair	
Complete			/ Repair or Replace Culvert		
Req Comment:	SENT IN BY EBR - CAVE IN AT THE DRIVEWAY				
	Void under drive way. Dye determined that the leak was running down the side of the pipe. Flow-by-fill the void with concrete				
21-001385			Public Works		17642 VILLA LAKE AVE
11/5/2021	7:00 AM	11/5/2021	9:30 AM	Storm Drain Repair	
Complete			/ Repair Catch Basin		
Req Comment:	SINKHOLES IN THE REAR OF THE PROPERTY BETWEEN 17642 AND 17660 VILLA LAKE				
	In the rear of the address listed at the CB there are sinkholes. Dye showed that the box was leaking at the floor in two locations. Pump out the small amount of water and wipe the bottom of that box with hydro cement.				
	CALL HOMEOWNER BEFORE DOING THE WORK. PROPERTY HAS FENCE.				
21-001386			Public Works		13719 TRIPLE B RD
11/24/2021	7:00 AM	11/24/2021	11:25 AM	Storm Drain Repair	
Complete			/ Repair or Replace Pipe		
Req Comment:	STORM DRAIN REPAIR APPEARS TO HAVE FAILED. BRING BARRICADES.				
	H.O. ASKS THAT WE BRING IN ENOUGH FILL DIRT TO BUILD UP AROUND THE CATCH BASIN SO THE SINKHOLES WILL STOP APPEARING.				
	Large sinkhole directly over culvert				
21-001387			Public Works		11033 NORWAY PINE DR
10/29/2021	1:30 PM	10/29/2021	3:30 PM	Storm Drain Repair	
Complete			/ Repair or Replace Pipe		
Req Comment:	CHECK DRIVEWAY CULVERT FOR LEAKS				
	THERE ARE 3 VOIDS AT THE DRIVEWAY. I DYE TESTED ALL THREE AND IT SHOWED THE DYE RUNNING ALOMG THE SIDE OF THE CULVERTS. FLOW BY FILL THE VOIDS UNDER DRIVEWAY				
	***CALL HOMEOWNER BEFORE ANY WORK IS DONE***				
21-001388			Public Works		18043 BELLINGRATH LAKES AVE
11/15/2021	7:00 AM	11/15/2021	11:36 AM	Storm Drain Repair	
Complete			/ Reconstruct Catch Basin		

# Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR NOVEMBER 2021

8:50 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status				Main Task/Task	Cross Street
Req Comment:	CAVE-IN IN THE BACKYARD				
	There is a CB box in the back right corner of the property. They had a circular man hole cover over CB. It caved in. The CB should have 24x24 slotted cover over CB. There are also a could of sinkholes around CB.				
	Will have to rebuild the box so 24x24 grate can sit on top of box				
21-001391			Public Works		15461 RED MAPLE PL
11/9/2021	7:00 AM	11/16/2021	3:30 PM	Storm Drain Repair	
Complete	/ Repair or Replace Pipe				
Req Comment:	CHECK DRIVEWAY FOR EROSION AND CRACKING ALSO SINKHOLES BY THE MAILBOX. CALL HO BEFORE INSPECTION				
	Culvert under driveway is leaking dye confirmed that. CB at the corner of property is leaking from the CB wall. There is a sinkhole at mail box				
21-001392			Public Works		10714 BIG SUR DR
11/29/2021	7:00 AM	11/29/2021	12:00 PM	Storm Drain Repair	
Complete	/ Repair or Replace Pipe				
Req Comment:	SINK HOLES IN FRONT YARD				
	Sink hole near driveway. Dye showed up in 6" pvc pipe that appears to be the CB. remove PVC pipe and make repair				
21-001393			Public Works		9013 RATHMOOR AVE
11/9/2021	10:00 AM	11/10/2021	11:35 AM	Storm Drain Repair	
Complete	/ Repair or Replace Culvert				
Req Comment:	SINKHOLE ON THE CORNER OF RATHMOOR / ARDOON SINKHOLE ON ARDOON SIDE SINKHOLE IN REAR YARD INSIDE GATE CALL BEFORE INSPECTION TO UNLOCK GATE				
	The sink holes at the corner of Ardoon and rathmoor. Dye showed that all those sink holes were leaking at the bottom of the pipe. Sinkhole in yard. Could not determine where that was leaking				
21-001395			Public Works		17229 EVERGREEN HILLS DR
11/1/2021	12:30 PM	11/1/2021	3:30 PM	Storm Drain Repair	
Complete	/ Repair Catch Basin				
Req Comment:	SINKHOLE IN THE SIDE SERVITUDE WITH A TRAFFIC CONE IN IT BY FENCE				
	The side servitude CB has two sinkholes around it. CB was built with cinder blocks				
21-001397			Public Works		10052 CLOUDLAND DR
			Storm Drain Repair		
Complete	/				
Req Comment:	Rear yard next to shed has sink holes. DYE test sink holes to determine if it's storm drain or sewer.				
	Major issue: CMP culvert at the very end before it gets to the canal has collapsed causing erosion issues at the Backside of the property. Possible capitol outlay project.				
	Close out. Capitol Outlay				
21-001408			Public Works		0 WAX RD
10/28/2021	2:30 AM	10/28/2021	3:30 PM	Roadside Weed-eating	0 WAX RD
Complete	ROADSIDE WEEDEAT / ROADSIDE WEEDEAT				
Crew Comment:	WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD				
21-001409			Public Works		0 DURMAST DR
11/9/2021	7:00 AM	11/9/2021	8:20 AM	Roadside Weed-eating	0 DURMAST DR
Complete	ROADSIDE WEEDEAT / ROADSIDE WEEDEAT				
Crew Comment:	LITTER CONTROL, WEEDEAT AND ROADSIDE MOWING				
21-001410			Public Works		13721 HOOPER RD
11/9/2021	9:30 AM	11/9/2021	10:00 AM	Roadside Weed-eating	
Complete	ROADSIDE WEEDEAT / ROADSIDE WEEDEAT				
Req Comment:	WEED EAT IN FRONT OF CITY HALL				

# Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR NOVEMBER 2021

8:50 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Main Task/Task	Address	Cross Street
Crew Comment: WEED EAT IN FRONT OF CITY HALL							
21-001412	11/8/2021 1:00 PM	11/8/2021 2:00 PM	Public Works	Litter Control	/ Remove Debris	12136 S MILSTEAD PL	
Complete							
Req Comment: CLEAR DEBRIS IN THE REAR DITCH BEHIND 12136 AND 12146 S MILSTEAD AVE.							
The request is for PW to remove the two saw horses and pieces of brick that are not restricting flow							
21-001415	11/1/2021 1:30 PM	11/23/2021 10:00 AM	Public Works	Traffic Sign Maintenance	/ Install Sign	0 RATHMOOR AVE	
Complete							
Req Comment: STREET SIGN IS DOWN AT RATHMOOR AND GLENGARRY. EVERYTHING IS STILL THERE JUST NEEDS TO BE RE-INSTALLED.							
Sign is there. Need a new post							
21-001417	11/9/2021 11:30 AM	11/9/2021 12:00 PM	Public Works	Roadside Weed-eating	/ ROADSIDE WEEDEAT	15105 CRYSTAL DR	
Complete							
Req Comment: WEEDEAT ROADSIDE DITCHES							
Corner lot weedeat roadside ditches							
21-001421	11/11/2021 7:00 AM	11/11/2021 12:00 PM	Public Works	Pot Hole Patching	/ Fill Potholes	8030 BRENNEN DR	
Complete							
Req Comment: POTHOLES IN FRONT OF ADDRESS LISTED.							
2 potholes in front of driveway							
21-001423			Public Works	Roadside Weed-eating	/	13950 NORTHEAST ST	
Complete							
Req Comment: WEEDEAT ROADSIDE DITCHES ON THE WHOLE ROAD							
Weedeat all over grown ditches on northeast							
Work done on Roadside Digging project							
Close out							
21-001426	11/8/2021 11:00 AM	11/8/2021 12:00 PM	Public Works	Culvert Clean Out	/ Remove Debris	11722 LITTLEFIELD AVE	
Complete							
Req Comment: DEBRIS IS IN THE REAR DITCH BLOCKING THE FLOW OF DRAINAGE							
The pipe behind address listed has debris restricting flow							
21-001427	11/1/2021 11:30 AM	11/1/2021 12:00 PM	Public Works	Traffic Sign Maintenance	/ Replace Sign	10735 SHOE CREEK DR	
Complete							
Req Comment: I also requested that the traffic signs in Morgan Place be straightened along with the white pavement markers at each stop sign be painted. I was told,, "That's not going to make them stop", by the woman on the phone They did two at a three way stop intersection. That was MONTHS ago.							
SIGNS WILL BE STRAIGHTENED.							
EMAILED MAYOR ON 10/13 REGARDING "WHITE PAVEMENT MARKERS"							
Straighten up the signs at							
Stoneway @ shoe creek x2							
Shoe creek @ hooper							
Shoe creek @ sagebrush							
Shoe creek @ Morgan meadow							

# Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR NOVEMBER 2021

8:50 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Main Task/Task	Address	Cross Street
21-001428	11/10/2021 10:00 AM	11/10/2021 12:00 PM	Public Works	Pot Hole Patching	/ Fill Potholes	0 ARLEEN AVE	
Complete							
Req Comment: POTHOLES ON THE WHOLE ROAD. ESPECIALLY THE ONES NEAR THE BRIDGE. THERE ARE DIPS AT THE BEGINNING OF THE ROAD THAT NEED TO BE ADDRESSED ALSO.							
4 potholes on arleen dr.							
21-001430	11/3/2021 1:00 PM	11/3/2021 1:40 PM	Public Works	Pot Hole Patching	/ Fill Potholes	13820 LOVETT RD	
Complete							
Req Comment: Description: The road needs repaired per this picture. This was a facebook post from mr Bob burns CitySourced Id: 2332248							
Shoulder repair at the intersection of oak trail and oak meadow							
21-001433	11/1/2021 10:30 AM	11/1/2021 11:00 AM	Public Works	Traffic Sign Maintenance	/ Repair Sign	0 HUBBS RD	
Complete							
Req Comment: YEILD SIGN IS MISSING AT THE INTERSECTION OF HUBBS AND DENHAM							
Need a new post and sign. The sign goes in the edge of parking lot at the chevron							
21-001434	11/5/2021 7:00 AM	11/5/2021 3:30 PM	Public Works	Traffic Sign Maintenance	/ Install Sign	0 DURMAST DR	
Complete							
Req Comment: INSTALL 25 MPH SPEED LIMIT SIGNS IN THE WHOLE NEIGHBORHOOD EXCEPT DURMAST DR (STAYS 30 MPH).							
21-001442	10/26/2021 8:35 AM	11/23/2021 12:00 PM	Public Works	Storm Drain Repair	/ Repair or Replace Pipe	13915 TRIPLE B RD	
Complete							
Req Comment: Description: Cave in in driveway at road							
Sinkhole is marked in white paint near driveway.							
21-001443	11/1/2021 7:00 AM	11/10/2021 3:30 PM	Public Works	COC ROADSIDE DRAINAGE PROJECT	/ Roads Side Ditch Digging	0 NORTHEAST ST	
Complete							
Req Comment: DIG ALL ROADSIDE DITCHES ON NORTHEAST DR							
21-001444	11/11/2021 7:00 AM	11/22/2021 3:30 PM	Public Works	COC ROADSIDE DRAINAGE PROJECT	/ Roads Side Ditch Digging	0 BEAU BOIS DR	
Complete							
Req Comment: EXCAVATE ALL ROADSIDE DITCHES ON BEAU BOIS AND CHATEAUX ROUX.							
21-001445	10/29/2021 1:00 PM	10/29/2021 3:30 PM	Public Works	Storm Drain Repair	/ Repair Catch Basin	18915 MAGNOLIA BEND RD	
Complete							
Req Comment: MANHOLE COVER IS CAVING IN, IN FRONT OF CEMETARY NEAR PIPPIN LANE							
Storm drain in front of cemetery has a sink hole next to it							
21-001450	11/9/2021 10:30 AM	11/9/2021 11:00 AM	Public Works	Roadside Weed-eating	ROADSIDE WEEDEAT / ROADSIDE WEEDEAT	0 GURNEY RD	
Complete							
Crew Comment: LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT							
21-001451	11/9/2021 8:30 AM	11/9/2021 9:00 AM	Public Works	Roadside Weed-eating	ROADSIDE WEEDEAT / ROADSIDE WEEDEAT	0 LOVETT RD	
Complete							
Crew Comment: LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT							

# Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR NOVEMBER 2021

8:50 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
21-001455	11/5/2021 7:00 AM	11/5/2021 12:00 PM	Public Works Draining Maintenance / Roads Side Ditch Digging	6519 DONNYBROOK AVE
Complete	Req Comment: DIG ROADSIDE DITCH			
21-001456	10/28/2021 3:16 PM	10/28/2021 3:30 PM	Public Works Traffic Sign Maintenance / Install Sign	0 MAPLETON DR
Complete	Req Comment: STOP SIGN DOWN AT MAPLETON AND SUNNYSLOPE			
21-001457	10/28/2021 3:00 PM	10/28/2021 3:15 PM	Public Works Traffic Sign Maintenance / Install Sign	0 WINTERSET DR
Complete	Req Comment: STOP SIGN DOWN AT THE INTERSECTION OF WINTERSET AND BLUEFIELD			
21-001458	10/29/2021 9:00 AM	10/29/2021 10:50 AM	Public Works Miscellaneous / Resurface	0 HOOPER RD
Complete	Req Comment: PUT UP BLUE STAR MOM BANNERS			
21-001459	10/29/2021 2:30 PM	10/29/2021 3:30 PM	Public Works Miscellaneous / Resurface	0 GREENWELL SPRINGS RD
Complete	Req Comment: PUT UP BLUE STAR MOM BANNERS AT THE INTERSECTION OF CENTRAL THRUWAY AND GREENWELL SPRINGS.			
21-001460	10/29/2021 7:00 AM	10/29/2021 8:30 PM	Public Works Miscellaneous / Resurface	0 MAGNOLIA BRIDGE RD
Complete	Req Comment: PUT UP BLUE STAR MOM BANNERS AT THE INTERSECTION OF GREENWELL SPRINGS AND MAGNOLIA BRIDGE RD			
21-001461	10/29/2021 1:00 PM	10/29/2021 2:00 PM	Public Works Miscellaneous / Resurface	0 SULLIVAN RD
Complete	Req Comment: PUT UP BLUE STAR MOM BANNERS AT THE INTERSECTION OF HOOPER AND SULLIVAN RD			
21-001462	10/29/2021 11:00 AM	10/29/2021 12:00 PM	Public Works Miscellaneous / Resurface	0 JOOR RD
Complete	Req Comment: PUT UP BLUE STAR MOM BANNERS AT THE INTERSECTION OF JOOR AND LOVETT			
21-001463	11/8/2021 7:00 AM	11/16/2021 9:30 AM	Public Works Draining Maintenance / Roads Side Ditch Digging	14224 HAVERHILL AVE
Complete	Req Comment: CALL H.O. TO SCHEDULE A MEETING.  ROADSIDE DITCH IS NOT DRAINING PROPERLY, WATER IS STANDING.  Dig out ditch from 14224 driveway to 14204 Haverhill culvert Approximately 2.0'			
21-001464	11/8/2021 9:00 AM	11/9/2021 3:30 PM	Public Works Draining Maintenance / Roads Side Ditch Digging	8414 SHADY BLUFF DR
Complete	Req Comment: Description: Ditches need to be dug out to help the water drainage from my house to the drainage ditch that drains into blackwater bayou.  Dig out the ditch from the driveway of 8414 Shady Bluff to the driveway of 8404 Shady Bluff			
21-001467	11/5/2021 1:00 PM	11/5/2021 3:30 PM	Public Works Draining Maintenance / Roads Side Ditch Digging	16723 STONERIDGE DR
Complete				



# Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR NOVEMBER 2021

8:50 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address	Cross Street
Status				Main Task/Task		

Req Comment: Description: Ditch needs dredging. Silted at ends so water stands. Also needs growth impending draining removed.

Dig out vegetation on the stone ridge side of lot

21-001468			Public Works		10617	TALLOWWOOD AVE
11/12/2021	7:00 AM	11/15/2021	12:00 PM	Draining Maintenance		
Complete				/ Roads Side Ditch Digging		

Req Comment: Description: My lot drains most of the middle part of Willowwood Acres Subdivision as can be witnessed by the large naturally formed runoff ditch between myself and my neighbor. My culvert takes a huge amount of water leading to the canal behind Tallowwood. It appears the culvert is full of debris or damaged. Increase in size of pipe or clean out or repair should be examined. If possible can this be examined. Thank you.

Dig out ditch in front of 10607 to storm drain junction box at 10627 Tallowwood approximately 300'

21-001469			Public Works		17848	FRENCHTOWN ACRES DR
11/11/2021	2:30 PM	11/12/2021	9:00 PM	Draining Maintenance		
Complete				/ Repair Catch Basin		

Req Comment: CULVERTS ARE WASHING OUT ON BOTH SIDES OF THE PROPERTY.

CALL BEFORE INSPECTING

The culvert at the junction box by neighbor white column fence needs the mouth of the upstream side clean out. Use the spoil to reshape the ditch.  
At the driveway culvert utilities have caused erosion

21-001470			Public Works		6250	MORGAN RD
11/11/2021	7:00 AM	11/11/2021	3:30 PM	Draining Maintenance		
Complete				/ Roads Side Ditch Digging		

Req Comment: H.O. WANTS ROADSIDE DITCH DUG OUT. HAVING TAIL LINE ISSUES

7/6/21 - H.O. CALLED TO SAY HE JUST WANTS THE MORGAN SIDE DUG.

Dig out ditch from Morgan and Lindsey Neal along 6250 Morgan to where ditch goes into culvert

21-001471			Public Works		12128	ARROWOOD AVE
11/16/2021	12:00 PM	11/16/2021	1:30 PM	Storm Drain Repair		
Complete				/ Repair Catch Basin		

Req Comment: SINKHOLE IN THE FRONT YARD

Sink hole at catch basin

21-001474			Public Works		16426	TENEIYA AVE
11/9/2021	9:30 AM	11/9/2021	3:30 PM	Draining Maintenance		
Complete				/ Roads Side Ditch Digging		

Req Comment: ROADSIDE DITCH IS SILTED IN AND WATER IS BACKING UP ON THE PROPERTY.

Dig out the ditch between 16426&16435 Teneiya -10'  
Dig out the ditch from 16426 TO 16446 Teneiya to intersection of Teneiya and Apache- 200'

21-001482			Public Works		12328	HAVEN AVE
11/5/2021	1:00 PM	11/5/2021	3:30 PM	Storm Drain Repair		
Complete				/ Repair Catch Basin		

Req Comment: SINKHOLE IN THE FRONT YARD BY DRAINAGE AND SEWER.

Side inlet box at address listed is leaking from side walls

21-001485			Public Works		7022	BRYCE CANYON DR
11/24/2021	11:30 AM	11/24/2021	2:03 PM	Storm Drain Repair		
Complete				/ Repair or Replace Pipe		

Req Comment: WASHOUT NEAR CATCH BASIN THAT IS BETWEEN THE DRIVEWAYS OF 7022 AND 7032 BRYCE CANYON.

Sinkhole at CB between the 2 driveways listed

# Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR NOVEMBER 2021

8:50 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
21-001487	11/3/2021 2:00 PM	11/3/2021 2:30 PM	Public Works Pot Hole Patching / Fill Potholes	10301 CARMEL DR
Complete	Req Comment: Description: Pothole that is getting worse CitySourced Id: 2345088			
Pothole on Carmel at the 2nd big canal				
21-001488	11/11/2021 1:00 PM	11/11/2021 1:20 PM	Public Works Pot Hole Patching / Fill Potholes	0 WOODROW KERR LN
Complete	Req Comment: POTHOLES ON WOODROW KERR. ESPECIALLY AT DEAD END			
2 potholes on Woodrow Kerr				
21-001489	11/10/2021 7:00 AM	11/10/2021 9:40 AM	Public Works Pot Hole Patching / Fill Potholes	6729 CHAPARRAL PL
Complete	Req Comment: POTHOLE IN FRONT OF ADDRESS LISTED			
Pothole at the driveway of address listed				
21-001490	11/29/2021 8:00 AM	11/29/2021	Public Works Roadside Weed-eating ROADSIDE WEEDEAT / Investigate	0 HOOPER RD
Complete	Crew Comment: WEEDEAT MEDIAN ON HOOPER RD FROM COMITE RIVER TO 9783 HOOPER RD.			
BE SURE TO BLOW THE GRASS OFF THE ROAD.				
21-001491	11/11/2021 7:00 AM	11/11/2021 12:00 PM	Public Works Litter Control Pick Up Trash / Pick Up Trash	CITY WIDE SNIPE
Complete	Req Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
Crew Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD				
21-001492	11/12/2021 9:30 AM	11/12/2021 10:30 AM	Public Works Backfill/Dressup / Repair or Replace Landscaping	15111 GLENN DR
Complete	Req Comment: BACKFILL FOR FRONT YARD.			
Dirt backfill to left of driveway where excavator went				
21-001493	11/12/2021 10:50 AM	11/12/2021 12:00 PM	Public Works Backfill/Dressup / Resurface	15047 GLENN DR
Complete	Req Comment: BACKFILL FOR FRONT YARD			
Add dirt backfill to repair made in yard				
21-001494	11/9/2021 1:40 PM	11/9/2021 2:00 PM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	15212 CRYSTAL DR
Complete	Req Comment: WEEDEAT THE ROADSIDE DITCH			
Weedeat roadside ditches at address listed				
21-001495	11/9/2021 1:00 PM	11/9/2021 1:30 PM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	15049 CRYSTAL DR
Complete				

# Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR NOVEMBER 2021

8:50 AM

WO #	Start Date/Time	End Date/Time	Category	Problem	Main Task/Task	Address	Cross Street
Req Comment: WEEDEAT THE ROADSIDE DITCH							
Corner lot, weedeat roadside ditches							
21-001499	11/3/2021 10:30 AM	11/3/2021 11:30 AM	Public Works	Pot Hole Patching	/ Fill Potholes	10138	CLOUDLAND DR
Complete							
Req Comment: Description: Potholes CitySourced Id: 2356096							
Potholes on cloud land							
21-001500	11/3/2021 9:15 AM	11/3/2021 10:20 AM	Public Works	Pot Hole Patching	/ Fill Potholes	17109	FIR AVE
Complete							
Req Comment: Description: Pothole CitySourced Id: 2356136							
Pothole at the intersection of Durmast and fir and at 10926 Ashton							
21-001502	11/5/2021 10:00 AM	11/5/2021 11:50 AM	Public Works	Storm Drain Repair	/ Repair Catch Basin	15111	GLENN DR
Complete							
Req Comment: SINKHOLE NEAR CATCH BASIN IN FRONT YARD							
Sink hole at the CB in yard. The CB is leaking from the corner wall							
21-001503	11/4/2021 7:00 AM	11/4/2021 3:30 PM	Public Works	Tree Removal	/ Remove Debris	6716	OAK CLUSTER DR
Complete							
Req Comment: REMOVE TREE FROM REAR SERVITUDE							
REMOVE STUMPS FROM PREVIOUS TREE REMOVAL NEXT DOOR.							
21-001504			Public Works	Backfill/Dressup	/	10111	SHOE CREEK DR
Complete							
Req Comment: Add backfill to ruts made behind address listed							
DUPLICATE							
21-001505	11/5/2021 7:00 AM	11/5/2021 9:30 AM	Public Works	Backfill/Dressup	/ Repair or Replace Landscaping	10111	SHOE CREEK DR
Complete							
Req Comment: Add backfill to ruts made behind address listed							
21-001510	11/23/2021 10:01 AM	11/23/2021 10:30 AM	Public Works	Traffic Sign Maintenance	/ Install Sign	0	BLUEFIELD DR
Complete							
Req Comment: REPLACE THE STREET SIGN AT THE INTERSECTION OF BLUEFIELD AT MAPLETON DR							
Old sign is there need to order new ones to replace the old ones							
21-001511	11/23/2021 11:01 AM	11/23/2021 12:00 PM	Public Works	Traffic Sign Maintenance	/ Install Sign	0	GOODLAND DR
Complete							
Req Comment: REPLACE THE STREET SIGN AT THE INTERSECTION OF GOODLAND AND SUNNYSLOPE DR							
21-001514	11/23/2021 10:31 AM	11/23/2021 11:00 AM	Public Works	Traffic Sign Maintenance	/ Install Sign	0	FRENCHTOWN RD
Complete							
Req Comment: REPLACE THE FRENCHTOWN SIGN AT THE INTERSECTION OF FRENCHTOWN AND RICHARDSON. ONLY FRENCHTOWN SIGN IS NEEDED.							
Order the frenchtown rd sign. We will attach to power pole							

# Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR NOVEMBER 2021

8:50 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem Main Task/Task	Cross Street
21-001515	11/8/2021 11:00 AM	11/8/2021 3:30 PM	Public Works Storm Drain Repair / Repair Catch Basin	7427 CONESTOGA DR
Complete			Req Comment: SINKHOLES IN THE FRONT YARD	
21-001526	11/24/2021 7:00 AM	11/24/2021 11:00 AM	Public Works Storm Drain Repair / Repair or Replace Lid / Ring	17657 LAWNSIDE AVE
Complete			Req Comment: Description: The grate has fallen into the drain basin so it's a big open hole.	
21-001527	11/17/2021 7:00 AM	11/29/2021 3:30 PM	Public Works COC OFF ROAD DRAINAGE PROJECT / OFF ROAD WEEDEAT	13016 GURNEY RD
Complete			Req Comment: CHECK OFF ROAD DRAINAGE FROM THE SUB STATION TO HOOPER RD	
21-001533	11/16/2021 9:30 AM	11/16/2021 12:00 PM	Public Works Storm Drain Repair / Reconstruct Catch Basin	13432 WOOD CREEK DR
Complete			Req Comment: Description: Drainage box and grate were destroyed by truck that picked up storm debris. There is just an opening between 2 sections of pipe that is filling up with dirt and concrete and blocking the ability of ditch to drain. CitySourced Id: 2381553	
21-001535	11/23/2021 12:30 PM	11/23/2021 1:15 PM	Public Works Traffic Sign Maintenance / Install Sign	0 MCCULLOUGH RD
Complete			Req Comment: REPLACE STREET SIGN AT THE INTERSECTION OF MCCULLOUGH AT OLD SETTLEMENT  post is there just need street signs and brackets	
21-001536	11/19/2021 1:00 PM	11/19/2021 1:20 PM	Public Works Roadside Weed-eating / ROADSIDE WEEDEAT	12828 DENHAM RD
Complete			Req Comment: WEEDEAT THE ROADSIDE DITCH  weedeat roadside ditch	
21-001538	11/16/2021 1:30 PM	11/16/2021 4:30 PM	Public Works Draining Maintenance / Repair or Regrade Ditch	15767 FRENCHTOWN RD
Complete			Req Comment: DEBRIS CONTRACTOR REMOVED THE DEBRIS AND CREATED A "MUD WALL" CAUSING THE TAIL LINE TO BACK UP.	
21-001539	11/16/2021 7:00 AM	11/16/2021 8:00 AM	Public Works Storm Drain Repair / Repair or Replace Lid / Ring	14811 RAVENWOOD DR
Complete			Req Comment: RE-INSTALL LID ON THE SIDE INLET	
21-001540			Public Works Storm Drain Repair	14811 RAVENWOOD DR
Complete			Req Comment: RE-INSTALL LID ON THE SIDE INLET  DUPLICATE TO 21-001539	
21-001553	11/29/2021 8:00 AM	11/29/2021	Public Works Roadside Weed-eating ROADSIDE WEEDEAT / Investigate	0 WAX RD
Complete			Crew Comment: WEEDEAT FROM PUMP STATION TO EAST BROOKSIDE DR ON WAX RD	0 WAX RD
21-001556	11/29/2021 8:00 AM	11/29/2021	Public Works Roadside Weed-eating ROADSIDE WEEDEAT / Investigate	0 GURNEY RD
Complete			Crew Comment: LITTER CONTROL AND WEEDEATING AT THE GURNEY RD ROUNDABOUT	0 GURNEY RD

# Work Order Listing Report

1/18/2022

COMPLETED WORK ORDERS FOR NOVEMBER 2021

8:50 AM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem	Cross Street
			Main Task/Task	
21-001557	11/29/2021 8:00 AM	11/29/2021	Public Works	0 LOVETT RD
Complete			Roadside Weed-eating	0 LOVETT RD
Crew Comment:	LITTER CONTROL AND WEEDEATING AT THE LOVETT RD ROUNDABOUT			
21-001558	11/23/2021 3:00 PM	11/23/2021 3:30 PM	Public Works	15110 BLACKWATER RD
Complete			Traffic Sign Maintenance	15110 BLACKWATER RD
Req Comment:	Description: The stop sign at the intersection of McCullough road and Blackwater road has been plowed down. People already go 15 miles over the speed limit on this street and slam on their brakes because they don't realize there is a stop sign there. Now that there isn't, I'm afraid there will be an accident. If someone could come fix the sign as soon as possible, That would be wonderful. Maybe while they are out here, they can look at the yellow sign by the bridge which indicates there is a stop sign ahead. And see if there is a better location for it since so many people don't see it. Just a thought. CitySourced Id: 2392197			
21-001560	11/8/2021 7:00 AM	11/8/2021 12:00 PM	Public Works	CITY WIDE SNIPE
Complete			Litter Control	
Req Comment:	Pick Up Trash / Pick Up Trash FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
21-001561	11/15/2021 7:00 AM	11/15/2021 12:00 PM	Public Works	CITY WIDE SNIPE
Complete			Litter Control	
Req Comment:	Pick Up Trash / Pick Up Trash FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
21-001562	11/22/2021 12:00 PM	11/22/2021 3:30 PM	Public Works	CITY WIDE SNIPE
Complete			Litter Control	
Req Comment:	Pick Up Trash / Pick Up Trash FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
21-001563	11/29/2021 7:00 AM	11/29/2021 12:00 PM	Public Works	CITY WIDE SNIPE
Complete			Litter Control	
Req Comment:	Pick Up Trash / Pick Up Trash FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			