

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Problem	Main Task/Task	Address	Cross Street
22-001534			Public Works	Off Road Drainage	/	13757	JOOR RD
Complete							
Req Comment:	DITCH YOU CLEADED OUT LATE LAST SUMMER IS FILLING BACK IN (AND HAS RESULTED IN ME LOSING MORE OF MY YARD)						
	I STRONGLY FEEL THIS DITCH IS FILLING BACK IN BECAUSE THE SPOILS WERE STACKED TO CLOSE TO THE DITCH. I ALSO FEEL I'M LOSING MORE OF MY YARD BECAUSE THE BACKSIDE OF THE DITCH (WHERE THE BIG CURVE NOT CUT TO LESSEN THE CURVE) INSTEAD THEY JUST EXPANDED THE SIZE OF THE DITCH, RESULTING IN QUICKER LOSS OF MY YARD!!						
	I'M RESPECTFULLY REQUESTING SOME QUICK ASSISTANCE WITH THIS MATTER.						
	After meeting with the homeowner on site his complaint is the the water holding at the backside of the property connected to the senior residence off of hooper. Behind the pond at the senior residence off of hooper is a beaver dam restricting flow. It is a smaller dam that will have to be broken up by hand crew. They will need pull rakes and shovels and pitch forks. The address for the senior center is 10816 live oak grove. The gate code for the front desk is 000 they know about the dam and will be expecting us.						
	WORK COMPLETED ON W.O. 22-001783						
22-001818			Public Works	Storm Drain Repair	/	11033	NORWAY PINE DR
Complete							
Req Comment:	CONCRETE AROUND DRIVEWAY IS WASHING OUT AGAIN. HOMEOWNER SAYS THIS CULVERT WAS SUPPOSE TO BE REPLACED A LONG TIME AGO. PREVIOUS INSPECTIONS, SHOW NO LEAKS.						
	CLOSE OUT. HOMEOWNER WILL CALL WHEN YARD IS DRY ENOUGH TO REPAIR.						
23-000065	2/1/2023	7:00 AM	2/1/2023	3:30 PM	Public Works	Storm Drain Repair	15017 GLENN DR
Complete					/ Repair or Replace Pipe		
Req Comment:	CONCRETE IS COLLAPSING AT THE END OF THE DRIVEWAY OVER CULVERT						
	Side of driveway has collapsed. Remove broken concrete and repair pipe. Rep our concrete after repair.						
23-000068	2/6/2023	7:00 AM	2/6/2023	3:30 PM	Public Works	Storm Drain Repair	16038 REGENT AVE
Complete					/ Repair or Replace Pipe		
Req Comment:	Description: Drainage canal underneath the driveway is eroding causing cracks in the driveway. Attaching pictures CitySourced Id: 2968325						
	Driveway is completely hollow underneath. Remove driveway and repair culvert. Sinkhole between catch basin and driveway to be repaired. Regrout inside of catch basin.						
23-000073	2/3/2023	7:00 AM	2/3/2023	3:30 PM	Public Works	Storm Drain Repair	5815 LANDMOR DR
Complete					/ Repair or Replace Pipe		
Req Comment:	Description: Cave in on west side of my driveway CitySourced Id: 3015773						
	Definitely leaking under drive. Recommend hand digging side of drive first to see if the concrete needs to come out. If so sawcut drive and repair pipe.						
23-000083	2/7/2023	12:30 PM	2/7/2023	3:30 PM	Public Works	Storm Drain Repair	0 ARCENEUX AVE
Complete					/ Repair or Replace Pipe		
Req Comment:	STORM DRAIN REPAIRS ALONG ARCENEUX						
	There is a sink hole under the fence at a joint. Previously repaired. Small sink hole next to catch basin. He wants a previous repaired that's settled filled with top soil, see pics.						

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Problem	Main Task/Task	Address	Cross Street
23-000086	2/7/2023 7:00 AM	2/7/2023 12:00 PM	Public Works	Drainage Maintenance	/ Roads Side Ditch Digging	7212	CONESTOGA DR
Complete	Req Comment: CALL BEFORE INSPECTION. HOMEOWNER WOULD LIKE TO BE ON-SITE.						
SHOE CREEK CANAL/DITCH IS NOW FLOWING IN HER BACKYARD. IT IS CAUSING ISSUES WITH HER POOL AND EVENTUALLY HER HOUSE.							
Let's clean her culvert, the connecting ditches, and the downstream culvert to make sure all public drainage is functioning properly.							
23-000087	2/7/2023 7:00 AM	2/7/2023 10:00 AM	Public Works	Storm Drain Repair	/ Repair or Replace Pipe	7212	CONESTOGA DR
Complete	Req Comment: CALL BEFORE INSPECTION. HOMEOWNER WOULD LIKE TO BE ON-SITE.						
SHOE CREEK CANAL/DITCH IS NOW FLOWING IN HER BACKYARD. IT IS CAUSING ISSUES WITH HER POOL AND EVENTUALLY HER HOUSE.							
23-000102	1/24/2023 7:00 AM	2/22/2023 3:30 PM	Public Works	COC ROADSIDE DRAINAGE PROJECT	/ Roads Side Ditch Digging	0	MONHEGAN AVE
Complete	Req Comment: COC ROADSIDE DIGGING PROJECT						
23-000122	2/13/2023 7:00 AM	2/13/2023 3:30 PM	Public Works	Storm Drain Repair	/ Repair or Replace Pipe	18101	KEYSTONE AVE
Complete	Req Comment: SINKHOLE IN THE BACK OF THE PROPERTY						
There is a large cmp behind the house 48" and a side drain that ties into. Large holes are forming and unsafe... put up temp fencing. We can probably walk inside the pipe to grout or seal to fix then add dirt.							
23-000129	2/8/2023 7:30 AM	2/8/2023 9:00 PM	Public Works	Pot Hole Patching	/ Patching	0	BRIGHTON AVE
Complete	Req Comment: POTHOLES FROM BUSES AT THE INTERSECTION OF BRIGHTON AND E BROOKSIDE						
Sawcut 2 potholes at intersection. One is by gutter.							
23-000130	2/1/2023 2:15 PM	2/1/2023 3:30 PM	Public Works	Roadside Weed-eating	/ ROADSIDE WEEDEAT	11153	HARVEST DR
Complete	Req Comment: LEAVES NEED TO BE CLEARED FROM ROADSIDE DITCH AT 11216 HARVEST						
Rake leaves at neighbors ditch, very minor will take a few minutes							
23-000131	1/31/2023 9:20 AM	1/31/2023 11:15 AM	Public Works	Off-Road Weedeating/Cleanup	/ Remove Debris	17413	HEARTHWOOD DR
Complete	Req Comment: THERE IS A SMALL TREE IN THE DITCH AT HOLLY HOCK AND SUGAR PINE CAUSING WATER TO BACK UP BY THE ADDRESS LISTED						
Clean leaves in ditch between sugar pine and holly hock. Pics won't upload. There are several piles to rake and bag. Go all the way north to bamboo on right. Cut bamboo on right side of ditch.							
23-000133	2/3/2023 8:30 AM	2/3/2023 10:15 AM	Public Works	Pot Hole Patching	/ Fill Potholes	12329	MORGANFIELD AVE
Complete	Req Comment: Description: The entrance and especially the exit have potholes that need to be fixed CitySourced Id: 3167718						
Sawcut 3x3 and patch pothole							

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
23-000138	2/27/2023 2:30 PM	2/27/2023 3:00 PM	Public Works Miscellaneous / Install Sign	0 TANGLEWOOD DR
Complete				
Req Comment: BARRICADE AROUND CATCH BASIN				
23-000141	1/31/2023 9:30 AM	1/31/2023 10:00 AM	Public Works Litter Control / Pick Up Trash	0 DYER RD
Complete				
Req Comment: PICKUP COUCH ON THE SIDE OF THE ROAD				
23-000144	2/7/2023 9:45 AM	2/7/2023 10:45 AM	Public Works Off-Road Weedeating/Cleanup OFF ROAD WEEDEAT / OFF ROAD WEEDEAT	12261 HOOPER RD
Complete				
Req Comment: WEEDEAT AND SPRAY THE BOTTOM OF THE SIDE SERVITUDE 12261 HOOPER RD				
Crew Comment: WEEDEAT AND SPRAY THE BOTTOM OF THE SIDE SERVITUDE 12261 HOOPER RD				
23-000145	2/23/2023 11:00 AM	2/23/2023 11:30 AM	Public Works Pot Hole Patching / Fill Potholes	0 GRETNA GREEN DR
Complete				
Req Comment: POT HOLE AT THE INTERSECTION OF GRETNA GREEN AND MONHEGAN				
Sawcut pothole 4x4 and patch				
23-000146	2/1/2023 9:15 AM	2/1/2023 11:00 AM	Public Works Traffic Sign Maintenance / Repair Sign	0 LOVETT RD
Complete				
Req Comment: REPLACE STREET SIGN				
23-000147	2/3/2023 2:30 PM	2/3/2023 3:30 PM	Public Works Pot Hole Patching / Fill Potholes	10939 BIG SUR DR
Complete				
Req Comment: POTHOLES IN FRONT OF ADDRESS LISTED				
2x2 pothole. Not deep sawcut and repair.				
23-000148	2/6/2023 7:00 AM	2/6/2023 2:00 PM	Public Works Pot Hole Patching / Fill Potholes	0 FIR AVE
Complete				
Req Comment: POTHOLES ON FIR AVE BETWEEN DURMAST AND DOWNEY				
Multiple potholes on Fir, see pics.				
23-000149	2/9/2023 2:00 PM	2/10/2023 10:50 AM	Public Works Pot Hole Patching / Patching	0 WISTERIA LAKES DR
Complete				
Req Comment: POTHOLES AT THE FOLLOWING LOCATIONS IN WISTERIA LAKES SUB:				
14500 WISTERIA LAKES DR				
14605 WISTERIA LAKES DR				
14745 WISTERIA LAKES DR				
14635 WISTERIA LAKES DR				
8105 RUSTIC ROSE DR				
8125 RUSTIC ROSE DR				
23-000152	1/30/2023 8:00 AM	1/30/2023 8:05 AM	Public Works Litter Control Pick Up Trash /	CITY WIDE SNIPE
Complete				
Req Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD				
Crew Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD				

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
23-000160	1/30/2023 9:45 AM	1/31/2023 11:00 AM	Public Works Storm Or Hurricane Related Issues / Remove Debris	0 SOLITUDE LN
Complete	Req Comment: CHECK BOX CULVERTS FOR BLOCKAGES			
23-000166	1/30/2023 1:00 PM	1/31/2023 2:00 PM	Public Works Storm Or Hurricane Related Issues / Remove Debris	15353 HOOPER RD
Complete	Req Comment: REMOVE DEBIRS AT CULVERTS			
23-000167	1/30/2023 1:30 PM	1/31/2023 1:00 PM	Public Works Storm Or Hurricane Related Issues / Remove Debris	0 RIFLE DR
Complete	Req Comment: REMOVE THE DEBRIS AT THE CULVERTS THAT GO UNDER RIFLE			
23-000172	1/30/2023 9:30 AM	1/31/2023 10:00 AM	Public Works Storm Or Hurricane Related Issues / Remove Debris	0 N BEAVER DR
Complete	Req Comment: REMOVE DEBRIS FROM CULVERT			
23-000173	1/30/2023 9:15 AM	1/31/2023 9:00 AM	Public Works Storm Or Hurricane Related Issues / Remove Debris	0 GEMINI DR
Complete	Req Comment: REMOVE DEBRIS FROM CULVERT			
23-000177	1/31/2023 7:00 AM	1/31/2023 9:20 AM	Public Works Storm Or Hurricane Related Issues / Clean Culvert	13005 SULLIVAN RD
Complete	Req Comment: SENT BY MAYOR - PLUGGED CULVERT			
23-000178	1/31/2023 7:00 AM	1/31/2023 10:30 AM	Public Works Storm Or Hurricane Related Issues / Clean Pipe	9802 BANWAY DR
Complete	Req Comment: CATCH BASINS ARE OVERFLOWING. HOMEOWNER BELIEVES THE DRAINAGE GOES NORTH TO THE CONCRETE CANAL. THERE APPEARS TO BE A BLOCKAGES RIGHT BEFORE THE WATER OUTFALLS INTO CANAL CALL BEFORE INSPECTION. BLOCKAGE NEAR 9822 AND 9832 BANWAY. USE WASH RIG TO CLEAR CULVERTS			
23-000179	1/31/2023 10:35 AM	1/31/2023 11:45 AM	Public Works Storm Or Hurricane Related Issues / Clean Pipe	10039 ARLEEN AVE
Complete	Req Comment: AFTER HOURS CALL - CALLER HAS A DITCH BY THE YARD THAT NEEDS TO BE UNPLUGGED BECAUSE THE WATER IS BACKING UP AND FLOODING THE YARD Culver is clogged and neighbor too.			
23-000180	2/1/2023 7:00 AM	2/1/2023 11:00 AM	Public Works Storm Or Hurricane Related Issues / Clean Ditch	0 WAX RD
Complete	Req Comment: SENT BY THE MAYOR - INSPECT CULVERTS FOR BLOCKAGES AT THE INTERSECTION OF OLD WAX RD AND GREENWELL SPRINGS RD			
23-000181	2/7/2023 9:45 AM	2/7/2023 3:30 PM	Public Works Roadside Weed-eating ROADSIDE WEEDEAT / ROADSIDE WEEDEAT	10943 N OLD SETTLEMENT RD
Complete	Crew Comment: WEEDEAT ALL OVERGROWN DITCHES ON N OLD SETTLEMENT			
23-000182	2/1/2023 11:00 AM	2/1/2023 12:00 PM	Public Works Storm Or Hurricane Related Issues / Clean Culvert	12420 PARTRIDGEWOOD DR
Complete				

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Problem	Main Task/Task	Address	Cross Street
Req Comment:	SENT IN BY COUNCILWOMAN FRALICK - CULVERT APPEARS TO BE BLOCKED BETWEEN 12420 AND 12430 PARTRIDGEWOOD.						
	Rake leaves and remove debris						
23-000183			Public Works			12420	PARTRIDGEWOOD DR
2/1/2023	7:00 AM	2/1/2023	9:15 AM	Storm Or Hurricane Related Issues			
Complete	/ Remove Debris						
Req Comment:	SENT IN BY COUNCILWOMAN FRALICK - CULVERT APPEARS TO BE BLOCKED BETWEEN 12420 AND 12430 PARTRIDGEWOOD.						
	Wash culverts out with wash rig						
23-000185			Public Works			13317	OUACHITA AVE
2/1/2023	12:30 PM	2/1/2023	1:45 PM	Storm Or Hurricane Related Issues			
Complete	/ Clean Ditch						
Req Comment:	REAR SWALE DITCH IS FULL OF DEBRIS AND NEEDS TO BE CLEANED.						
	CULVERT AT THE DEAD END OF TENSAS DR MAY BE FULL OF LEAVES AND NEEDS CLEANING.						
	CALL BEFORE INSPECTION.						
23-000186			Public Works			9043	RATHMOOR AVE
2/10/2023	10:50 AM	2/10/2023	1:20 PM	Pot Hole Patching			
Complete	/ Patching						
Req Comment:	POTHOLE IN FRONT OF THE ADDRESS LISTED						
	Cut and remove old asphalt, replace with , New asphalt!						
23-000187			Public Works			0	FRENCHTOWN ACRES DR
2/9/2023	10:35 AM	2/9/2023	11:15 AM	Traffic Sign Maintenance			
Complete	/ Replace Sign						
Req Comment:	STREET SIGNS ARE MISSING AT THE INTERSECTION OF FRENCHTOWN RD AND FRENCHTOWN ACRES DR						
	SIGNS ORDERED 2/2/23						
	Replace Street name signs at the intersection of Frenchtown rd. and Frenchtown Acres						
23-000188			Public Works			0	BILTMORE DR
2/9/2023	7:00 AM	2/9/2023	8:15 AM	Traffic Sign Maintenance			
Complete	/ Replace Sign						
Req Comment:	STREET SIGNS ARE MISSING AT THE INTERSECTION OF ARENDALE AND BANWAY						
	SIGNS ORDERED 2/2/23						
23-000189			Public Works			0	SPARKLE DR
2/9/2023	10:05 AM	2/9/2023	10:30 AM	Traffic Sign Maintenance			
Complete	/ Replace Sign						
Req Comment:	STREET SIGN MISSING AT THE INTERSECTION OF SULLIVAN RD AND SPARKLE						
	SIGNS ORDERED 2/2/23						
	Replace street name signs and hardware to hold the signs for Sparkle dr. And Sullivan rd.						
23-000190			Public Works			0	RIFLE DR
2/9/2023	8:35 AM	2/9/2023	9:05 AM	Traffic Sign Maintenance			
Complete	/ Replace Sign						
Req Comment:	STREET SIGN IS MISSING AT THE INTERSECTION OF RIFLE AND HUNTLEY						
	SIGNS ORDERED 2/2/23						
	Replace street name signs at the intersection of Huntley and Rifle!!						

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem Main Task/Task	Cross Street
23-000191			Public Works	0 WILCOT AVE
2/9/2023	11:16 AM	2/9/2023	12:00 PM Traffic Sign Maintenance	
Complete			/ Install Sign	
Req Comment:	STREET SIGNS ARE MISSING AT THE INTERSECTION OF SULLIVAN RD AND WILCOT AVE			
	SIGNS ORDERED 2/2/23			
	Reinstall street sign pole,replace Sullivan rd street sign!!			
23-000192			Public Works	0 KENTON AVE
2/9/2023	9:36 AM	2/9/2023	10:00 AM Traffic Sign Maintenance	
Complete			/ Replace Sign	
Req Comment:	STREET NAME SIGNS MISSING AT KENTON AND NORWAY PINE			
	Install street sign pole and new street name signs at the intersection of Kenton Ave and Norway Pine Ave!!			
23-000193			Public Works	0 ASHTON AVE
2/9/2023	9:31 AM	2/9/2023	9:35 AM Traffic Sign Maintenance	
Complete			/ Repair Sign	
Req Comment:	STREET NAME SIGNS AT ASHTON AND HARVEST ARE FACING THE WRONG DIRECTION			
	Rotate street name signs to lineup with correct Street!!			
23-000194			Public Works	0 NORWAY PINE DR
2/9/2023	9:06 AM	2/9/2023	9:30 AM Traffic Sign Maintenance	
Complete			/ Replace Sign	
Req Comment:	STREET NAME SIGNS AT NORWAY PINE AND FIR ARE SEVERLY FADED AND HARD TO READ			
	SIGNS ORDERED 2/2/23			
	Replace street name signs at the intersection of Fir dr. And Norway pine!			
23-000195			Public Works	0 ARLEEN AVE
2/3/2023	12:30 PM	2/3/2023	2:15 PM Pot Hole Patching	
Complete			/ Fill Potholes	
Req Comment:	POTHOLE ON ARLEEN			
	Repair pot holes!!			
23-000196			Public Works	12143 WICKWOOD AVE
2/10/2023	1:20 PM	2/10/2023	1:45 PM Pot Hole Patching	
Complete			/ Patching	
Req Comment:	POTHOLE ON MORGANFIELD AVE IN MORGAN PLACE WEST			
	Two pot holes at entrance and exit to Morgan place west!! Morgan field Ave!			
23-000197			Public Works	0 CENTERRA CT
2/3/2023	10:15 AM	2/3/2023	11:30 AM Pot Hole Patching	
Complete			/ Fill Potholes	
Req Comment:	POTHOLE ON CENTERRA CT.			
	Repair pot holes!!			
23-000198			Public Works	0 THIBODEAUX RD
2/2/2023	2:00 PM	2/2/2023	2:30 PM Traffic Sign Maintenance	
Complete			/ Replace Sign	
Req Comment:	CHEVRON SIGNS MISSING FROM CAR ACCIDENT			
23-000199			Public Works	0 PLANCHET RD
2/3/2023	7:00 AM	2/3/2023	8:30 AM Pot Hole Patching	
Complete			/ Fill Potholes	
Req Comment:	Description: Large pothole on eastbound side of Planchet Road just before Alice Louise intersection. This pot hole is continuing to get larger and larger. OneView Id: 3199537			

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
23-000207			Public Works	CITY WIDE SNIPE
2/6/2023	7:00 AM	2/6/2023	3:30 PM Litter Control	
Complete			Pick Up Trash / Remove Sign and / or Post	
Req Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
Crew Comment:	FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			
23-000208			Public Works	11010 VILLAGE GREEN DR
2/6/2023	2:00 PM	2/6/2023	3:30 PM Pot Hole Patching	
Complete			/ Fill Potholes	
Req Comment:	POTHOLE AT THE INTERSECTION OF ASHTON AND VILLAGE GREEN			
23-000210			Public Works	12363 BLACKWATER RD
2/8/2023	11:00 AM	2/8/2023	12:00 PM DOTD Culvert Clean Out	
Complete			/ Clean Culvert	
Req Comment:	DOTD - CLEAR CULVERT TWO DRIVEWAYS SOUTH OF ADDRESS LISTED. BLACK ASPHALT DRIVEWAY.			
23-000213			Public Works	6316 MORGAN RD
2/7/2023	8:15 AM	2/7/2023	9:45 AM Culvert Clean Out	
Complete			/ Clean Culvert	
Req Comment:	CLEAR CROSS CULVERT UNDER MORGAN RD BETWEEN 6316 MORGAN AND 6338 MORGAN RD			
23-000214			Public Works	6521 SULLIVAN RD
2/8/2023	7:00 AM	2/8/2023	7:30 AM EBR Pothole Patching	
Complete			/ Patching	
Req Comment:	POTHOLE IN FRONT OF CAR WASH ON SULLIVAN RD			
23-000215			Public Works	0 JOOR RD
2/7/2023	9:20 AM	2/7/2023	10:20 AM DOTD Miscellaneous	
Complete			/ Remove Debris	
Req Comment:	DUMP TRUCK OVERTURNED AND DUMPED GRAVEL. PICK UP GRAVEL FROM ROADWAY			
23-000216			Public Works	17642 VILLA LAKE AVE
2/7/2023	10:01 AM	2/7/2023	12:00 PM Storm Drain Repair	
Complete			/ Repair Catch Basin	
Req Comment:	Description: There is a large hole in another corner of the drain. The entire area around it is also sinking in. Was told actual leak in drain pipe was repaired but hole was not addressed OneView Id: 3210161			
23-000217			Public Works	9570 DYER RD
2/8/2023	7:00 AM	2/8/2023	11:00 AM EBR Drainage Maintenance	
Complete			/ Roads Side Ditch Digging	
Req Comment:	TAIL LINE ISSUES. ROADSIDE DITCH NEEDS DIGGING			
23-000218			Public Works	16549 PLANCHET RD
2/8/2023	12:00 PM	2/8/2023	1:15 PM Culvert Clean Out	
Complete			/ Clean Culvert	
Req Comment:	CULVERT UNDER DRIVEWAY IS CLOGGED			
CLEAN CULVERTS				
23-000219			Public Works	12418 PHEASANTWOOD DR
2/23/2023	7:00 AM	2/23/2023	12:00 PM Storm Drain Repair	
Complete			/ Repair or Replace Pipe	
Req Comment:	SINKHOLE IN THE FRONT YARD GOING INTO THE ROADWAY			
15 or 18" rcp pipe joint leaking. Few feet deep will need excavator				
23-000220			Public Works	16717 BATTLE CREEK DR
2/23/2023	12:30 PM	2/23/2023	3:30 PM Storm Drain Repair	
Complete			/ Repair or Replace Pipe	

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Problem	Main Task/Task	Address	Cross Street
Req Comment: Description: There is a massive sinkhole on the side of the culvert in the ditch. This is associated with the manhole cover also. The ditches also need to be dug out as they are 85% plugged. CitySourced Id: 3098890 ROADSIDE DIGGING WILL BE COMPLETED WITH REQUEST 22-1698. PLEASE CHECK THE SINKHOLE FOR STORM DRAIN REPAIR. 12" rcp leaking on corner of Donnybrook and battlecreek. Joint repair not very deep							
23-000222	2/8/2023 1:00 PM	2/8/2023 2:00 PM	Public Works	Culvert Clean Out	/ Clean Culvert	14316	GEMINI DR
Req Comment: Description: Culvert blocked CitySourced Id: 3107688							
23-000224	2/10/2023 1:01 PM	2/10/2023 3:00 PM	Public Works	Storm Drain Repair	/ Repair Catch Basin	7427	CONESTOGA DR
Req Comment: Description: The ground around two of my storm drains in my front yard has caved in and needs repair. CitySourced Id: 3136538 Two catch basins leaking at address listed.							
23-000225	2/10/2023 7:00 AM	2/10/2023 9:00 AM	Public Works	Storm Drain Repair	/ Repair Catch Basin	11171	GLENN WATTS RD
Req Comment: Description: There is a large sink hole by the driveway/drainage area. CitySourced Id: 3137150 Catch basin next to driveway is leaking. Will need small amount of backfill once repair is made.							
23-000228	2/9/2023 7:00 AM	2/9/2023 12:00 PM	Public Works	Storm Drain Repair	/ Repair Catch Basin	8040	BRENNEN DR
Req Comment: SINKHOLE NEAR SEWER MANHOLE. DETERMINE IF THIS IS DRAINAGE OR SEWER RELATED. Catch basin is leaking and has large sinkhole approximately 5'x5'. Put up fencing for safety reasons. May need ladder to get to bottom of box.							
23-000229	2/16/2023 10:00 AM	2/16/2023 12:00 PM	Public Works	Storm Drain Repair	/ Repair Catch Basin	17148	ASHTON AVE
Req Comment: BARRICADE IS NEED FOR SINKHOLE IN FRONT YARD OF THE PROPERTY NEAR STORM DRAIN Fenced off sinkhole at catch basin. Catch basin is concrete with plastic pipe and is leaking. Will need backfill.							
23-000235	2/10/2023 9:01 AM	2/10/2023 10:00 AM	Public Works	Storm Drain Repair	/ Repair Catch Basin	14039	HUNTLEY AVE
Req Comment: SINKHOLE AT THE DRIVEWAY OF ADDRESS LISTED Catch basin is leaking. Will need backfill once repair is made.							
23-000236	2/10/2023 12:30 PM	2/24/2023 11:00 AM	Public Works	Storm Drain Repair	/ Repair or Replace Pipe	6424	NARCISSUS DR
Req Comment: SINKHOLE AT DRIVEWAY OF ADDRESS LISTED Catch basin is leaking will need backfill once repair is made.							
23-000238	2/10/2023 10:01 AM	2/10/2023 12:00 PM	Public Works	Storm Drain Repair	/ Repair Catch Basin	12004	LANCEWOOD DR

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status			Main Task/Task		Cross Street
Req Comment:	SINKHOLES AT THE CORNER OF LANCEWOOD AND TALLOWOOD ABOUT 2 FT IN DIAMETER. NEEDS BARRICADES ASAP. A DOG FELL IN THE HOLE A COUPLE OF DAYS AGO				
	BARRICADES WERE PLACED ON WORK ORDER 23-0104				
	Catch basin is leaking and needs to be resealed.				
23-000239			Public Works		0 DENHAM RD
2/8/2023	9:00 AM	2/8/2023	2:40 PM	Pot Hole Patching	
Complete				/ Patching	
Req Comment:	CHECK THE WHOLE ROAD FOR POTHOLES				
	Repair pot holes on Denham rd.				
23-000241			Public Works		8101 STONESHIRE DR
2/9/2023	12:30 PM	2/9/2023	2:00 PM	Storm Drain Repair	
Complete				/ Repair Catch Basin	
Req Comment:	SINKHOLE NEXT TO SIDEWALK AND FIRE HYDRANT.				
	Catch basin is leaking and has large cave in next to and under sidewalk. Fenced off sidewalk and sinkhole for safety reasons. Will need ladder to get in box when repair is made. Sidewalk has sunk approximately 3 inches.				
23-000247			Public Works		14861 DENHAM RD
2/8/2023	2:40 PM	2/8/2023	3:30 PM	Pot Hole Patching	
Complete				/ Patching	
Req Comment:	Description: Deep pothole North edge of Denham Rd., East of E. Beaver CitySourced Id: 3196449				
	Repair pot hole at 14835 Denham rd at the end of E Beaver dr. North side of Denham rd.				
23-000248			Public Works		11138 LANDFAIR AVE
2/9/2023	2:01 PM	2/9/2023	3:30 PM	Storm Drain Repair	
Complete				/ Repair Catch Basin	
Req Comment:	HOMEOWNER CALLED THE MAYOR'S OFFICE				
	PREVIOUS REPAIR. THE DIRT WORK AROUND THE CATCH BASIN IS FAILING/SINKING IN.				
	There is still a leak where the repair was made. Will need some backfill dirt after repair.				
23-000250			Public Works		0 BILTMORE DR
2/9/2023	8:16 AM	2/9/2023	8:30 AM	Traffic Sign Maintenance	
Complete				/ Replace Sign	
Req Comment:	STREET SIGNS ARE MISSING AT THE INTERSECTION OF BILTMORE DR AND REPUBLIC AVE				
	2/8/23 - SIGNS ORDERED				
	Replace street name signs at Biltmore and Republic Dr.				
23-000256			Public Works		0 MAGNOLIA CROSSING DR
2/9/2023	7:00 AM	2/9/2023	10:30 AM	Pot Hole Patching	
Complete				/ Fill Potholes	
Req Comment:	PATCH ALL POTHOLES ON MAGNOLIA CROSSING				
23-000257			Public Works		0 WAX RD
2/9/2023	12:30 PM	2/9/2023	2:00 PM	DOTD Pothole Patching	
Complete				/ Fill Potholes	
Req Comment:	CHECK FOR POTHOLES ON WAX RD/MAGNOLIA BRIDGE RD FROM SULLIVAN RD TO GREENWELL SPRINGS RD				
23-000260			Public Works		9605 SHADY BLUFF DR
2/9/2023	1:00 PM	2/9/2023	2:00 PM	Culvert Clean Out	
Complete				/ Remove Debris	
Req Comment:	CLEAN CULVERT				

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status	Problem	Main Task/Task	Cross Street	
23-000261	2/9/2023 2:05 PM	2/9/2023 3:00 PM	Public Works Culvert Clean Out / Remove Debris	11010 VILLAGE GREEN DR
Complete	Req Comment: DRIVEWAY CULVERT IS CLOGGED WITH LEAVES			
23-000264	2/10/2023 12:30 PM	2/10/2023 3:00 PM	Public Works Tree Removal / Remove Debris	12825 SOLEMN OAKS AVE
Complete	Req Comment: Description: The bridge on Solemn Oaks Ave water flow is blocked by tree OneView Id: 3216706			
23-000265	2/10/2023 8:35 AM	2/10/2023 9:30 AM	Public Works Backfill/Dressup / Repair or Replace Landscaping	8040 BRENNEN DR
Complete	Req Comment: BACKFILL PREVIOUS REPAIR			
23-000266	2/10/2023 9:35 AM	2/10/2023 10:30 AM	Public Works Backfill/Dressup / Repair or Replace Landscaping	8101 STONESHIRE DR
Complete	Req Comment: BACKFILL PREVIOUS REPAIR			
23-000267	2/10/2023 7:00 AM	2/10/2023 8:30 AM	Public Works Backfill/Dressup / Repair or Replace Landscaping	11138 LANFAIR AVE
Complete	Req Comment: BACKFILL PREVIOUS REPAIR			
23-000268	2/10/2023 1:45 PM	2/16/2023 10:30 AM	Public Works Pot Hole Patching / Patching	0 MORGAN RD
Complete	Req Comment: Description: Pot holes are in abundance on this road. CitySourced Id: 3197363			
	Repair pot holes on Morgan rd.			
23-000271	2/23/2023 12:30 PM	2/23/2023 2:00 PM	Public Works Pot Hole Patching / Fill Potholes	0 PLANCHET RD
Complete	Req Comment: POTHoles ON PLANCHET IN THE BAD CURVE BEFORE THE INTERSECTION OF FRENCHTOWN AND PLANCHET			
	Repair potholes and shoulder at Planchet and Frenchtown			
23-000272	2/14/2023 11:15 AM	2/15/2023 1:45 PM	Public Works Pot Hole Patching / Patching	0 BRIDGEPORT DR
Complete	Req Comment: BAD POTHoles ON BRIDGEPORT BETWEEN LANDMOR AND MORGAN RD			
	PATCH ALL POTHoles IN BELLINGRATH SUB			
23-000276	2/16/2023 1:31 PM	2/16/2023 2:30 PM	Public Works Backfill/Dressup / Resurface	14039 HUNTLEY AVE
Complete	Req Comment: BACKFILL FOR PREVIOUS REPAIR			
23-000277	2/16/2023 2:31 PM	2/16/2023 3:30 PM	Public Works Backfill/Dressup / Resurface	11171 GLENN WATTS RD
Complete	Req Comment: BACKFILL FOR PREVIOUS REPAIR			
23-000280	2/13/2023 7:00 AM	2/13/2023 3:30 PM	Public Works Litter Control Pick Up Trash / Pick Up Trash	CITY WIDE SNIPE
Complete	Req Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD			

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Problem	Address
Status	Main Task/Task			Cross Street	
Crew Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD					
23-000281	2/13/2023 7:00 AM	2/13/2023 3:30 PM	Public Works	Off-Road Weedeating/Cleanup	12680 LOVETT RD
Complete	/ OFF ROAD WEEDEAT				
Req Comment: OFF ROAD CANAL NEEDS TO BE CLEARED OF LIMBS, LEAVES AND SMALL TREES					
23-000283	2/16/2023 12:30 PM	2/16/2023 1:30 PM	Public Works	Backfill/Dressup	7427 CONESTOGA DR
Complete	/ Resurface				
Req Comment: BACKFILL PREVIOUS REPAIR					
23-000284	2/14/2023 7:00 AM	2/14/2023 11:15 AM	Public Works	Pot Hole Patching	0 CARMEL DR
Complete	/ Patching				
Req Comment: PATCH ALL POTHOLES IN CARMELACRES SUB					
23-000285	2/14/2023 7:00 AM	2/14/2023 1:30 PM	Public Works	Storm Drain Repair	16038 REGENT AVE
Complete	/ Repair or Replace Pipe				
Req Comment: CHECK PREVIOUS REPAIR FOR LEAKS					
23-000286	2/24/2023 11:01 AM	2/24/2023 3:30 PM	Public Works	Storm Drain Repair	13855 MARLIN DR
Complete	/ Repair or Replace Pipe				
Req Comment: CHECK PREVIOUS REPAIR FOR LEAKS					
23-000288	2/15/2023 7:00 AM	2/15/2023 3:30 PM	Public Works	Litter Control	0 LOVETT RD
Complete	/ Pick Up Trash				
Req Comment: LITTER CONTROL LOVETT RD FROM HOOPER RD TO SULLIVAN					
23-000293	2/15/2023 10:30 AM	2/20/2023 8:00 AM	Public Works	Pot Hole Patching	0 TANGLEWOOD DR
Complete	/ Patching				
Req Comment: POTHOLES IN TANGLEWOOD SUB					
23-000296	2/20/2023 8:00 AM	2/20/2023 8:05 AM	Public Works	Litter Control	CITY WIDE SNIPE
Complete	Pick Up Trash /				
Req Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD					
Crew Comment: FRENCHTOWN RD PLANCHET RD THIBODEAUX RD MORGAN RD TRIPLE B RD LOVETT RD HOOPER RD ZACHARY-DEERFORD RD BLACKWATER RD CAREY RD GURNEY RD DENHAM RD HUBBS RD JOOR RD DEVALL RD WAX RD MAGNOLIA BRIDGE RD SULLIVAN RD GREENWELL SPRINGS RD					
23-000302	2/20/2023 8:00 AM	2/20/2023 1:00 PM	Public Works	Pot Hole Patching	0 DURMAST DR
Complete	/ Patching				
Req Comment: PATCH ALL POTHOLES IN NORTHWOODS					
23-000303	2/20/2023 1:00 PM	2/22/2023 9:45 AM	Public Works	Pot Hole Patching	0 TYNEWOOD AVE
Complete	/ Patching				
Req Comment: PATCH ALL POTHOLES IN COMITE HILLS WEST					
23-000304	2/22/2023 10:30 AM	2/23/2023 11:00 AM	Public Works	Pot Hole Patching	0 BROWN RD
Complete	/ Fill Potholes				
Req Comment: PATCH ALL POTHOLES ON BROWN RD					

Work Order Listing Report

3/22/2023

COMPLETED WORK ORDERS FOR FEBRUARY 2023

1:07 PM

WO #	Start Date/Time	End Date/Time	Category	Address
Status			Problem	Cross Street
			Main Task/Task	
23-000305			Public Works	10151 LOVETT RD
2/22/2023	9:45 AM	2/22/2023	10:30 AM	Pot Hole Patching
Complete			/ Patching	
Req Comment:	POTHOLE AT ADDRESS LISTED			
23-000307			Public Works	0 OAKBERRY AVE
2/24/2023	7:00 AM	2/24/2023	1:20 PM	Pot Hole Patching
Complete			/ Patching	
Req Comment:	PATCH ALL POTHOLE ON OAKBERRY			
